## Request for Modular/Limited Modular Approval

Date	e: March 25, 2022		
Sub	ject: Manufacturer's Declaration for □ - Modular Approval □ - Split Modular Company □ - Limited Modular Approval □ - Limited Split		approval
Con	fidentiality Request for: 2AR82-SKIWB921A5		
	8 Basic Requirements – FCC Part 15.212(a)(1)	II D	
	For Items Marked "NO(*)", the Limited Module Description Must be Filled Out on the Fo Modular Approval Requirement		ment Met
	The modular transmitter must have its own RF shielding. This is intended to ensure that the module does not have to rely upon the shielding provided by the device into which it is installed in order for all modular transmitter emissions to comply with FCC limits. It is also intended to prevent coupling between the RF circuitry of the module and any wires or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation. The physical crystal and tuning capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i)	⊠ - YES	□ - NO(*)
	Details: The module contains a metal shield which covers all RF components and circuitry. The shie the board next to antenna connector	ld is located o	n the top of
	The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with FCC requirements under conditions of excessive data rates or over-modulation. 15.212(a)(1)(ii)	⊠ - YES	□ - NO(*)
	Details: The EUT has buffered modulation/data inputs, it is integrated in chip MT9721AU.		
	The modular transmitter must have its own power supply regulation on the module. This is intended to ensure that the module will comply with FCC requirements regardless of the design of the power supplying circuitry in the device into which the module is installed. 15.212(a)(1)(iii)	⊠ - YES	□ - NO(*)
	Details: The module contains its own power supply regulation. Please refer to schematic filed with th	is application	
	The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b), 15.204(c), 15.212(a), and 2.929(b). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph 15.212(b). 15.212(a)(1)(iv)	⊠ - YES	□ - NO(*)
	Details: The module connects to its antenna using an UFL connector which is considered a non-stand antennas tested and approved with this device can be found in test report, photo exhibits, user manual provided with the application		
	The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. This is intended to demonstrate that the module is capable of complying with Part 15 emission limits regardless of the device into which it is eventually installed. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in Section 15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites, unless they will be marketed with the module (see Section 15.27(a)). The length of these lines shall be length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified or commercially available (see Section 15.31(i)). 15.212(a)(1)(v)	⊠ - YES	□ - NO(*)
	Details: The module was tested stand-alone as shown in test setup photographs filed with this applica	tion	

	Modular Approval Requirement	Require	ment Met
6.	The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748).  If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.  If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi)	⊠ - YES	□ - NO(*)
	Details: There is a label on the module as shown in the labeling exhibit filed with this application. He instructions are shown in the installation manual filed with this application.	ost specific la	beling
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)
	Details: The module complies with FCC Part 15C requirements. Instructions to the OEM installer are manual filed with this application.	e provided in t	the user
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)
	Details: The module meets the RF exposure requirements, please refer to tee RF exposure report		

## **Limited Module Description – When Applicable**

\* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: <example - N/A>

Software Considerations - KDB 594280 / KDB 442812 (One of the following 2 items must be applied)			
Requirement		Requirement Met	
1.	For <u>non-Software Defined Radio</u> transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280.	□ Provided in Separate     Cover Letter	□ - N/A
	Details: <example adjusted="" application.="" be="" by="" can="" device="" filed="" firmware="" letter="" modified="" not="" of="" or="" the="" this="" with="" –=""></example>	e end user as described in a se	parate cover
2.	For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.	☐ - Provided in Separate  Cover Letter	□ - N/A
	Details: <example -n="" a=""></example>		

Split Modular Requirements			
Requirement	Provided in Manual		
For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained.	☐ - Provided in Separate Cover Letter	□ - N/A	
Details: <example a="" n="" –=""></example>			

OE.	M Integration Manual Co	vidence VDD 006260 D02 Section 2		
OEM Integration Manual Guidance – KDB 996369 D03 Section 2				
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures				
for third-parties to use and/or integrate the module into a host device.				
Requirement				
		□ - No,		
		If No, and LMA applies, the applicant ca	in optionally choose to not	
		make the following detailed info public.		
Is this module intended for		to be basic integration instructions for		
sale to third parties?	⊠ - YES	information below must still be inclu		
		description. <u>If the applicant wishes to k</u> this will require a separate statement co		
		module is not for sale to third partie		
		instructions are internal confide		
Item	s required to be in the ma	nual – See KDB 996369 D03, Section 2		
		nformation to be in the installation manual.	Modular transmitter	
applicants should include informat	ion in their instructions fo	or all these items indicating clearly when the	ey are not applicable. For	
		"Not Applicable". Also if a module is limit		
		instructions may not need to be detailed an		
		out this should include a cover letter as cited	l above.	
1. List of applicable FCC rules. Kl		2		
	ated to the transmitter.	(2(0 D02 G 2.2	_	
2. Summarize the specific operation				
	onal installation info	loss, reduction of power for point to point		
3. Limited Module Procedures. KD				
		ses to verify the host meets the necessary		
limiting condition		ses to verify the nest investigation incomments	□ - All Items shown to	
		state how control will be maintained such	the left are provided in	
	s ensured, such as Class II f	or new hosts, etc.	the Modular Integration	
4. Trace antenna designs. KDB 99			Guide (or UM) for Full	
		nnectors, isolation requirements, tests for	Modular Approval (MA)	
design verification, and production test procedures for ensuring compliance. If confidential, the method used to keep confidential must be identified and information				
	perational description.	ential must be identified and information		
5. RF exposure considerations. KD			☐ - An LMA applies	
		low host manufacturers to use the module.	and is approved ONLY	
		to the host manufacturer to define	for use by the grantee in	
conditions (mobil	le, portable – xx cm from bo	ody) and second additional text needed to be	their own products, and	
	nd user in the host product n	nanuals.	not intended for sale to 3 <sup>rd</sup> parties as provided in	
6. Antennas. KDB 996369 D03, Se			a separate cover letter.	
		nd all applicable professional installer	Therefore the	
		at shall also identify the antenna types	information shown to the	
7. Label and compliance information		ni-directional" is not considered a type)	left is found in the	
•		rovide a physical or e-label stating	theory of operation.	
	D: " with their finished prod			
8. Information on test modes and a				
a. Test modes that s	hould be taken into conside	ration by host integrators including		
		imultaneous configurations.		
	ion on how to configure test			
9. Additional testing, Part 15 Subpa	art B disclaimer. KDB 9963	669 D03, Section 2.10		
Cinconaly	_			
Sincerely,	8 <b>4</b>			
D	1			
By:  (Bing Yi / Certification Manager 1) (Print name)				
- (Bing)	Y 1 / Certification Manag	ger <sup>-</sup> )	Print name)	

<sup>&</sup>lt;sup>1</sup> - Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate authorized agent letter has been provided. Letters should be placed on appropriate letterhead.