



## 802.11ax-HE40 26dB &amp; 99% Bandwidth


Channel 38 (5190MHz)




Channel 46 (5230MHz)




Channel 54 (5270MHz)




Channel 62 (5310MHz)




Channel 102 (5510MHz)




Channel 110 (5550MHz)




Channel 118 (5590MHz)




Channel 134 (5670MHz)






## 802.11ax-HE80 26dB &amp; 99% Bandwidth


Channel 42 (5210MHz)




Channel 58 (5290MHz)




Channel 106 (5530MHz)




Channel 122 (5610MHz)



Channel 138 (5690MHz)



Channel 155 (5775MHz)




**A.3 6dB Bandwidth Test Result**

Test Site	WZ-SR5	Test Engineer	Liz Yuan
Test Date	2022/02/18~2022/02/20		


Test Mode	Data Rate/ MCS	Channel No.	Frequency (MHz)	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11a	24Mbps	149	5745	15.80	≥ 0.5	Pass
802.11a	24Mbps	157	5785	16.09	≥ 0.5	Pass
802.11a	24Mbps	165	5825	16.32	≥ 0.5	Pass
802.11ac-VHT20	MCS0	149	5745	17.54	≥ 0.5	Pass
802.11ac-VHT20	MCS0	157	5785	17.05	≥ 0.5	Pass
802.11ac-VHT20	MCS0	165	5825	17.02	≥ 0.5	Pass
802.11ac-VHT40	MCS0	151	5755	33.87	≥ 0.5	Pass
802.11ac-VHT40	MCS0	159	5795	35.07	≥ 0.5	Pass
802.11ac-VHT80	MCS0	155	5775	75.05	≥ 0.5	Pass
802.11ac-VHT20	MCS0	149	5745	18.70	≥ 0.5	Pass
802.11ac-VHT20	MCS0	157	5785	18.68	≥ 0.5	Pass
802.11ac-VHT20	MCS0	165	5825	18.71	≥ 0.5	Pass
802.11ac-VHT40	MCS0	151	5755	35.05	≥ 0.5	Pass
802.11ac-VHT40	MCS0	159	5795	35.14	≥ 0.5	Pass
802.11ac-VHT80	MCS0	155	5775	75.20	≥ 0.5	Pass

802.11a 6dB Bandwidth


Channel 149 (5745MHz)



Channel 157 (5785MHz)




Channel 165 (5825MHz)




802.11ac-VHT20 6dB Bandwidth


Channel 149 (5745MHz)



Channel 157 (5785MHz)




Channel 165 (5825MHz)




802.11ac-VHT40 6dB Bandwidth

Channel 151 (5755MHz)




Channel 159 (5795MHz)




802.11ac-VHT80 6dB Bandwidth

Channel 155 (5775MHz)




802.11ax-HE20 6dB Bandwidth


Channel 149 (5745MHz)



Channel 157 (5785MHz)




Channel 165 (5825MHz)




802.11ax-HE40 6dB Bandwidth

Channel 151 (5755MHz)




Channel 159 (5795MHz)



802.11ax-HE80 6dB Bandwidth

Channel 155 (5775MHz)





#### A.4 Output Power Test Result

Output power test was verified over all data rates of each mode shown as below table, and then choose the maximum output power (gray marker) for final test of each channel.

Test Mode	Bandwidth	Channel No.	Frequency (MHz)	Data Rate/ MCS	Average Power (dBm)
802.11a	20	36	5180	6Mbps	16.26
				24Mbps	16.02
				54Mbps	15.84
802.11ac	20	36	5180	Mcs0	15.28
				Mcs4	15.10
				Mcs9	14.95
802.11ac	40	38	5190	Mcs0	15.19
				Mcs4	15.01
				Mcs9	14.80
802.11ac	80	42	5210	Mcs0	15.16
				Mcs4	14.95
				Mcs9	14.71
802.11ax	20	36	5180	Mcs0	14.09
				Mcs5	13.84
				Mcs11	13.65
802.11ax	40	38	5190	Mcs0	14.51
				Mcs5	14.26
				Mcs11	14.05
802.11ax	80	42	5210	Mcs0	14.37
				Mcs5	14.20
				Mcs11	14.01

Test Site	WZ-SR5	Test Engineer	Liz Yuan
Test Date	2022/02/10		

Test Mode	Data Rate/ MCS	Ch. No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Average Power Limit (dBm)
				Ant 0	Ant 1		
11a	24Mbps	36	5180	16.26	15.65	18.98	≤ 23.98
11a	24Mbps	44	5220	16.48	15.23	18.91	≤ 23.98
11a	24Mbps	48	5240	16.20	15.02	18.66	≤ 23.98
11a	24Mbps	52	5260	16.10	14.99	18.59	≤ 23.98
11a	24Mbps	60	5300	16.27	15.88	19.09	≤ 23.98
11a	24Mbps	64	5320	16.05	15.99	19.03	≤ 23.98
11a	24Mbps	100	5500	16.26	15.35	18.84	≤ 23.98
11a	24Mbps	116	5580	16.02	14.83	18.48	≤ 23.98
11a	24Mbps	120	5560	16.25	14.91	18.64	≤ 23.98
11a	24Mbps	140	5700	16.19	16.33	19.27	≤ 23.98
11a	24Mbps	144	5720	16.16	16.05	19.12	≤ 23.63
11a	24Mbps	149	5745	16.20	16.18	19.20	≤ 30.00
11a	24Mbps	157	5785	16.21	16.25	19.24	≤ 30.00
11a	24Mbps	165	5825	16.26	16.38	19.33	≤ 30.00
11ac-VHT20	MCS0	36	5180	15.28	14.75	18.03	≤ 23.98
11ac-VHT20	MCS0	44	5220	15.02	13.77	17.45	≤ 23.98
11ac-VHT20	MCS0	48	5240	14.96	13.79	17.42	≤ 23.98
11ac-VHT20	MCS0	52	5260	15.48	14.30	17.94	≤ 23.98
11ac-VHT20	MCS0	60	5300	14.96	14.53	17.76	≤ 23.98
11ac-VHT20	MCS0	64	5320	14.95	14.39	17.69	≤ 23.98
11ac-VHT20	MCS0	100	5500	15.13	14.35	17.77	≤ 23.98
11ac-VHT20	MCS0	116	5580	15.31	14.23	17.81	≤ 23.98
11ac-VHT20	MCS0	120	5600	15.48	14.55	18.05	≤ 23.98
11ac-VHT20	MCS0	140	5700	15.39	15.55	18.48	≤ 23.98
11ac-VHT20	MCS0	144	5720	15.27	15.35	18.32	≤ 23.56
11ac-VHT20	MCS0	149	5745	14.65	15.20	17.94	≤ 30.00
11ac-VHT20	MCS0	157	5785	15.35	15.36	18.37	≤ 30.00
11ac-VHT20	MCS0	165	5825	14.80	15.45	18.15	≤ 30.00

Test Mode	Data Rate/ MCS	Ch. No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Average Power Limit (dBm)
				Ant 0	Ant 1		
11ac-VHT40	MCS0	38	5190	15.19	15.15	18.18	≤ 23.98
11ac-VHT40	MCS0	46	5230	15.26	14.75	18.02	≤ 23.98
11ac-VHT40	MCS0	54	5270	15.38	15.26	18.33	≤ 23.98
11ac-VHT40	MCS0	62	5310	15.23	15.15	18.20	≤ 23.98
11ac-VHT40	MCS0	102	5510	15.25	14.50	17.90	≤ 23.98
11ac-VHT40	MCS0	110	5550	15.26	14.30	17.82	≤ 23.98
11ac-VHT40	MCS0	118	5590	15.10	14.66	17.90	≤ 23.98
11ac-VHT40	MCS0	134	5670	13.80	15.20	17.57	≤ 23.98
11ac-VHT40	MCS0	142	5710	13.92	15.10	17.56	≤ 23.98
11ac-VHT40	MCS0	151	5755	13.99	14.78	17.41	≤ 30.00
11ac-VHT40	MCS0	159	5795	14.05	14.89	17.50	≤ 30.00
11ac-VHT80	MCS0	42	5210	15.16	15.21	18.20	≤ 23.98
11ac-VHT80	MCS0	58	5290	15.00	14.90	17.96	≤ 23.98
11ac-VHT80	MCS0	106	5530	15.23	13.93	17.64	≤ 23.98
11ac-VHT80	MCS0	122	5610	15.45	14.80	18.15	≤ 23.98
11ac-VHT80	MCS0	138	5690	14.10	14.83	17.49	≤ 23.98
11ac-VHT80	MCS0	155	5775	13.96	14.95	17.49	≤ 30.00
11ax-HE20	MCS0	36	5180	14.09	13.72	16.92	≤ 23.98
11ax-HE20	MCS0	44	5220	14.00	13.02	16.55	≤ 23.98
11ax-HE20	MCS0	48	5240	14.11	13.00	16.60	≤ 23.98
11ax-HE20	MCS0	52	5260	14.45	13.33	16.94	≤ 23.98
11ax-HE20	MCS0	60	5300	14.26	13.71	17.00	≤ 23.98
11ax-HE20	MCS0	64	5320	14.30	13.73	17.03	≤ 23.98
11ax-HE20	MCS0	100	5500	14.36	13.18	16.82	≤ 23.98
11ax-HE20	MCS0	116	5580	14.27	12.66	16.55	≤ 23.98
11ax-HE20	MCS0	120	5600	14.13	12.99	16.61	≤ 23.98
11ax-HE20	MCS0	140	5700	13.80	14.18	17.00	≤ 23.98
11ax-HE20	MCS0	144	5720	13.78	14.02	16.91	≤ 23.09
11ax-HE20	MCS0	149	5745	14.15	14.50	17.34	≤ 30.00
11ax-HE20	MCS0	157	5785	13.80	14.20	17.01	≤ 30.00
11ax-HE20	MCS0	165	5825	14.25	14.23	17.25	≤ 30.00

Test Mode	Data Rate/ MCS	Ch. No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Average Power Limit (dBm)
				Ant 0	Ant 1		
11ax-HE40	MCS0	38	5190	14.51	14.47	17.50	≤ 23.98
11ax-HE40	MCS0	46	5230	14.31	14.23	17.28	≤ 23.98
11ax-HE40	MCS0	54	5270	14.31	14.53	17.43	≤ 23.98
11ax-HE40	MCS0	62	5310	14.36	14.49	17.44	≤ 23.98
11ax-HE40	MCS0	102	5510	14.08	13.50	16.81	≤ 23.98
11ax-HE40	MCS0	110	5550	14.16	13.00	16.63	≤ 23.98
11ax-HE40	MCS0	118	5590	14.29	13.75	17.04	≤ 23.98
11ax-HE40	MCS0	134	5670	13.40	14.37	16.92	≤ 23.98
11ax-HE40	MCS0	142	5710	13.60	14.33	16.99	≤ 23.98
11ax-HE40	MCS0	151	5755	13.33	14.47	16.95	≤ 30.00
11ax-HE40	MCS0	159	5795	13.60	14.50	17.08	≤ 30.00
11ax-HE80	MCS0	42	5210	14.37	14.34	17.37	≤ 23.98
11ax-HE80	MCS0	58	5290	13.62	13.67	16.66	≤ 23.98
11ax-HE80	MCS0	106	5530	14.47	12.90	16.77	≤ 23.98
11ax-HE80	MCS0	122	5610	14.15	13.60	16.89	≤ 23.98
11ax-HE80	MCS0	138	5690	13.77	14.50	17.16	≤ 23.98
11ax-HE80	MCS0	155	5775	13.12	14.15	16.68	≤ 30.00

Note: Max Conducted Output Power Limit Calculation as below:

For Channel 144 (5720MHz), Average Power Limit (dBm) =  $11 + 10 \cdot \log(5\text{MHz} + BW_{26\text{dB}}/2)$

**A.5 Power Spectral Density Test Result**

Test Site	WZ-SR5	Test Engineer	Liz Yuan
Test Date	2022/02/13		

Test Mode	Data Rate/ MCS	Ch. No.	Freq. (MHz)	PSD (dBm/MHz)		Duty Cycle (%)	Total PSD (dBm/MHz)	PSD Limit (dBm/ MHz)
				Ant 0	Ant 1			
For NII-1/-2a/-2c Bands								
11a	6Mbps	36	5180	4.03	3.26	78.54	7.72	≤ 10.20
11a	6Mbps	44	5220	4.17	2.77	78.54	7.58	≤ 10.20
11a	6Mbps	48	5240	3.53	2.91	78.54	7.29	≤ 10.20
11a	6Mbps	52	5260	4.09	2.87	78.54	7.58	≤ 10.20
11a	6Mbps	60	5300	4.22	3.61	78.54	7.98	≤ 10.20
11a	6Mbps	64	5320	3.92	3.44	78.54	7.74	≤ 10.20
11a	6Mbps	100	5500	4.70	2.95	78.54	7.97	≤ 10.20
11a	6Mbps	116	5580	3.48	2.80	78.54	7.21	≤ 10.20
11a	6Mbps	120	5600	4.28	3.17	78.54	7.82	≤ 10.20
11a	6Mbps	140	5700	4.39	4.21	78.54	8.36	≤ 10.20
11a	6Mbps	144	5720	4.51	4.29	78.54	8.46	≤ 10.20
11ac-VHT20	MCS0	36	5180	2.87	1.78	78.04	6.45	≤ 10.20
11ac-VHT20	MCS0	44	5220	2.14	1.45	78.04	5.90	≤ 10.20
11ac-VHT20	MCS0	48	5240	2.40	1.75	78.04	6.18	≤ 10.20
11ac-VHT20	MCS0	52	5260	2.97	1.72	78.04	6.47	≤ 10.20
11ac-VHT20	MCS0	60	5300	3.17	2.35	78.04	6.86	≤ 10.20
11ac-VHT20	MCS0	64	5320	3.04	2.20	78.04	6.73	≤ 10.20
11ac-VHT20	MCS0	100	5500	3.42	2.59	78.04	7.11	≤ 10.20
11ac-VHT20	MCS0	116	5580	2.97	2.15	78.04	6.67	≤ 10.20
11ac-VHT20	MCS0	120	5600	3.28	1.86	78.04	6.71	≤ 10.20
11ac-VHT20	MCS0	140	5700	3.50	3.60	78.04	7.64	≤ 10.20
11ac-VHT20	MCS0	144	5720	2.49	3.10	78.04	6.90	≤ 10.20

Test Mode	Data Rate/ MCS	Ch. No.	Freq. (MHz)	PSD (dBm/MHz)		Duty Cycle (%)	Total PSD (dBm/MHz)	PSD Limit (dBm/ MHz)
				Ant 0	Ant 1			
For NII-1/-2a/-2c Bands								
11ac-VHT40	MCS0	38	5190	-0.14	-0.48	50.07	5.71	≤ 10.20
11ac-VHT40	MCS0	46	5230	-0.83	-1.00	50.07	5.10	≤ 10.20
11ac-VHT40	MCS0	54	5270	-0.25	-0.41	50.07	5.68	≤ 10.20
11ac-VHT40	MCS0	62	5310	-0.12	-0.23	50.07	5.84	≤ 10.20
11ac-VHT40	MCS0	102	5510	-0.29	-1.14	50.07	5.32	≤ 10.20
11ac-VHT40	MCS0	110	5550	-0.38	-0.84	50.07	5.41	≤ 10.20
11ac-VHT40	MCS0	118	5590	-0.04	-0.74	50.07	5.64	≤ 10.20
11ac-VHT40	MCS0	134	5670	-1.49	-0.01	50.07	5.33	≤ 10.20
11ac-VHT40	MCS0	142	5710	-0.94	-0.21	50.07	5.46	≤ 10.20
11ac-VHT80	MCS0	42	5210	-4.89	-5.27	33.63	2.67	≤ 10.20
11ac-VHT80	MCS0	58	5290	-4.63	-5.21	33.63	2.83	≤ 10.20
11ac-VHT80	MCS0	106	5530	-4.77	-6.04	33.63	2.38	≤ 10.20
11ac-VHT80	MCS0	122	5610	-3.96	-5.28	33.63	3.17	≤ 10.20
11ac-VHT80	MCS0	138	5690	-5.85	-5.45	33.63	2.10	≤ 10.20
11ax-HE20	MCS0	36	5180	0.99	0.36	48.14	6.87	≤ 10.20
11ax-HE20	MCS0	44	5220	0.58	-0.17	48.14	6.41	≤ 10.20
11ax-HE20	MCS0	48	5240	1.54	0.38	48.14	7.19	≤ 10.20
11ax-HE20	MCS0	52	5260	0.72	0.46	48.14	6.78	≤ 10.20
11ax-HE20	MCS0	60	5300	1.64	0.68	48.14	7.37	≤ 10.20
11ax-HE20	MCS0	64	5320	1.24	0.51	48.14	7.08	≤ 10.20
11ax-HE20	MCS0	100	5500	1.53	0.42	48.14	7.20	≤ 10.20
11ax-HE20	MCS0	116	5580	0.75	0.24	48.14	6.69	≤ 10.20
11ax-HE20	MCS0	120	5600	1.03	0.13	48.14	6.79	≤ 10.20
11ax-HE20	MCS0	140	5700	1.20	2.10	48.14	7.85	≤ 10.20
11ax-HE20	MCS0	144	5720	0.98	1.23	48.14	7.29	≤ 10.20

Test Mode	Data Rate/ MCS	Ch. No.	Freq. (MHz)	PSD (dBm/MHz)		Duty Cycle (%)	Total PSD (dBm/MHz)	PSD Limit (dBm/ MHz)
				Ant 0	Ant 1			
For NII-1/-2a/-2c Bands								
11ax-HE40	MCS0	38	5190	-2.41	-3.06	46.34	3.63	≤ 10.20
11ax-HE40	MCS0	46	5230	-2.86	-2.60	46.34	3.62	≤ 10.20
11ax-HE40	MCS0	54	5270	-2.74	-2.88	46.34	3.55	≤ 10.20
11ax-HE40	MCS0	62	5310	-2.50	-2.31	46.34	3.94	≤ 10.20
11ax-HE40	MCS0	102	5510	-2.90	-4.04	46.34	2.92	≤ 10.20
11ax-HE40	MCS0	110	5550	-3.31	-3.42	46.34	2.98	≤ 10.20
11ax-HE40	MCS0	118	5590	-2.51	-3.10	46.34	3.56	≤ 10.20
11ax-HE40	MCS0	134	5670	-3.72	-2.59	46.34	3.23	≤ 10.20
11ax-HE40	MCS0	142	5710	-3.58	-2.48	46.34	3.35	≤ 10.20
11ax-HE80	MCS0	42	5210	-5.98	-6.19	44.49	0.44	≤ 10.20
11ax-HE80	MCS0	58	5290	-5.60	-6.27	44.49	0.61	≤ 10.20
11ax-HE80	MCS0	106	5530	-5.57	-7.36	44.49	0.16	≤ 10.20
11ax-HE80	MCS0	122	5610	-5.98	-6.24	44.49	0.42	≤ 10.20
11ax-HE80	MCS0	138	5690	-6.48	-6.15	44.49	0.22	≤ 10.20

Note:

1. EUT duty cycle < 98%, Total PSD (dBm/MHz) =  $10 \cdot \log \{10^{(\text{Ant 0 PSD}/10)} + 10^{(\text{Ant 1 PSD}/10)}\} + 10 \cdot \log (1/\text{Duty cycle})$ .
2. PSD (dBm/MHz) =  $[11 - (6.8 - 6)]$  (dBm/MHz) = 10.2 (dBm/MHz)

Test Mode	Data Rate/ MCS	Ch. No.	Freq. (MHz)	AVG PSD(dBm/510kHz)		Duty Cycle (%)	Total PSD (dBm/510kHz)	PSD Limit (dBm/500kHz)
				Ant 0	Ant 1			
For NII-3 Band								
11a	24Mbps	149	5745	1.75	1.53	78.54	5.70	≤ 29.20
11a	24Mbps	157	5785	2.07	1.86	78.54	6.02	≤ 29.20
11a	24Mbps	165	5825	1.26	2.20	78.54	5.81	≤ 29.20
11ac-VHT20	MCS0	149	5745	-0.56	-0.18	78.04	3.72	≤ 29.20
11ac-VHT20	MCS0	157	5785	-0.24	0.68	78.04	4.33	≤ 29.20
11ac-VHT20	MCS0	165	5825	0.00	0.21	78.04	4.19	≤ 29.20
11ac-VHT40	MCS0	151	5755	-3.78	-2.78	50.07	2.77	≤ 29.20
11ac-VHT40	MCS0	159	5795	-3.66	-2.60	50.07	2.92	≤ 29.20
11ac-VHT80	MCS0	155	5775	-8.12	-7.36	33.63	0.02	≤ 29.20
11ax-HE20	MCS0	149	5745	-1.09	-0.70	48.14	5.29	≤ 29.20
11ax-HE20	MCS0	157	5785	-1.46	-1.25	48.14	4.83	≤ 29.20
11ax-HE20	MCS0	165	5825	-0.86	-0.52	48.14	5.50	≤ 29.20
11ax-HE40	MCS0	151	5755	-6.06	-4.98	46.34	0.87	≤ 29.20
11ax-HE40	MCS0	159	5795	-5.74	-4.93	46.34	1.03	≤ 29.20
11ax-HE80	MCS0	155	5775	-8.84	-8.51	44.49	-2.14	≤ 29.20


Note:

1. EUT duty cycle < 98%, Total PSD (dBm/510kHz) =  $10 \cdot \log \{ 10^{(\text{Ant 0 AVGPSD}/10)} + 10^{(\text{Ant 1 AVGPSD}/10)} \} + 10 \cdot \log (1/\text{Duty cycle})$ .
2. PSD (dBm/500kHz) =  $[30 - (6.8 - 6)]$  (dBm/500kHz) = 29.2 (dBm/500kHz)




## 802.11a Power Spectral Density - Ant 0


Channel 36 (5180MHz)




Channel 44 (5220MHz)




Channel 48 (5240MHz)




Channel 52 (5260MHz)




Channel 60 (5300MHz)




Channel 64 (5320MHz)









Channel 100 (5500MHz)




Channel 64 (5580MHz)



**Channel 120 (5600MHz)**

**Channel 140 (5700MHz)**

**Channel 144 (5720MHz)**

**Channel 149 (5745MHz)**

**Channel 157 (5785MHz)**

**Channel 165 (5825MHz)**


## 802.11ac-VHT20 Power Spectral Density - Ant 0


Channel 36 (5180MHz)




Channel 44 (5220MHz)




Channel 48 (5240MHz)




Channel 52 (5260MHz)




Channel 60 (5300MHz)




Channel 64 (5320MHz)




Channel 100 (5500MHz)




Channel 116 (5580MHz)






## 802.11ac-VHT40 Power Spectral Density - Ant 0


Channel 38 (5190MHz)




Channel 46 (5230MHz)




Channel 54 (5270MHz)




Channel 62 (5310MHz)




Channel 102 (5510MHz)



Channel 110 (5550MHz)



Channel 118 (5590MHz)



Channel 134 (5670MHz)

