


Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11B_2462	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 9		

Start of Test: 2023-10-30 11:06:41

Test Graph




Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.5128	47.31	6.50	74.00	26.69	150	337	Horizontal
2	2518.4545	49.26	6.65	74.00	24.74	150	217	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11B_2412	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 9		

Start of Test: 2023-10-30 11:07:26

Test Graph




Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.5128	46.69	6.50	74.00	27.31	150	91	Vertical
2	2505.5002	48.61	6.62	74.00	25.39	150	192	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11G_2412	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 5		

Start of Test: 2023-10-30 11:11:20

Test Graph



Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2371.5233	46.03	5.97	74.00	27.97	150	224	Horizontal
2	2390.0275	46.13	5.95	74.00	27.87	150	253	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11G_2412	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 5		

Start of Test: 2023-10-30 11:12:13

Test Graph




Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2371.2531	46.24	5.97	74.00	27.76	150	73	Vertical
2	2390.0275	45.74	5.95	74.00	28.26	150	334	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11G_2462	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 5		

Start of Test: 2023-10-30 11:17:50

Test Graph




Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.5078	44.72	6.50	74.00	29.28	150	345	Horizontal
2	2499.0764	47.07	6.60	74.00	26.93	150	277	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11G_2462	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 5		

Start of Test: 2023-10-30 11:18:35

Test Graph




Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.5078	45.81	6.50	74.00	28.19	150	144	Vertical
2	2504.7132	47.18	6.62	74.00	26.82	150	300	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N20_2412	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 11:22:00

Test Graph




Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2361.0555	46.13	5.98	74.00	27.87	150	236	Horizontal
2	2390.0275	44.19	5.95	74.00	29.81	150	138	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N20_2412	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 11:23:00

Test Graph



Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2363.8919	46.36	5.98	74.00	27.64	150	25	Vertical
2	2390.0275	44.18	5.95	74.00	29.82	150	40	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N20_2462	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 11:25:48

Test Graph



Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.5078	43.94	6.50	74.00	30.06	150	300	Horizontal
2	2514.1847	46.40	6.64	74.00	27.60	150	242	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N20_2462	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 11:26:33

Test Graph




Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.5078	44.33	6.50	74.00	29.67	150	26	Vertical
2	2492.3274	46.83	6.56	74.00	27.17	150	150	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N40_2422	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 11:31:55

Test Graph




Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2369.5648	46.35	5.97	74.00	27.65	150	134	Horizontal
2	2390.0275	43.58	5.95	74.00	30.42	150	217	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N40_2422	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 11:32:55

Test Graph



Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2372.7389	45.88	5.97	74.00	28.12	150	358	Vertical
2	2390.0275	45.14	5.95	74.00	28.86	150	218	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N40_2452	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 11:36:43

Test Graph




Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.5195	44.25	6.50	74.00	29.75	150	339	Horizontal
2	2512.9877	46.85	6.63	74.00	27.15	150	253	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N40_2452	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 11:37:21

Test Graph



Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.5195	43.74	6.50	74.00	30.26	150	274	Vertical
2	2504.1097	46.10	6.62	74.00	27.90	150	107	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX20_2412	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 11:43:46

Test Graph




Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2324.5873	47.86	6.02	74.00	26.14	150	86	Horizontal
2	2390.0275	44.74	5.95	74.00	29.26	150	263	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX20_2412	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 11:44:47

Test Graph




Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2370.6453	46.53	5.97	74.00	27.47	150	30	Vertical
2	2390.0275	43.73	5.95	74.00	30.27	150	328	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX20_2462	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 11:48:00

Test Graph




Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.5078	45.58	6.50	74.00	28.42	150	283	Horizontal
2	2526.1487	46.47	6.66	74.00	27.53	150	243	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX20_2462	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 11:48:45

Test Graph



Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.5078	43.72	6.50	74.00	30.28	150	331	Vertical
2	2536.0804	46.42	6.68	74.00	27.58	150	191	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX40_2422	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 11:55:30

Test Graph




Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2365.8504	46.48	5.97	74.00	27.52	150	234	Horizontal
2	2390.0275	44.48	5.95	74.00	29.52	150	360	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX40_2422	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 11:56:31

Test Graph




Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2376.0480	46.52	5.96	74.00	27.48	150	149	Vertical
2	2390.0275	44.92	5.95	74.00	29.08	150	250	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX40_2452	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 12:01:24

Test Graph




Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.5195	44.11	6.50	74.00	29.89	150	41	Horizontal
2	2506.1937	46.37	6.62	74.00	27.63	150	46	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX40_2452	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set : 0		

Start of Test: 2023-10-30 12:02:01

Test Graph



Suspected Data List								
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.5195	43.95	6.50	74.00	30.05	150	25	Vertical
2	2495.8570	46.52	6.58	74.00	27.48	150	186	Vertical

END OF REPORT