


Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5200	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 6		

Start of Test: 2023-10-26 19:44:30

Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1902.0902	4.43	40.24	74.00	33.76	150	260	Vertical
2	3030.8031	9.20	43.44	74.00	30.56	150	82	Vertical
3	4344.8845	14.08	47.90	74.00	26.10	150	97	Vertical
4	10394.2894	3.80	48.23	74.00	25.77	150	80	Vertical
5	12894.6395	10.60	49.90	74.00	24.10	150	1	Vertical
6	17902.2402	17.45	53.91	74.00	20.09	150	208	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1902.0902	4.43	35.41	54.00	18.59	150	260	Vertical
2	3030.8031	9.20	38.08	54.00	15.92	150	82	Vertical
3	4344.8845	14.08	37.96	54.00	16.04	150	97	Vertical
4	10394.2894	3.80	43.42	54.00	10.58	150	80	Vertical
5	12894.6395	10.60	44.15	54.00	9.85	150	1	Vertical
6	17902.2402	17.45	47.70	54.00	6.30	150	208	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5240	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 6		

Start of Test: 2023-10-26 19:51:07

Test Graph



PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1651.2651	3.55	39.94	74.00	34.06	150	197	Horizontal
2	2518.1518	7.42	42.79	74.00	31.21	150	259	Horizontal
3	4196.3696	13.74	47.88	74.00	26.12	150	127	Horizontal
4	10474.7975	4.61	49.13	74.00	24.87	150	189	Horizontal
5	12915.3415	10.51	49.61	74.00	24.39	150	261	Horizontal
6	17879.2379	17.18	52.70	74.00	21.30	150	46	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1651.2651	3.55	34.77	54.00	19.23	150	197	Horizontal
2	2518.1518	7.42	37.01	54.00	16.99	150	259	Horizontal
3	4196.3696	13.74	39.12	54.00	14.88	150	127	Horizontal
4	10474.7975	4.61	43.28	54.00	10.72	150	189	Horizontal
5	12915.3415	10.51	43.77	54.00	10.23	150	261	Horizontal
6	17879.2379	17.18	47.80	54.00	6.20	150	46	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5240	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 6		

Start of Test: 2023-10-26 19:52:28

Test Graph



PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1468.6469	3.46	42.16	74.00	31.84	150	104	Vertical
2	2207.3707	6.44	43.05	74.00	30.95	150	28	Vertical
3	3543.4543	10.47	43.95	74.00	30.05	150	229	Vertical
4	10478.2478	4.65	49.77	74.00	24.23	150	111	Vertical
5	12913.0413	10.53	50.45	74.00	23.55	150	208	Vertical
6	17912.5913	17.38	53.34	74.00	20.66	150	315	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1468.6469	3.46	33.63	54.00	20.37	150	104	Vertical
2	2207.3707	6.44	36.35	54.00	17.65	150	28	Vertical
3	3543.4543	10.47	38.56	54.00	15.44	150	229	Vertical
4	10478.2478	4.65	45.25	54.00	8.75	150	111	Vertical
5	12913.0413	10.53	43.34	54.00	10.66	150	208	Vertical
6	17912.5913	17.38	46.94	54.00	7.06	150	315	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5260	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 6		

Start of Test: 2023-10-26 19:55:41

Test Graph



PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1457.0957	3.46	40.44	74.00	33.56	150	357	Horizontal
2	2332.2332	6.61	42.24	74.00	31.76	150	106	Horizontal
3	3832.7833	12.17	45.05	74.00	28.95	150	258	Horizontal
4	10524.2524	4.90	47.00	74.00	27.00	150	284	Horizontal
5	14317.3317	11.43	50.48	74.00	23.52	150	284	Horizontal
6	17898.7899	17.45	53.76	74.00	20.24	150	268	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1457.0957	3.46	35.98	54.00	18.02	150	357	Horizontal
2	2332.2332	6.61	36.36	54.00	17.64	150	106	Horizontal
3	3832.7833	12.17	39.89	54.00	14.11	150	258	Horizontal
4	10524.2524	4.90	42.36	54.00	11.64	150	284	Horizontal
5	14317.3317	11.43	40.60	54.00	13.40	150	284	Horizontal
6	17898.7899	17.45	46.85	54.00	7.15	150	268	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5260	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 6		

Start of Test: 2023-10-26 19:57:09

Test Graph



PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1456.5457	3.46	40.66	74.00	33.34	150	94	Vertical
2	2481.2981	7.28	42.31	74.00	31.69	150	166	Vertical
3	3524.7525	10.49	44.54	74.00	29.46	150	359	Vertical
4	10518.5019	4.90	52.07	74.00	21.93	150	110	Vertical
5	14369.0869	11.42	51.80	74.00	22.20	150	326	Vertical
6	17896.4896	17.42	53.08	74.00	20.92	150	264	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1456.5457	3.46	34.94	54.00	19.06	150	94	Vertical
2	2481.2981	7.28	37.42	54.00	16.58	150	166	Vertical
3	3524.7525	10.49	38.55	54.00	15.45	150	359	Vertical
4	10518.5019	4.90	45.25	54.00	8.75	150	110	Vertical
5	14369.0869	11.42	41.56	54.00	12.44	150	326	Vertical
6	17896.4896	17.42	47.70	54.00	6.30	150	264	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5280	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-26 20:03:40

Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBμV/m)	PK Limit (dBμV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1345.4345	3.07	41.50	74.00	32.50	150	231	Horizontal
2	2086.9087	5.70	43.34	74.00	30.66	150	278	Horizontal
3	2603.4103	7.38	43.37	74.00	30.63	150	278	Horizontal
4	3414.7415	10.49	44.66	74.00	29.34	150	111	Horizontal
5	10561.0561	4.93	52.54	74.00	21.46	150	245	Horizontal
6	17958.5959	17.05	53.37	74.00	20.63	150	317	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1345.4345	3.07	34.34	54.00	19.66	150	231	Horizontal
2	2086.9087	5.70	33.33	54.00	20.67	150	278	Horizontal
3	2603.4103	7.38	37.37	54.00	16.63	150	278	Horizontal
4	3414.7415	10.49	39.09	54.00	14.91	150	111	Horizontal
5	10561.0561	4.93	45.59	54.00	8.41	150	245	Horizontal
6	17958.5959	17.05	48.41	54.00	5.59	150	317	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5280	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-26 20:05:08

Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1320.6821	2.92	41.69	74.00	32.31	150	360	Vertical
2	2484.5985	7.31	43.54	74.00	30.46	150	100	Vertical
3	3798.6799	12.08	46.15	74.00	27.85	150	53	Vertical
4	10563.3563	4.93	53.35	74.00	20.65	150	53	Vertical
5	14387.4887	11.41	50.93	74.00	23.07	150	0	Vertical
6	17925.2425	17.29	52.46	74.00	21.54	150	9	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1320.6821	2.92	35.22	54.00	18.78	150	360	Vertical
2	2484.5985	7.31	36.99	54.00	17.01	150	100	Vertical
3	3798.6799	12.08	39.30	54.00	14.70	150	53	Vertical
4	10563.3563	4.93	46.97	54.00	7.03	150	53	Vertical
5	14387.4887	11.41	42.36	54.00	11.64	150	0	Vertical
6	17925.2425	17.29	46.77	54.00	7.23	150	9	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5320	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-26 20:13:54

Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1174.9175	2.23	40.49	74.00	33.51	150	83	Horizontal
2	1559.4059	3.51	41.00	74.00	33.00	150	167	Horizontal
3	2959.2959	8.90	43.87	74.00	30.13	150	359	Horizontal
4	4464.7965	14.47	46.56	74.00	27.44	150	360	Horizontal
5	10638.1138	5.19	48.55	74.00	25.45	150	1	Horizontal
6	15886.0886	12.68	48.86	74.00	25.14	150	217	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1174.9175	2.23	35.68	54.00	18.32	150	83	Horizontal
2	1559.4059	3.51	34.54	54.00	19.46	150	167	Horizontal
3	2959.2959	8.90	37.98	54.00	16.02	150	359	Horizontal
4	4464.7965	14.47	41.01	54.00	12.99	150	360	Horizontal
5	10638.1138	5.19	43.24	54.00	10.76	150	1	Horizontal
6	15886.0886	12.68	43.21	54.00	10.79	150	217	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5320	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-26 20:15:22

Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1448.8449	3.45	40.11	74.00	33.89	150	323	Vertical
2	2441.6942	6.96	42.38	74.00	31.62	150	155	Vertical
3	3526.9527	10.49	45.33	74.00	28.67	150	244	Vertical
4	8588.6089	1.87	43.54	74.00	30.46	150	315	Vertical
5	10640.4140	5.20	51.88	74.00	22.12	150	72	Vertical
6	17864.2864	16.96	52.71	74.00	21.29	150	126	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1448.8449	3.45	35.37	54.00	18.63	150	323	Vertical
2	2441.6942	6.96	36.52	54.00	17.48	150	155	Vertical
3	3526.9527	10.49	38.63	54.00	15.37	150	244	Vertical
4	8588.6089	1.87	38.22	54.00	15.78	150	315	Vertical
5	10640.4140	5.20	44.65	54.00	9.35	150	72	Vertical
6	17864.2864	16.96	46.74	54.00	7.26	150	126	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5500	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-26 20:24:35

Test Graph



PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1556.1056	3.50	40.25	74.00	33.75	150	295	Horizontal
2	2340.4840	6.49	46.39	74.00	27.61	150	184	Horizontal
3	3307.4807	10.13	46.31	74.00	27.69	150	91	Horizontal
4	9519.0519	3.98	45.17	74.00	28.83	150	1	Horizontal
5	12165.4665	6.46	46.91	74.00	27.09	150	73	Horizontal
6	16606.0606	11.99	49.14	74.00	24.86	150	308	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1556.1056	3.50	35.01	54.00	18.99	150	295	Horizontal
2	2340.4840	6.49	40.01	54.00	13.99	150	184	Horizontal
3	3307.4807	10.13	38.25	54.00	15.75	150	91	Horizontal
4	9519.0519	3.98	38.54	54.00	15.46	150	1	Horizontal
5	12165.4665	6.46	40.10	54.00	13.90	150	73	Horizontal
6	16606.0606	11.99	43.69	54.00	10.31	150	308	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5500	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-26 20:26:03

Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1538.5039	3.47	42.56	74.00	31.44	150	238	Vertical
2	2635.3135	7.53	44.77	74.00	29.23	150	46	Vertical
3	4346.5347	14.07	48.09	74.00	25.91	150	38	Vertical
4	8585.1585	1.86	44.87	74.00	29.13	150	298	Vertical
5	12334.5335	7.50	48.59	74.00	25.41	150	307	Vertical
6	15622.7123	12.34	51.27	74.00	22.73	150	149	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1538.5039	3.47	33.68	54.00	20.32	150	238	Vertical
2	2635.3135	7.53	34.91	54.00	19.09	150	46	Vertical
3	4346.5347	14.07	37.73	54.00	16.27	150	38	Vertical
4	8585.1585	1.86	36.25	54.00	17.75	150	298	Vertical
5	12334.5335	7.50	40.88	54.00	13.12	150	307	Vertical
6	15622.7123	12.34	41.33	54.00	12.67	150	149	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5580	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-26 20:33:41

Test Graph



PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1378.9879	3.31	42.94	74.00	31.06	150	256	Horizontal
2	2580.8581	7.29	44.84	74.00	29.16	150	198	Horizontal
3	4023.6524	12.77	48.04	74.00	25.96	150	38	Horizontal
4	8616.2116	1.97	46.22	74.00	27.78	150	1	Horizontal
5	12289.6790	7.55	49.86	74.00	24.14	150	285	Horizontal
6	16608.3608	11.98	51.75	74.00	22.25	150	14	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1378.9879	3.31	33.34	54.00	20.66	150	256	Horizontal
2	2580.8581	7.29	35.68	54.00	18.32	150	198	Horizontal
3	4023.6524	12.77	38.23	54.00	15.77	150	38	Horizontal
4	8616.2116	1.97	36.47	54.00	17.53	150	1	Horizontal
5	12289.6790	7.55	39.41	54.00	14.59	150	285	Horizontal
6	16608.3608	11.98	42.17	54.00	11.83	150	14	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5580	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-26 20:35:09

Test Graph



PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1399.3399	3.40	41.11	74.00	32.89	150	270	Vertical
2	2326.1826	6.47	42.56	74.00	31.44	150	116	Vertical
3	3360.8361	10.38	43.49	74.00	30.51	150	205	Vertical
4	4506.6007	14.56	47.47	74.00	26.53	150	86	Vertical
5	12341.4341	7.47	46.35	74.00	27.65	150	13	Vertical
6	15730.8231	12.02	49.77	74.00	24.23	150	268	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1399.3399	3.40	35.22	54.00	18.78	150	270	Vertical
2	2326.1826	6.47	37.31	54.00	16.69	150	116	Vertical
3	3360.8361	10.38	39.27	54.00	14.73	150	205	Vertical
4	4506.6007	14.56	40.55	54.00	13.45	150	86	Vertical
5	12341.4341	7.47	41.42	54.00	12.58	150	13	Vertical
6	15730.8231	12.02	43.81	54.00	10.19	150	268	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5700	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-26 20:39:58

Test Graph



PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1367.4367	3.27	43.77	74.00	30.23	150	54	Horizontal
2	1802.5303	3.50	42.97	74.00	31.03	150	198	Horizontal
3	2989.5490	8.71	45.81	74.00	28.19	150	221	Horizontal
4	4662.2662	15.07	48.76	74.00	25.24	150	8	Horizontal
5	10094.1094	5.01	46.62	74.00	27.38	150	316	Horizontal
6	13748.0248	10.67	51.26	74.00	22.74	150	212	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1367.4367	3.27	33.28	54.00	20.72	150	54	Horizontal
2	1802.5303	3.50	33.93	54.00	20.07	150	198	Horizontal
3	2989.5490	8.71	35.20	54.00	18.80	150	221	Horizontal
4	4662.2662	15.07	39.12	54.00	14.88	150	8	Horizontal
5	10094.1094	5.01	37.38	54.00	16.62	150	316	Horizontal
6	13748.0248	10.67	41.82	54.00	12.18	150	212	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5700	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-26 20:41:26

Test Graph



PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1311.3311	3.04	42.87	74.00	31.13	150	29	Vertical
2	2605.0605	7.40	44.65	74.00	29.35	150	78	Vertical
3	3325.6326	10.21	47.29	74.00	26.71	150	333	Vertical
4	9999.8000	4.21	45.91	74.00	28.09	150	56	Vertical
5	12876.2376	10.28	50.77	74.00	23.23	150	185	Vertical
6	17692.9193	15.54	52.84	74.00	21.16	150	0	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1311.3311	3.04	33.19	54.00	20.81	150	29	Vertical
2	2605.0605	7.40	35.81	54.00	18.19	150	78	Vertical
3	3325.6326	10.21	36.12	54.00	17.88	150	333	Vertical
4	9999.8000	4.21	37.22	54.00	16.78	150	56	Vertical
5	12876.2376	10.28	43.08	54.00	10.92	150	185	Vertical
6	17692.9193	15.54	43.23	54.00	10.77	150	0	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5720	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-26 20:48:10

Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBμV/m)	PK Limit (dBμV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1422.4422	3.40	41.90	74.00	32.10	150	307	Horizontal
2	2331.6832	6.48	43.47	74.00	30.53	150	360	Horizontal
3	4067.1067	12.97	45.28	74.00	28.72	150	360	Horizontal
4	8667.9668	2.11	44.13	74.00	29.87	150	351	Horizontal
5	12880.8381	10.36	49.76	74.00	24.24	150	138	Horizontal
6	17656.1156	15.05	52.28	74.00	21.72	150	266	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1422.4422	3.40	34.92	54.00	19.08	150	307	Horizontal
2	2331.6832	6.48	35.88	54.00	18.12	150	360	Horizontal
3	4067.1067	12.97	38.90	54.00	15.10	150	360	Horizontal
4	8667.9668	2.11	38.17	54.00	15.83	150	351	Horizontal
5	12880.8381	10.36	43.42	54.00	10.58	150	138	Horizontal
6	17656.1156	15.05	45.06	54.00	8.94	150	266	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5720	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-26 20:49:37

Test Graph



PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1482.9483	3.41	41.69	74.00	32.31	150	64	Vertical
2	2544.0044	7.12	44.98	74.00	29.02	150	112	Vertical
3	3655.1155	10.81	45.37	74.00	28.63	150	227	Vertical
4	8046.9047	-0.31	42.57	74.00	31.43	150	233	Vertical
5	12283.9284	7.48	49.31	74.00	24.69	150	151	Vertical
6	16181.6682	12.66	50.53	74.00	23.47	150	104	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1482.9483	3.41	31.59	54.00	22.41	150	64	Vertical
2	2544.0044	7.12	35.30	54.00	18.70	150	112	Vertical
3	3655.1155	10.81	36.81	54.00	17.19	150	227	Vertical
4	8046.9047	-0.31	33.75	54.00	20.25	150	233	Vertical
5	12283.9284	7.48	39.87	54.00	14.13	150	151	Vertical
6	16181.6682	12.66	42.24	54.00	11.76	150	104	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5745	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-26 20:54:33

Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1549.5050	4.04	41.19	74.00	32.81	150	352	Horizontal
2	3272.8273	12.68	47.46	74.00	26.54	150	167	Horizontal
3	5034.1034	22.71	53.65	74.00	20.35	150	56	Horizontal
4	9116.5117	2.72	42.87	74.00	31.13	150	345	Horizontal
5	12881.9882	10.38	49.26	74.00	24.74	150	145	Horizontal
6	17929.8430	17.26	53.17	74.00	20.83	150	114	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1549.5050	4.04	35.39	54.00	18.61	150	352	Horizontal
2	3272.8273	12.68	41.65	54.00	12.35	150	167	Horizontal
3	5034.1034	22.71	47.19	54.00	6.81	150	56	Horizontal
4	9116.5117	2.72	37.75	54.00	16.25	150	345	Horizontal
5	12881.9882	10.38	43.62	54.00	10.38	150	145	Horizontal
6	17929.8430	17.26	47.55	54.00	6.45	150	114	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5745	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-26 20:56:01

Test Graph



PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2064.9065	7.60	45.68	74.00	28.32	150	63	Vertical
2	3914.1914	16.11	51.40	74.00	22.60	150	104	Vertical
3	5831.6832	23.99	56.39	74.00	17.61	150	28	Vertical
4	10067.6568	4.79	48.47	74.00	25.53	150	299	Vertical
5	12916.4916	10.49	50.45	74.00	23.55	150	0	Vertical
6	17881.5382	17.21	55.21	74.00	18.79	150	0	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2064.9065	7.60	36.50	54.00	17.50	150	63	Vertical
2	3914.1914	16.11	41.94	54.00	12.06	150	104	Vertical
3	5831.6832	23.99	47.71	54.00	6.29	150	28	Vertical
4	10067.6568	4.79	37.15	54.00	16.85	150	299	Vertical
5	12916.4916	10.49	42.16	54.00	11.84	150	0	Vertical
6	17881.5382	17.21	46.13	54.00	7.87	150	0	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5785	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-26 21:00:20

Test Graph



PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1132.5633	3.08	44.28	74.00	29.72	150	360	Horizontal
2	2022.5523	7.41	45.40	74.00	28.60	150	280	Horizontal
3	3184.2684	12.62	49.60	74.00	24.40	150	88	Horizontal
4	5055.5556	22.70	55.98	74.00	18.02	150	358	Horizontal
5	10086.0586	4.94	46.28	74.00	27.72	150	0	Horizontal
6	17898.7899	17.45	55.57	74.00	18.43	150	1	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1132.5633	3.08	34.61	54.00	19.39	150	360	Horizontal
2	2022.5523	7.41	36.23	54.00	17.77	150	280	Horizontal
3	3184.2684	12.62	40.18	54.00	13.82	150	88	Horizontal
4	5055.5556	22.70	45.98	54.00	8.02	150	358	Horizontal
5	10086.0586	4.94	38.54	54.00	15.46	150	0	Horizontal
6	17898.7899	17.45	45.66	54.00	8.34	150	1	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5785	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-26 21:01:48

Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1568.2068	4.10	42.04	74.00	31.96	150	78	Vertical
2	2341.0341	8.19	47.38	74.00	26.62	150	85	Vertical
3	4705.7206	20.65	51.25	74.00	22.75	150	15	Vertical
4	10159.6660	4.94	44.68	74.00	29.32	150	95	Vertical
5	12895.7896	10.62	49.10	74.00	24.90	150	209	Vertical
6	17917.1917	17.35	55.04	74.00	18.96	150	358	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1568.2068	4.10	35.16	54.00	18.84	150	78	Vertical
2	2341.0341	8.19	44.91	54.00	9.09	150	85	Vertical
3	4705.7206	20.65	46.60	54.00	7.40	150	15	Vertical
4	10159.6660	4.94	39.46	54.00	14.54	150	95	Vertical
5	12895.7896	10.62	42.73	54.00	11.27	150	209	Vertical
6	17917.1917	17.35	46.70	54.00	7.30	150	358	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5825	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-26 21:06:52

Test Graph



PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1435.6436	3.87	44.02	74.00	29.98	150	355	Horizontal
2	3107.2607	12.37	49.51	74.00	24.49	150	360	Horizontal
3	5052.2552	22.70	55.85	74.00	18.15	150	134	Horizontal
4	9516.7517	4.01	47.64	74.00	26.36	150	0	Horizontal
5	12103.3603	6.45	48.51	74.00	25.49	150	358	Horizontal
6	16653.2153	11.85	51.63	74.00	22.37	150	136	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1435.6436	3.87	34.37	54.00	19.63	150	355	Horizontal
2	3107.2607	12.37	39.88	54.00	14.12	150	360	Horizontal
3	5052.2552	22.70	46.00	54.00	8.00	150	134	Horizontal
4	9516.7517	4.01	36.65	54.00	17.35	150	0	Horizontal
5	12103.3603	6.45	39.01	54.00	14.99	150	358	Horizontal
6	16653.2153	11.85	41.55	54.00	12.45	150	136	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5825	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-26 21:08:20

Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1152.3652	3.16	43.65	74.00	30.35	150	0	Vertical
2	2136.4136	7.92	44.84	74.00	29.16	150	0	Vertical
3	3408.6909	12.69	48.24	74.00	25.76	150	0	Vertical
4	4927.9428	22.22	53.86	74.00	20.14	150	0	Vertical
5	9382.1882	3.75	44.39	74.00	29.61	150	0	Vertical
6	14347.2347	11.42	50.53	74.00	23.47	150	0	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1152.3652	3.16	33.96	54.00	20.04	150	0	Vertical
2	2136.4136	7.92	36.42	54.00	17.58	150	0	Vertical
3	3408.6909	12.69	36.71	54.00	17.29	150	0	Vertical
4	4927.9428	22.22	44.48	54.00	9.52	150	0	Vertical
5	9382.1882	3.75	33.17	54.00	20.83	150	0	Vertical
6	14347.2347	11.42	39.44	54.00	14.56	150	0	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11A_5180	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-30 15:58:22

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5103.7894	56.54	16.64	74.00	17.46	150	171	PK	Horizontal
2	5150.0375	53.92	16.59	74.00	20.08	150	171	PK	Horizontal

AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5103.7894	16.64	50.03	54.00	3.97	150	171	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11A_5180	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-30 16:09:47

Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5135.1951	53.45	16.60	74.00	20.55	150	207	PK	Vertical
2	5150.0375	50.47	16.59	74.00	23.53	150	173	PK	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11A_5320	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-30 16:19:12

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	54.17	16.78	74.00	19.83	150	175	PK	Horizontal
2	5399.7599	56.57	16.94	74.00	17.43	150	170	PK	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	16.78	49.66	54.00	4.34	150	175	Horizontal
2	5399.7599	16.94	50.19	54.00	3.81	150	170	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11A_5320	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-30 16:20:01

Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	51.51	16.78	74.00	22.49	150	176	PK	Vertical
2	5365.6653	52.88	16.83	74.00	21.12	150	176	PK	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11A_5500	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2023-10-30 16:44:45

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5458.2791	61.66	16.96	74.00	12.34	150	169	PK	Horizontal
2	5460.0300	58.00	16.96	74.00	16.00	150	169	PK	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5458.2791	16.96	49.34	54.00	4.66	150	169	Horizontal
2	5460.0300	16.96	47.41	54.00	6.59	150	169	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11A_5500	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2023-10-30 16:47:59

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5458.7794	55.91	16.96	74.00	18.09	150	174	PK	Vertical
2	5460.0300	54.61	16.96	74.00	19.39	150	208	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5458.7794	16.96	49.62	54.00	4.38	150	174	Vertical
2	5460.0300	16.96	48.48	54.00	5.52	150	208	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11A_5700	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 12		

Start of Test: 2023-10-30 17:07:51

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	57.54	18.16	74.00	16.46	150	170	PK	Horizontal
2	5732.6863	63.69	18.20	74.00	10.31	150	170	PK	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	18.16	48.19	54.00	5.81	150	170	Horizontal
2	5732.6863	18.20	49.90	54.00	4.10	150	170	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11A_5700	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 12		

Start of Test: 2023-10-30 17:11:54

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	53.66	18.16	74.00	20.34	150	199	PK	Vertical
2	5726.1956	59.02	18.16	74.00	14.98	150	177	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	18.16	48.71	54.00	5.29	150	199	Vertical
2	5726.1956	18.16	49.84	54.00	4.16	150	177	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N20_5180	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 6		

Start of Test: 2023-10-30 17:17:26

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5131.0005	54.26	16.61	74.00	19.74	150	358	PK	Horizontal
2	5150.0375	52.82	16.59	74.00	21.18	150	314	PK	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5131.0005	16.61	46.98	54.00	7.02	150	358	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N20_5180	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 6		

Start of Test: 2023-10-30 17:18:14

Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5073.1366	52.29	16.53	74.00	21.71	150	64	PK	Vertical
2	5150.0375	51.33	16.59	74.00	22.67	150	42	PK	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N20_5320	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 17:22:31

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	54.17	16.78	74.00	19.83	150	164	PK	Horizontal
2	5362.9765	57.66	16.82	74.00	16.34	150	164	PK	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	16.78	47.33	54.00	6.67	150	164	Horizontal
2	5362.9765	16.82	48.59	54.00	5.41	150	164	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N20_5320	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 17:23:19

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	51.28	16.78	74.00	22.72	150	204	PK	Vertical
2	5393.4142	53.93	16.92	74.00	20.07	150	170	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0699	16.77	47.63	54.00	6.37	150	176.9	Vertical
2	5393.4145	16.91	47.60	54.00	6.40	150	202.4	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N20_5500	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 17:34:53

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5401.3757	54.29	16.94	74.00	19.71	150	156	PK	Horizontal
2	5460.0300	52.33	16.96	74.00	21.67	150	156	PK	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5401.3758	16.94	47.85	54.00	6.15	150	171.4	Horizontal
2	5460.0300	16.96	47.17	54.00	6.83	150	156	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N20_5500	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 17:35:41

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5454.5898	53.52	16.96	74.00	20.48	150	207	PK	Vertical
2	5460.0300	50.42	16.96	74.00	23.58	150	198	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5454.5898	16.96	47.52	54.00	6.48	150	207	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N20_5700	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 17:44:04

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	53.63	18.16	74.00	20.37	150	171	PK	Horizontal
2	5727.9590	56.72	18.17	74.00	17.28	150	171	PK	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	18.16	47.19	54.00	6.81	150	171	Horizontal
2	5727.9590	18.17	48.26	54.00	5.74	150	171	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N20_5700	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 17:44:52

Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	51.24	18.16	74.00	22.76	150	229	PK	Vertical
2	5737.1886	53.39	18.23	74.00	20.61	150	157	PK	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N40_5190	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 17:50:46

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5134.6173	54.97	16.61	74.00	19.03	150	359	PK	Horizontal
2	5150.0375	53.58	16.59	74.00	20.42	150	350	PK	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5134.6173	16.61	47.13	54.00	6.87	150	359	Horizontal