


# Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N40_5190	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 17:51:34

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5133.4917	52.05	16.61	74.00	21.95	150	324	PK	Vertical
2	5150.0375	50.41	16.59	74.00	23.59	150	2	PK	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N40_5310	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 17:59:40

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	51.99	16.78	74.00	22.01	150	164	PK	Horizontal
2	5354.9775	54.72	16.79	74.00	19.28	150	177	PK	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5354.9775	16.79	47.81	54.00	6.19	150	177	Horizontal

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N40_5310	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 18:00:29

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	51.96	16.78	74.00	22.04	150	266	PK	Vertical
2	5376.5283	52.26	16.86	74.00	21.74	150	6	PK	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N40_5510	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-30 18:13:33

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5451.4682	53.84	16.96	74.00	20.16	150	169	PK	Horizontal
2	5460.0400	51.50	16.96	74.00	22.50	150	169	PK	Horizontal

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N40_5510	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 18:14:21

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5459.0620	54.79	16.96	74.00	19.21	150	340	PK	Vertical
2	5460.0400	50.52	16.96	74.00	23.48	150	0	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5459.0617	16.96	47.30	54.00	6.70	150	200.3	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N40_5670	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-30 18:20:37

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0100	53.43	18.16	74.00	20.57	150	171	PK	Horizontal
2	5745.2051	55.00	18.27	74.00	19.00	150	167	PK	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5745.2046	18.27	48.67	54.00	5.33	150	168.4	Horizontal

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	24.5°C 50%
Model:	SKO.WB920TU.3	SN:	
Mode:	11N40_5670	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-30 18:21:25

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0100	50.54	18.16	74.00	23.46	150	62	PK	Vertical
2	5748.9470	52.30	18.29	74.00	21.70	150	130	PK	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5180	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 6		

Start of Test: 2023-10-30 20:10:31

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5118.4167	53.01	16.62	74.00	20.99	150	175	PK	Horizontal
2	5150.0375	50.60	16.59	74.00	23.40	150	196	PK	Horizontal




# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5180	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 6		

Start of Test: 2023-10-30 20:11:19

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5000.1076	51.61	16.24	74.00	22.39	150	240	PK	Vertical
2	5110.5653	51.64	16.63	74.00	22.36	150	145	PK	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5320	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 20:15:44

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	51.75	16.78	74.00	22.25	150	125	PK	Horizontal
2	5381.0455	54.41	16.88	74.00	19.59	150	198	PK	Horizontal

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5320	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 20:16:33

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	51.50	16.78	74.00	22.50	150	167	PK	Vertical
2	5360.6103	52.47	16.81	74.00	21.53	150	324	PK	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5500	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-30 20:21:05

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5436.9560	54.38	16.95	74.00	19.62	150	2	PK	Horizontal
2	5460.0300	53.06	16.96	74.00	20.94	150	2	PK	Horizontal

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5500	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-30 20:21:53

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5441.8334	53.67	16.96	74.00	20.33	150	1	PK	Vertical
2	5460.0300	52.82	16.96	74.00	21.18	150	171	PK	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5700	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-30 20:30:42

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	53.83	18.16	74.00	20.17	150	322	PK	Horizontal
2	5728.4467	58.88	18.17	74.00	15.12	150	170	PK	Horizontal

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0321	18.16	48.73	54.00	5.27	150	195.3	Horizontal
2	5728.4462	18.18	48.60	54.00	5.40	150	192.3	Horizontal

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC20_5700	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-30 20:31:31

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	51.01	18.16	74.00	22.99	150	295	PK	Vertical
2	5729.6473	55.17	18.18	74.00	18.83	150	177	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5729.6473	18.18	48.03	54.00	5.97	150	177	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC40_5190	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 20:41:36

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5114.2446	54.50	16.63	74.00	19.50	150	0	PK	Horizontal
2	5150.0375	52.85	16.59	74.00	21.15	150	354	PK	Horizontal




# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC40_5190	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 20:42:25

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5111.9935	51.89	16.63	74.00	22.11	150	283	PK	Vertical
2	5150.0375	50.37	16.59	74.00	23.63	150	124	PK	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC40_5310	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-30 20:49:07

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	51.39	16.78	74.00	22.61	150	174	PK	Horizontal
2	5353.8369	54.71	16.79	74.00	19.29	150	196	PK	Horizontal

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC40_5310	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-30 20:49:48

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	50.63	16.78	74.00	23.37	150	103	PK	Vertical
2	5362.3012	52.96	16.82	74.00	21.04	150	292	PK	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC40_5510	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-30 21:04:29

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5441.6308	54.15	16.96	74.00	19.85	150	0	PK	Horizontal
2	5460.0400	52.27	16.96	74.00	21.73	150	0	PK	Horizontal

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC40_5510	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-30 21:05:17

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5435.9355	53.88	16.95	74.00	20.12	150	358	PK	Vertical
2	5474.3647	53.78	16.97	74.00	20.22	150	157	PK	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC40_5670	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-30 21:09:31

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0550	52.10	18.16	74.00	21.90	150	166	PK	Horizontal
2	5729.2171	54.49	18.18	74.00	19.51	150	195	PK	Horizontal

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC40_5670	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-30 21:10:19

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5724.5348	52.26	18.15	74.00	21.74	150	169	PK	Vertical
2	5745.2801	52.94	18.27	74.00	21.06	150	160	PK	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC80_5210	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 21:14:41

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5137.8189	57.51	16.60	74.00	16.49	150	356	PK	Horizontal
2	5150.0650	55.72	16.59	74.00	18.28	150	0	PK	Horizontal
3	5350.1451	49.95	16.78	74.00	24.05	150	327	PK	Horizontal
4	5365.6328	51.41	16.83	74.00	22.59	150	92	PK	Horizontal

AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5137.8186	16.60	47.38	54.00	6.62	150	343.6	Horizontal
2	5150.0652	16.59	47.94	54.00	6.06	150	357.7	Horizontal




# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC80_5210	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 21:15:29

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5117.8289	52.78	16.62	74.00	21.22	150	197	PK	Vertical
2	5150.0650	50.92	16.59	74.00	23.08	150	176	PK	Vertical
3	5350.1451	50.46	16.78	74.00	23.54	150	230	PK	Vertical
4	5422.1811	51.84	16.95	74.00	22.16	150	172	PK	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC80_5290	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 21:35:08

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.1101	51.66	16.78	74.00	22.34	150	315	PK	Horizontal
2	5362.3062	53.53	16.82	74.00	20.47	150	315	PK	Horizontal

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC80_5290	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-30 21:35:56

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.1101	51.02	16.78	74.00	22.98	150	2	PK	Vertical
2	5367.4837	51.46	16.83	74.00	22.54	150	206	PK	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC80_5530	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-30 21:42:30

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5437.8189	56.34	16.96	74.00	17.66	150	197	PK	Horizontal
2	5460.0600	54.02	16.96	74.00	19.98	150	2	PK	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5437.8187	16.96	47.69	54.00	6.31	150	194.7	Horizontal
2	5460.0600	16.96	46.84	54.00	7.16	150	2	Horizontal

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC80_5530	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-30 21:43:10

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5438.0890	56.13	16.96	74.00	17.87	150	169	PK	Vertical
2	5460.0600	51.70	16.96	74.00	22.30	150	173	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5438.0890	16.96	47.07	54.00	6.93	150	169	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC80_5610	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-30 21:51:08

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0875	50.77	18.16	74.00	23.23	150	168	PK	Horizontal
2	5727.1886	53.83	18.17	74.00	20.17	150	194	PK	Horizontal

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AC80_5610	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-30 21:51:56

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0875	50.07	18.16	74.00	23.93	150	244	PK	Vertical
2	5750.0000	52.76	18.30	74.00	21.24	150	257	PK	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX20_5180	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-31 09:05:58

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5105.0800	58.37	16.63	74.00	15.63	150	174	PK	Horizontal
2	5150.0375	56.25	16.59	74.00	17.75	150	356	PK	Horizontal

## AV Final Data List

NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5105.0801	16.63	50.11	54.00	3.89	150	173.7	Horizontal
2	5150.0375	16.59	50.43	54.00	3.57	150	171.4	Horizontal




# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX20_5180	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-31 09:06:38

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5137.0235	54.45	16.60	74.00	19.55	150	202	PK	Vertical
2	5150.0375	51.79	16.59	74.00	22.21	150	219	PK	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX20_5320	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-31 09:17:48

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	58.13	16.78	74.00	15.87	150	174	PK	Horizontal
2	5375.7754	60.91	16.86	74.00	13.09	150	174	PK	Horizontal

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5375.7754	16.86	50.64	54.00	3.36	150	174.6	Horizontal

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX20_5320	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-31 09:18:36

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	52.46	16.78	74.00	21.54	150	233	PK	Vertical
2	5379.7549	56.54	16.87	74.00	17.46	150	220	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5379.7549	16.87	49.65	54.00	4.35	150	220	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX20_5500	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-31 09:31:40

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5457.7789	60.80	16.96	74.00	13.20	150	4	PK	Horizontal
2	5460.0300	59.05	16.96	74.00	14.95	150	359	PK	Horizontal

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.7789	16.96	50.32	54.00	3.68	150	4	Horizontal
2	5460.0300	16.96	50.19	54.00	3.81	150	359	Horizontal

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX20_5500	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-31 09:32:29

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5432.1411	56.99	16.95	74.00	17.01	150	5	PK	Vertical
2	5460.0300	55.48	16.96	74.00	18.52	150	62	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5432.1411	16.95	49.63	54.00	4.37	150	5	Vertical
2	5460.0300	16.96	49.07	54.00	4.93	150	62	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX20_5700	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 7		

Start of Test: 2023-10-31 09:49:13

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	59.34	18.16	74.00	14.66	150	194	PK	Horizontal
2	5725.0325	59.34	18.16	74.00	14.66	150	194	PK	Horizontal
3	5725.0325	59.34	18.16	74.00	14.66	150	194	PK	Horizontal
4	5730.2851	60.92	18.19	74.00	13.08	150	172	PK	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	18.16	50.19	54.00	3.81	150	194	Horizontal
2	5730.2847	18.19	50.51	54.00	3.49	150	171.3	Horizontal

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX20_5700	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 7		

Start of Test: 2023-10-31 09:56:00

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	53.71	18.16	74.00	20.29	150	175	PK	Vertical
2	5731.1481	56.14	18.19	74.00	17.86	150	238	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5731.1481	18.19	50.64	54.00	3.36	150	238	Vertical

# Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX40_5190	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-31 10:03:12

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5132.0285	60.28	16.61	74.00	13.72	150	358	PK	Horizontal
2	5150.0375	59.13	16.59	74.00	14.87	150	176	PK	Horizontal

AV Final Data List									
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity	
1	5132.0285	16.61	49.00	54.00	5.00	150	172.8	Horizontal	
2	5150.0375	16.59	48.60	54.00	5.40	150	176	Horizontal	