


Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX40_5190	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-31 10:04:00

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5139.6823	55.21	16.60	74.00	18.79	150	195	PK	Vertical
2	5150.0375	53.65	16.59	74.00	20.35	150	195	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5139.6823	16.60	49.38	54.00	4.62	150	195	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX40_5310	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-31 10:18:36

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	52.70	16.78	74.00	21.30	150	169	PK	Horizontal
2	5356.8984	58.33	16.80	74.00	15.67	150	156	PK	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5356.8984	16.80	49.69	54.00	4.31	150	176.1	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX40_5310	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-31 10:19:24

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	50.70	16.78	74.00	23.30	150	104	PK	Vertical
2	5354.1971	54.77	16.79	74.00	19.23	150	197	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5354.1971	16.79	49.44	54.00	4.56	150	197	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX40_5510	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-31 10:31:39

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5451.5833	55.60	16.96	74.00	18.40	150	179	PK	Horizontal
2	5460.0400	54.77	16.96	74.00	19.23	150	175	PK	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5451.5834	16.96	48.13	54.00	5.87	150	359.3	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX40_5510	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-31 10:32:27

Test Graph



Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5447.4987	53.88	16.96	74.00	20.12	150	240	PK	Vertical
2	5460.0400	51.62	16.96	74.00	22.38	150	68	PK	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX40_5670	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-31 10:38:20

Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0500	52.55	18.16	74.00	21.45	150	193	PK	Horizontal
2	5729.1121	54.42	18.18	74.00	19.58	150	173	PK	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX40_5670	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 9		

Start of Test: 2023-10-31 10:39:09

Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5728.4117	52.15	18.17	74.00	21.85	150	256	PK	Vertical
2	5749.4922	52.09	18.30	74.00	21.91	150	210	PK	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX80_5210	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-31 10:43:25

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5141.9610	56.39	16.60	74.00	17.61	150	1	PK	Horizontal
2	5150.0650	55.46	16.59	74.00	18.54	150	166	PK	Horizontal
3	5350.1451	49.26	16.78	74.00	24.74	150	36	PK	Horizontal
4	5448.8344	52.10	16.96	74.00	21.90	150	15	PK	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5141.9609	16.60	47.33	54.00	6.67	150	357.4	Horizontal
2	5150.0645	16.59	48.03	54.00	5.97	150	357.6	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX80_5210	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-31 10:44:13

Test Graph



Suspected Data List


NO.	Freq. (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5118.5493	52.52	16.62	74.00	21.48	150	222	PK	Vertical
2	5150.0650	51.15	16.59	74.00	22.85	150	181	PK	Vertical
3	5350.1451	49.76	16.78	74.00	24.24	150	189	PK	Vertical
4	5379.3197	51.01	16.87	74.00	22.99	150	262	PK	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX80_5290	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-31 11:01:09

Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.1101	52.15	16.78	74.00	21.85	150	319	PK	Horizontal
2	5354.2521	54.79	16.79	74.00	19.21	150	172	PK	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX80_5290	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 8		

Start of Test: 2023-10-31 11:01:57

Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.1101	50.33	16.78	74.00	23.67	150	346	PK	Vertical
2	5361.5008	52.02	16.81	74.00	21.98	150	212	PK	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX80_5530	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-31 11:08:02

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5438.7194	57.35	16.96	74.00	16.65	150	166	PK	Horizontal
2	5460.0600	53.88	16.96	74.00	20.12	150	0	PK	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5438.7194	16.96	48.04	54.00	5.96	150	166	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX80_5530	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-31 11:08:51

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5454.0270	54.99	16.96	74.00	19.01	150	2	PK	Vertical
2	5460.0600	52.61	16.96	74.00	21.39	150	208	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5454.0269	16.96	47.84	54.00	6.16	150	158.6	Vertical

Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX80_5610	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-31 11:17:58

Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0875	50.59	18.16	74.00	23.41	150	124	PK	Horizontal
2	5743.4967	52.78	18.26	74.00	21.22	150	346	PK	Horizontal

Test Report

Project Information			
EUT:	WiFi Module	Environment:	23.6°C 52%
Model:	SKO.WB920TU.3	SN:	
Mode:	11AX80_5610	Voltage:	DC 5V+/-0.3
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2023-10-31 11:18:47

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0875	50.20	18.16	74.00	23.80	150	46	PK	Vertical
2	5745.7979	51.63	18.28	74.00	22.37	150	328	PK	Vertical

END OF REPORT