



The worst case of radiation emissions below 1GHz:

Profile: 2410620R	Page No.: 93
Engineer: Pengchengyang	
Site: AC2	Time: 2024/03/19 - 07:41
Limit: FCC_Part 15.109_RE (3m)_Class B	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5150MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		37.154	24.766	3.620	-15.234	40.000	21.145	QP
2		91.959	23.580	7.239	-19.920	43.500	16.341	QP
3		160.223	21.611	4.636	-21.889	43.500	16.975	QP
4		280.866	24.310	3.947	-21.690	46.000	20.363	QP
5		463.348	27.322	2.427	-18.678	46.000	24.896	QP
6	*	708.151	31.416	3.550	-14.584	46.000	27.865	QP

Profile: 2410620R	Page No.: 94
Engineer: Pengchengyang	
Site: AC2	Time: 2024/03/19 - 07:41
Limit: FCC_Part 15.109_RE (3m)_Class B	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5150MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		53.886	17.170	3.294	-22.830	40.000	13.876	QP
2		92.201	23.791	7.392	-19.709	43.500	16.399	QP
3		149.916	21.270	3.840	-22.230	43.500	17.430	QP
4		256.859	22.363	1.815	-23.637	46.000	20.549	QP
5		511.241	29.728	3.776	-16.272	46.000	25.951	QP
6	*	745.981	31.730	3.327	-14.270	46.000	28.402	QP

Note:

1. " \* ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp). Test Photograph.
3. We evaluated/tested both SISO and MIMO mode,shown in report is the worst data.
4. The test data below 30MHz and above 18GHz is more than 20dB below the limit, so there no data shown in report.


### Appendix C: Radiated Emission Band Edge

Profile: 2410620R	Page No.: 1
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5180MHz by 802.11a with Ant0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.807	11.117	-25.193	74.000	37.691	PK

Profile: 2410620R	Page No.: 2
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5180MHz by 802.11a with Ant0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	37.397	-0.293	-16.603	54.000	37.691	AV

Profile: 2410620R	Page No.: 3
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 19:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5180MHz by 802.11a with Ant0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.652	9.962	-26.348	74.000	37.691	PK

Profile: 2410620R	Page No.: 4
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 19:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5180MHz by 802.11a with Ant0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	37.350	-0.340	-16.650	54.000	37.691	AV

Profile: 2410620R	Page No.: 5
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5320MHz by 802.11a with Ant0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.993	9.970	-26.007	74.000	38.023	PK


Profile: 2410620R	Page No.: 6
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5320MHz by 802.11a with Ant0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	36.125	-1.898	-17.875	54.000	38.023	AV




Profile: 2410620R	Page No.: 7
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5320MHz by 802.11a with Ant0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.453	9.430	-26.547	74.000	38.023	PK

Profile: 2410620R	Page No.: 8
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5320MHz by 802.11a with Ant0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	35.491	-2.532	-18.509	54.000	38.023	AV

Profile: 2410620R	Page No.: 9
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5500MHz by 802.11a with Ant0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.463	9.790	-25.537	74.000	38.673	PK

Profile: 2410620R	Page No.: 10
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5500MHz by 802.11a with Ant0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	36.327	-2.346	-17.673	54.000	38.673	AV

Profile: 2410620R	Page No.: 11
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5500MHz by 802.11a with Ant0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.765	8.092	-27.235	74.000	38.673	PK

Profile: 2410620R	Page No.: 12
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5500MHz by 802.11a with Ant0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	35.040	-3.633	-18.960	54.000	38.673	AV

Profile: 2410620R	Page No.: 13
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.364	106.74	-25.636	74.000	37.691	PK


Profile: 2410620R	Page No.: 14
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	37.688	-0.002	-16.312	54.000	37.691	AV




Profile: 2410620R	Page No.: 15
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.858	10.168	-26.142	74.000	37.691	PK

Profile: 2410620R	Page No.: 16
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	38.388	0.698	-15.612	54.000	37.691	AV

Profile: 2410620R	Page No.: 17
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.529	8.506	-27.471	74.000	38.023	PK

Profile: 2410620R	Page No.: 18
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	34.154	-3.869	-19.846	54.000	38.023	AV

Profile: 2410620R	Page No.: 19
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.904	8.881	-27.096	74.000	38.023	PK

Profile: 2410620R	Page No.: 20
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5320MHz by 802.11n(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	34.226	-3.797	-19.774	54.000	38.023	AV

Profile: 2410620R	Page No.: 21
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.274	8.601	-26.726	74.000	38.673	PK


Profile: 2410620R	Page No.: 22
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	35.036	-3.637	-18.964	54.000	38.673	AV




Profile: 2410620R	Page No.: 23
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.766	8.093	-27.234	74.000	38.673	PK

Profile: 2410620R	Page No.: 24
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5500MHz by 802.11n(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	34.552	-4.121	-19.448	54.000	38.673	AV

Profile: 2410620R	Page No.: 25
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.466	10.776	-25.534	74.000	37.691	PK

Profile: 2410620R	Page No.: 26
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	36.967	-0.723	-17.033	54.000	37.691	AV

Profile: 2410620R	Page No.: 27
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.197	10.507	-25.803	74.000	37.691	PK

Profile: 2410620R	Page No.: 28
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5190MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	36.950	-0.740	-17.050	54.000	37.691	AV

Profile: 2410620R	Page No.: 29
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	48.115	10.092	-25.885	74.000	38.023	PK


Profile: 2410620R	Page No.: 30
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	36.021	-2.002	-17.979	54.000	38.023	AV




Profile: 2410620R	Page No.: 31
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.986	8.963	-27.014	74.000	38.023	PK

Profile: 2410620R	Page No.: 32
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5310MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	35.994	-2.029	-18.006	54.000	38.023	AV

Profile: 2410620R	Page No.: 33
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.493	8.820	-26.507	74.000	38.673	PK

Profile: 2410620R	Page No.: 34
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	34.938	-3.735	-19.062	54.000	38.673	AV

Profile: 2410620R	Page No.: 35
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.726	8.053	-27.274	74.000	38.673	PK

Profile: 2410620R	Page No.: 36
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5510MHz by 802.11n(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	34.650	-4.023	-19.350	54.000	38.673	AV

Profile: 2410620R	Page No.: 37
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.025	10.335	-25.975	74.000	37.691	PK


Profile: 2410620R	Page No.: 38
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	36.531	-1.159	-17.469	54.000	37.691	AV




Profile: 2410620R	Page No.: 39
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.521	8.831	-27.479	74.000	37.691	PK

Profile: 2410620R	Page No.: 40
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5180MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	36.896	-0.794	-17.104	54.000	37.691	AV

Profile: 2410620R	Page No.: 41
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.629	8.606	-27.371	74.000	38.023	PK

Profile: 2410620R	Page No.: 42
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	34.248	-3.775	-19.752	54.000	38.023	AV

Profile: 2410620R	Page No.: 43
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.266	8.243	-27.734	74.000	38.023	PK

Profile: 2410620R	Page No.: 44
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5320MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	34.429	-3.594	-19.571	54.000	38.023	AV

Profile: 2410620R	Page No.: 45
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.549	8.876	-26.451	74.000	38.673	PK


Profile: 2410620R	Page No.: 46
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	34.821	-3.852	-19.179	54.000	38.673	AV




Profile: 2410620R	Page No.: 47
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.868	8.195	-27.132	74.000	38.673	PK

Profile: 2410620R	Page No.: 48
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 20:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5500MHz by 802.11ac(20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	34.604	-4.069	-19.396	54.000	38.673	AV

Profile: 2410620R	Page No.: 49
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	47.918	10.228	-26.082	74.000	37.691	PK

Profile: 2410620R	Page No.: 50
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	37.119	-0.571	-16.881	54.000	37.691	AV

Profile: 2410620R	Page No.: 51
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.930	11.240	-25.070	74.000	37.691	PK

Profile: 2410620R	Page No.: 52
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	37.820	0.130	-16.180	54.000	37.691	AV

Profile: 2410620R	Page No.: 53
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	48.183	10.160	-25.817	74.000	38.023	PK


Profile: 2410620R	Page No.: 54
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	36.033	-1.990	-17.967	54.000	38.023	AV




Profile: 2410620R	Page No.: 55
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	47.428	9.405	-26.572	74.000	38.023	PK

Profile: 2410620R	Page No.: 56
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5310MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	36.032	-1.991	-17.968	54.000	38.023	AV

Profile: 2410620R	Page No.: 57
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	48.189	9.516	-25.811	74.000	38.673	PK

Profile: 2410620R	Page No.: 58
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	35.586	-3.087	-18.414	54.000	38.673	AV

Profile: 2410620R	Page No.: 59
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.240	8.567	-26.760	74.000	38.673	PK

Profile: 2410620R	Page No.: 60
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5510MHz by 802.11ac(40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	35.334	-3.339	-18.666	54.000	38.673	AV

Profile: 2410620R	Page No.: 61
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	51.021	13.331	-22.979	74.000	37.691	PK


Profile: 2410620R	Page No.: 62
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	39.022	1.332	-14.978	54.000	37.691	AV




Profile: 2410620R	Page No.: 63
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.478	12.788	-23.522	74.000	37.691	PK

Profile: 2410620R	Page No.: 64
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 6: Transmit at 5210MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	39.393	1.703	-14.607	54.000	37.691	AV

Profile: 2410620R	Page No.: 65
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	49.682	11.659	-24.318	74.000	38.023	PK

Profile: 2410620R	Page No.: 66
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 22:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	38.943	0.920	-15.057	54.000	38.023	AV

Profile: 2410620R	Page No.: 67
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	49.545	11.522	-24.455	74.000	38.023	PK

Profile: 2410620R	Page No.: 68
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 22:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 6: Transmit at 5290MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	38.707	0.684	-15.293	54.000	38.023	AV

Profile: 2410620R	Page No.: 69
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 22:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.240	53.240	14.516	-20.760	74.000	38.724	PK
2		5460.000	48.955	10.282	-25.045	74.000	38.673	PK


Profile: 2410620R	Page No.: 70
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.680	39.285	0.573	-14.715	54.000	38.712	AV
2		5460.000	37.532	-1.141	-16.468	54.000	38.673	AV




Profile: 2410620R	Page No.: 71
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 22:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.580	50.534	11.791	-23.466	74.000	38.744	PK
2		5460.000	48.031	9.358	-25.969	74.000	38.673	PK

Profile: 2410620R	Page No.: 72
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 22:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 6: Transmit at 5530MHz by 802.11ac(80MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.360	38.225	-0.525	-15.775	54.000	38.750	AV
2		5460.000	36.573	-2.100	-17.427	54.000	38.673	AV

Profile: 2410620R	Page No.: 1
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/06 - 23:30
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5745MHz by 802.11a with Ant0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.260	48.786	9.794	-50.708	99.494	38.991	PK
2		5708.760	49.220	10.050	-58.435	107.655	39.171	PK
3		5724.160	59.430	20.513	-60.855	120.285	38.918	PK

Profile: 2410620R	Page No.: 2
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/06 - 23:33
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5745MHz by 802.11a with Ant0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.710	48.097	9.110	-50.991	99.088	38.988	PK
2		5709.860	48.897	9.739	-59.066	107.963	39.158	PK
3		5723.610	53.753	14.827	-65.278	119.032	38.927	PK

Profile: 2410620R	Page No.: 3
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/06 - 23:35
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5785MHz by 802.11a with Ant0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.815	48.948	9.939	-51.693	100.641	39.009	PK
2		5713.290	50.298	11.197	-58.626	108.923	39.101	PK
3		5723.130	48.203	9.269	-69.734	117.938	38.934	PK
4		5852.895	48.657	9.186	-66.941	115.598	39.471	PK
5		5865.195	50.022	10.718	-57.921	107.943	39.304	PK
6	*	5886.105	49.156	9.563	-47.799	96.955	39.594	PK

Profile: 2410620R	Page No.: 4
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/06 - 23:37
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5785MHz by 802.11a with Ant0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.510	48.180	9.206	-49.285	97.464	38.973	PK
2		5708.985	49.189	10.016	-58.529	107.718	39.173	PK
3		5722.515	46.993	8.048	-69.543	116.535	38.945	PK
4		5851.460	47.104	7.607	-71.766	118.870	39.497	PK
5		5862.530	49.071	9.764	-59.619	108.689	39.307	PK
6		5883.030	48.759	9.297	-50.477	99.237	39.462	PK

Profile: 2410620R	Page No.: 5
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/06 - 23:39
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5825MHz by 802.11a with Ant0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.480	51.477	11.999	-65.067	116.544	39.479	PK
2		5862.080	51.316	12.009	-57.499	108.815	39.307	PK
3	*	5882.720	50.161	10.712	-49.305	99.467	39.449	PK


Profile: 2410620R	Page No.: 6
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/06 - 23:41
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 1: Transmit at 5825MHz by 802.11a with Ant0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.680	49.870	10.377	-68.499	118.369	39.492	PK
2		5865.600	49.918	10.614	-57.912	107.830	39.304	PK
3	*	5883.760	48.738	9.245	-49.956	98.695	39.493	PK




Profile: 2410620R	Page No.: 7
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/06 - 23:42
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.040	49.392	10.403	-49.939	99.331	38.989	PK
2		5709.420	50.183	11.017	-57.657	107.840	39.166	PK
3		5722.070	56.257	17.305	-59.263	115.521	38.953	PK

Profile: 2410620R	Page No.: 8
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/06 - 23:45
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.370	48.228	9.235	-51.347	99.575	38.993	PK
2		5713.050	48.342	9.237	-60.515	108.856	39.104	PK
3		5722.730	54.119	15.178	-62.906	117.026	38.942	PK

Profile: 2410620R	Page No.: 9
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/06 - 23:48
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.225	48.197	9.184	-52.746	100.943	39.013	PK
2		5710.830	48.571	9.429	-59.664	108.235	39.142	PK
3		5723.540	49.863	10.935	-69.010	118.872	38.928	PK
4		5852.075	47.692	8.206	-69.776	117.468	39.486	PK
5		5866.015	49.123	9.820	-58.590	107.713	39.304	PK
6	*	5881.390	48.652	9.259	-51.802	100.454	39.392	PK

Profile: 2410620R	Page No.: 10
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/06 - 23:52
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5690.945	48.339	9.356	-50.185	98.523	38.983	PK
2		5709.805	48.944	9.785	-59.003	107.948	39.159	PK
3		5723.130	47.055	8.121	-70.882	117.938	38.934	PK
4		5852.280	47.381	7.899	-69.619	117.000	39.482	PK
5		5864.785	48.548	9.244	-59.509	108.058	39.304	PK
6	*	5887.335	48.861	9.216	-47.181	96.043	39.645	PK

Profile: 2410620R	Page No.: 11
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/06 - 23:54
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.360	49.558	10.095	-64.981	114.538	39.463	PK
2		5864.400	49.210	9.905	-58.956	108.166	39.304	PK
3	*	5882.960	48.894	9.435	-50.394	99.289	39.459	PK

Profile: 2410620R	Page No.: 12
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/06 - 23:57
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.320	48.479	8.998	-68.430	116.909	39.481	PK
2		5866.320	48.912	9.609	-58.716	107.628	39.303	PK
3	*	5884.880	48.203	8.662	-49.661	97.864	39.541	PK

Profile: 2410620R	Page No.: 13
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:05
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5755MHz by 802.11n (40MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5689.550	50.070	11.096	-47.424	97.494	38.974	PK
2		5718.020	57.151	18.130	-53.096	110.246	39.021	PK
3		5722.830	57.496	18.556	-59.758	117.254	38.940	PK


Profile: 2410620R	Page No.: 14
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:07
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5755MHz by 802.11n (40MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.010	48.662	9.640	-52.860	101.522	39.021	PK
2		5714.640	52.609	13.531	-56.692	109.301	39.078	PK
3		5720.750	56.600	17.625	-55.911	112.511	38.975	PK




Profile: 2410620R	Page No.: 15
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:09
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5795MHz by 802.11n (40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.255	51.286	11.786	-68.051	119.338	39.501	PK
2		5865.700	49.202	9.898	-58.600	107.802	39.303	PK
3	*	5885.275	49.367	9.809	-48.204	97.571	39.557	PK

Profile: 2410620R	Page No.: 16
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:10
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 3: Transmit at 5795MHz by 802.11n (40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5853.280	49.975	10.511	-64.746	114.721	39.464	PK
2		5866.915	49.544	10.242	-57.917	107.462	39.302	PK
3	*	5885.410	48.217	8.653	-49.254	97.471	39.564	PK

Profile: 2410620R	Page No.: 17
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:17
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5745MHz by 802.11ac (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.920	49.647	10.648	-50.334	99.981	38.999	PK
2		5708.650	49.828	10.659	-57.796	107.624	39.170	PK
3		5723.720	52.959	14.035	-66.323	119.283	38.925	PK

Profile: 2410620R	Page No.: 18
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:19
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5745MHz by 802.11ac (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.340	48.488	9.463	-53.277	101.765	39.025	PK
2		5713.490	49.765	10.668	-59.214	108.979	39.097	PK
3		5721.850	49.029	10.073	-65.990	115.019	38.956	PK

Profile: 2410620R	Page No.: 19
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:20
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5785MHz by 802.11ac (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.430	49.168	10.153	-51.926	101.094	39.015	PK
2		5707.140	49.191	10.038	-58.011	107.201	39.152	PK
3		5723.335	49.386	10.455	-69.019	118.405	38.931	PK
4		5853.510	49.146	9.686	-65.050	114.196	39.460	PK
5		5866.835	49.580	10.278	-57.903	107.484	39.303	PK
6	*	5884.055	48.340	8.834	-50.136	98.476	39.506	PK

Profile: 2410620R	Page No.: 20
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:22
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5785MHz by 802.11ac (20MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5692.175	47.865	8.874	-51.566	99.431	38.991	PK
2		5711.650	47.934	8.806	-60.530	108.464	39.129	PK
3		5723.130	46.620	7.686	-71.317	117.938	38.934	PK
4		5851.870	48.622	9.133	-69.313	117.935	39.490	PK
5		5865.195	48.214	8.910	-59.729	107.943	39.304	PK
6	*	5883.440	48.172	8.692	-50.761	98.932	39.480	PK

Profile: 2410620R	Page No.: 21
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:23
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5825MHz by 802.11ac (20MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.560	49.554	10.077	-66.808	116.362	39.477	PK
2		5863.920	49.740	10.435	-58.560	108.300	39.305	PK
3	*	5885.760	49.163	9.585	-48.048	97.211	39.578	PK


Profile: 2410620R	Page No.: 22
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:27
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 4: Transmit at 5825MHz by 802.11ac (20MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.960	48.880	9.410	-66.570	115.450	39.469	PK
2		5868.960	49.428	10.128	-57.461	106.889	39.301	PK
3	*	5883.680	48.837	9.347	-49.917	98.754	39.490	PK




Profile: 2410620R	Page No.: 23
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:28
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5755MHz by 802.11ac (40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.280	49.606	10.614	-49.902	99.508	38.992	PK
2		5709.310	51.809	12.641	-56.000	107.809	39.167	PK
3		5722.700	56.815	17.873	-60.143	116.957	38.942	PK

Profile: 2410620R	Page No.: 24
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:30
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5755MHz by 802.11ac (40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.930	48.725	9.726	-51.263	99.988	38.999	PK
2		5711.000	51.211	12.072	-57.071	108.282	39.140	PK
3		5721.790	55.008	16.051	-59.874	114.882	38.957	PK

Profile: 2410620R	Page No.: 25
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:32
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5795MHz by 802.11ac (40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5851.930	49.426	9.938	-68.372	117.798	39.488	PK
2		5864.890	49.739	10.435	-58.289	108.028	39.304	PK
3	*	5880.685	49.864	10.501	-51.114	100.977	39.362	PK

Profile: 2410620R	Page No.: 26
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:33
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 5: Transmit at 5795MHz by 802.11ac (40MHz) with Ant0+Ant1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5852.875	47.468	7.997	-68.176	115.644	39.471	PK
2		5867.320	48.850	9.548	-58.498	107.348	39.302	PK
3	*	5882.440	48.206	8.769	-51.468	99.675	39.438	PK

Profile: 2410620R	Page No.: 27
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:35
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 6: Transmit at 5775MHz by 802.11ac (80MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5683.750	52.287	13.348	-40.924	93.211	38.938	PK
2		5711.000	56.889	17.750	-51.393	108.282	39.140	PK
3		5723.250	55.237	16.305	-62.974	118.211	38.932	PK
4		5852.000	50.900	11.413	-66.739	117.639	39.487	PK
5		5866.750	49.466	10.163	-58.042	107.508	39.303	PK
6		5888.000	48.200	8.526	-47.350	95.550	39.674	PK

Profile: 2410620R	Page No.: 28
Engineer: Pengchengyang	
Site: AC5	Time: 2024/03/07 - 00:37
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: SKI.WB663U.2	Power: 120Vac/60Hz
Note: Mode 6: Transmit at 5775MHz by 802.11ac (80MHz) with Ant0+Ant1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5683.500	49.902	10.965	-43.124	93.026	38.937	PK
2		5710.750	54.464	15.321	-53.748	108.212	39.143	PK
3		5722.250	52.387	13.438	-63.544	115.931	38.949	PK
4		5853.000	47.766	8.297	-67.593	115.359	39.469	PK
5		5866.750	48.185	8.882	-59.323	107.508	39.303	PK
6		5888.500	48.778	9.083	-46.401	95.179	39.695	PK

Note:

1. " \* ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp). Test Photograph.
3. We evaluated/tested both SISO and MIMO mode,shown in report is the worst data.

The End