



11N20SISO\_Ant1\_2412\_1000~26500



11N20SISO\_Ant1\_2437\_0~Reference




11N20SISO\_Ant1\_2437\_30~1000




11N20SISO\_Ant1\_2437\_1000~26500



11N20SISO\_Ant1\_2462\_0~Reference



11N20SISO\_Ant1\_2462\_30~1000



11N20SISO\_Ant1\_2462\_1000~26500



## 7.6. Radiated Spurious Emission Measurement

### 7.6.1. Test Limit

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR must not exceed the limits shown in Table per Section 15.209.

FCC Part 15 Subpart C Paragraph 15.209		
Frequency [MHz]	Field Strength [uV/m]	Measured Distance [Meters]
0.009 – 0.490	2400/F (kHz)	300
0.490 – 1.705	24000/F (kHz)	30
1.705 - 30	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3

### 7.6.2. Test Procedure Used

ANSI C63.10-2013 – Section 6.6.4.3

### 7.6.3. Test Setting

#### Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = as specified in Table 1
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

**Table 1 - RBW as a function of frequency**


Frequency	RBW
9 ~ 150 kHz	200 ~ 300 Hz
0.15 ~ 30 MHz	9 ~ 10 kHz
30 ~ 1000 MHz	100 ~ 120 kHz
> 1000 MHz	1 MHz

**Average Field Strength Measurements**


1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = Power Average (RMS)
5. Number of sweep point = 2001 (Number of sweep points must be  $\geq 2 \times \text{span} / \text{RBW}$ )
6. Sweep time = auto
7. Trace (RMS) averaging was performed over at least 100 traces.

#### 7.6.4. Test Setup


9kHz ~ 30MHz Test Setup:




30MHz ~ 1GHz Test Setup:



1GHz ~ 18GHz Test Setup:



18GHz ~ 25GHz Test Setup:





### 7.6.5. Test Result

Test Mode:	802.11b - Ant 1	Test Date:	2022-07-29
Test Channel:	01	Test Engineer:	Amos Xia
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Mark	Frequency (MHz)	Level (dB $\mu$ V)	Factor (dB)	Limit (dB $\mu$ V/m)	Margin (dB)	Detector	Polarization
	4820	50	7.1	74	23.94	Peak	Horizontal
*	6335	49.64	12.07	87.29	39.99	Peak	Horizontal
*	6810	48.63	13.48	87.29	38.05	Peak	Horizontal
	7535	51.4	14.93	74	22.59	Peak	Horizontal
	4820	50	7.1	74	27.91	Peak	Vertical
*	6335	49.64	12.07	87.29	40.13	Peak	Vertical
*	6810	48.63	13.48	87.29	38.06	Peak	Vertical
	7535	51.4	14.93	74	23.06	Peak	Vertical

Note 1: "\*" is not in restricted band, its limit is 20dBc of the fundamental emission level (107.29dB $\mu$ V/m) or 15.209 which is higher.

Test Mode:	802.11b - Ant 1	Test Date:	2022-07-29
Test Channel:	06	Test Engineer:	Amos Xia
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Mark	Frequency (MHz)	Level (dB $\mu$ V)	Factor (dB)	Limit (dB $\mu$ V/m)	Margin (dB)	Detector	Polarization
	4870	49.69	7.18	74	23.29	Peak	Horizontal
*	6180	47.97	11.35	89.75	42.15	Peak	Horizontal
*	6540	47.86	12.52	89.75	41.75	Peak	Horizontal
	7585	50.86	15	74	24.01	Peak	Horizontal
	4870	52.56	7.18	74	27.82	Peak	Vertical
*	6345	48.21	12.12	89.75	40.76	Peak	Vertical
*	6600	47.96	12.83	89.75	40.5	Peak	Vertical
	7530	51.15	14.94	74	23.85	Peak	Vertical

Note 1: "\*" is not in restricted band, its limit is 20dBc of the fundamental emission level (109.75dB $\mu$ V/m) or 15.209 which is higher.

Test Mode:	802.11b - Ant 1	Test Date:	2022-07-29
Test Channel:	11	Test Engineer:	Amos Xia
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Mark	Frequency (MHz)	Level (dB $\mu$ V)	Factor (dB)	Limit (dB $\mu$ V/m)	Margin (dB)	Detector	Polarization
	4920	48.34	7.31	74	25.81	Peak	Horizontal
*	6130	49.02	11.27	82.54	36.66	Peak	Horizontal
*	6635	48.43	13	82.54	34.54	Peak	Horizontal
	7400	51.63	14.88	74	23.14	Peak	Horizontal
	4920	53.56	7.31	74	28.27	Peak	Vertical
*	6100	48.39	11.04	82.54	34.38	Peak	Vertical
*	6670	48.5	13.08	82.54	34.28	Peak	Vertical
	7515	51.49	14.98	74	22.18	Peak	Vertical

Note 1: "\*" is not in restricted band, its limit is 20dBc of the fundamental emission level (102.54dB $\mu$ V/m) or 15.209 which is higher.

Test Mode:	802.11g - Ant 1	Test Date:	2022-07-29
Test Channel:	01	Test Engineer:	Amos Xia
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Mark	Frequency (MHz)	Level (dB $\mu$ V)	Factor (dB)	Limit (dB $\mu$ V/m)	Margin (dB)	Detector	Polarization
	4780	43.78	7.05	74	26.8	Peak	Horizontal
*	6060	47.28	10.98	83.24	35.87	Peak	Horizontal
*	6685	48.5	13.08	83.24	35.48	Peak	Horizontal
	7365	52.01	15.04	74	23.97	Peak	Horizontal
	4590	43.41	6.92	74	29.64	Peak	Vertical
*	6315	48.93	11.97	83.24	36.61	Peak	Vertical
*	6825	48.35	13.64	83.24	35.1	Peak	Vertical
	7585	52.35	15	74	23.69	Peak	Vertical

Note 1: "\*" is not in restricted band, its limit is 20dBc of the fundamental emission level (103.24dB $\mu$ V/m) or 15.209 which is higher.

Test Mode:	802.11g - Ant 1	Test Date:	2022-07-29
Test Channel:	06	Test Engineer:	Amos Xia
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Mark	Frequency (MHz)	Level (dB $\mu$ V)	Factor (dB)	Limit (dB $\mu$ V/m)	Margin (dB)	Detector	Polarization
	4860	43.37	7.13	74	28.27	Peak	Horizontal
*	5935	46.89	10.5	87.43	41.49	Peak	Horizontal
*	6450	48.45	12.14	87.43	39.26	Peak	Horizontal
	7515	51.3	14.98	74	23.14	Peak	Horizontal
	4875	44.32	7.2	74	30.27	Peak	Vertical
*	6340	48.47	12.09	87.43	41.33	Peak	Vertical
*	6855	48.52	13.92	87.43	39.8	Peak	Vertical
	7545	50.84	14.91	74	23.18	Peak	Vertical

Note 1: "\*" is not in restricted band, its limit is 20dBc of the fundamental emission level (107.43dB $\mu$ V/m) or 15.209 which is higher.

Test Mode:	802.11g - Ant 1	Test Date:	2022-07-29
Test Channel:	11	Test Engineer:	Amos Xia
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Mark	Frequency (MHz)	Level (dB $\mu$ V)	Factor (dB)	Limit (dB $\mu$ V/m)	Margin (dB)	Detector	Polarization
	4930	43.69	7.31	74	28.84	Peak	Horizontal
*	6070	49.1	10.99	80.07	34.24	Peak	Horizontal
*	6745	49.16	13.13	80.07	32.38	Peak	Horizontal
	7755	51.68	15.46	74	23.53	Peak	Horizontal
	4875	43.87	7.2	74	29.97	Peak	Vertical
*	6420	48.13	12.26	80.07	34.03	Peak	Vertical
*	7075	49.78	14.26	80.07	32.32	Peak	Vertical
	7380	51.1	14.97	74	23.93	Peak	Vertical

Note 1: "\*" is not in restricted band, its limit is 20dBc of the fundamental emission level (100.07dB $\mu$ V/m) or 15.209 which is higher.

Test Mode:	802.11n - Ant 1	Test Date:	2022-07-29
Test Channel:	01	Test Engineer:	Amos Xia
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Mark	Frequency (MHz)	Level (dB $\mu$ V)	Factor (dB)	Limit (dB $\mu$ V/m)	Margin (dB)	Detector	Polarization
	4560	44.64	7.05	74	27.18	Peak	Horizontal
*	6315	47.99	11.97	83.53	36.91	Peak	Horizontal
*	6905	49.04	14.12	83.53	35.12	Peak	Horizontal
	7635	50.73	15.14	74	23.61	Peak	Horizontal
	4810	44.75	7.11	74	30.23	Peak	Vertical
*	6305	48.48	11.92	83.53	35.46	Peak	Vertical
*	6860	49.35	13.95	83.53	35.89	Peak	Vertical
	7420	51.79	14.96	74	23.27	Peak	Vertical

Note 1: "\*" is not in restricted band, its limit is 20dBc of the fundamental emission level (103.53dB $\mu$ V/m) or 15.209 which is higher.

Test Mode:	802.11n - Ant 1	Test Date:	2022-07-29
Test Channel:	06	Test Engineer:	Amos Xia
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Mark	Frequency (MHz)	Level (dB $\mu$ V)	Factor (dB)	Limit (dB $\mu$ V/m)	Margin (dB)	Detector	Polarization
	4895	44.13	7.3	74	27.38	Peak	Horizontal
*	6330	48.31	12.04	85.21	37.91	Peak	Horizontal
*	6855	48.94	13.92	85.21	37.31	Peak	Horizontal
	7650	51.49	15.19	74	23.7	Peak	Horizontal
	4870	47.18	7.18	74	30.57	Peak	Vertical
*	6350	47.66	12.14	85.21	37.15	Peak	Vertical
*	6770	48.62	13.23	85.21	37.07	Peak	Vertical
	7495	51.19	15.02	74	24.35	Peak	Vertical

Note 1: "\*" is not in restricted band, its limit is 20dBc of the fundamental emission level (105.21dB $\mu$ V/m) or 15.209 which is higher.



Test Mode:	802.11n - Ant 1	Test Date:	2022-07-29
Test Channel:	11	Test Engineer:	Amos Xia
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Mark	Frequency (MHz)	Level (dB $\mu$ V)	Factor (dB)	Limit (dB $\mu$ V/m)	Margin (dB)	Detector	Polarization
	4915	43.8	7.31	74	30.06	Peak	Horizontal
*	6415	47.87	12.28	79.19	31.52	Peak	Horizontal
	6620	47.94	12.93	74	26.31	Peak	Horizontal
*	7715	51.31	15.37	79.19	29.14	Peak	Horizontal
	4925	46.93	7.31	74	30.68	Peak	Vertical
*	6310	48.12	11.94	79.19	32.2	Peak	Vertical
*	6680	49.53	13.08	79.19	31.22	Peak	Vertical
	7360	51.56	15.07	74	23.75	Peak	Vertical


Note 1: "\*" is not in restricted band, its limit is 20dBc of the fundamental emission level (99.19dB $\mu$ V/m) or 15.209 which is higher.

## The worst case of Radiated Emission below 1GHz:

### 30MHz – 1GHz Test Data

EUT:	Base Station	Polarity:	Horizontal
Model:	JCZ06RM	S/N:	/
Mode:	Transmit by 802.11b at Channel 2412MHz	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia

### Test Graph




### Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	96.9300	30.81	10.86	43.50	12.69	160	360	Horizontal
2	126.515	29.22	11.54	43.50	14.28	160	4	Horizontal
3	175.500	28.68	10.63	43.50	14.82	160	202	Horizontal
4	475.715	32.89	18.28	46.00	13.11	160	331	Horizontal
5	676.020	35.11	21.44	46.00	10.89	160	173	Horizontal
6	725.975	38.99	22.23	46.00	7.01	160	344	Horizontal

Note 1: The test trace is same as the ambient noise and the amplitude of the emissions are attenuated more than 20dB below the permissible (the test frequency range: 9kHz ~ 30MHz, 18GHz ~ 25GHz), therefore no data appear in the report.

EUT:	Base Station	Polarity:	Vertical
Model:	JCZ06RM	S/N:	/
Mode:	Transmit by 802.11b at Channel 2412MHz	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia

### Test Graph




### Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	130.395	29.20	11.48	43.50	14.30	160	109	Vertical
2	192.960	31.68	10.06	43.50	11.82	160	147	Vertical
3	324.395	32.15	14.32	46.00	13.85	160	227	Vertical
4	475.715	35.83	18.28	46.00	10.17	160	109	Vertical
5	574.170	39.78	20.00	46.00	6.22	160	197	Vertical
6	725.975	39.13	22.23	46.00	6.87	160	0	Vertical

Note 1: The test trace is same as the ambient noise and the amplitude of the emissions are attenuated more than 20dB below the permissible (the test frequency range: 9kHz ~ 30MHz, 18GHz ~ 25GHz), therefore no data appear in the report.

EUT:	Base Station	Polarity:	Horizontal
Model:	JCZ06RM	S/N:	/
Mode:	Transmit by 802.11b at Channel 2437MHz	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia

### Test Graph




Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	95.4750	32.23	10.67	43.50	11.27	160	357	Horizontal
2	127.485	29.06	11.52	43.50	14.44	160	344	Horizontal
3	475.715	33.62	18.28	46.00	12.38	160	318	Horizontal
4	575.625	33.70	20.02	46.00	12.30	160	4	Horizontal
5	676.020	35.20	21.44	46.00	10.80	160	165	Horizontal
6	725.975	39.21	22.23	46.00	6.79	160	333	Horizontal

Note 1: The test trace is same as the ambient noise and the amplitude of the emissions are attenuated more than 20dB below the permissible (the test frequency range: 9kHz ~ 30MHz, 18GHz ~ 25GHz), therefore no data appear in the report.

EUT:	Base Station	Polarity:	Vertical
Model:	JCZ06RM	S/N:	/
Mode:	Transmit by 802.11b at Channel 2437MHz	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia

### Test Graph




Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	45.5200	28.11	11.81	40.00	11.89	160	206	Vertical
2	193.930	29.49	10.02	43.50	14.01	160	356	Vertical
3	324.395	32.01	14.32	46.00	13.99	160	213	Vertical
4	475.715	35.09	18.28	46.00	10.91	160	112	Vertical
5	575.625	39.66	20.02	46.00	6.34	160	169	Vertical
6	724.520	38.83	22.20	46.00	7.17	160	356	Vertical

Note 1: The test trace is same as the ambient noise and the amplitude of the emissions are attenuated more than 20dB below the permissible (the test frequency range: 9kHz ~ 30MHz, 18GHz ~ 25GHz), therefore no data appear in the report.

EUT:	Base Station	Polarity:	Horizontal
Model:	JCZ06RM	S/N:	/
Mode:	Transmit by 802.11b at Channel 2462MHz	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia

### Test Graph




Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	131.850	30.64	11.46	43.50	12.86	160	58	Horizontal
2	175.500	29.64	10.63	43.50	13.86	160	188	Horizontal
3	224.000	29.81	10.59	46.00	16.19	160	216	Horizontal
4	325.850	29.48	14.36	46.00	16.52	160	180	Horizontal
5	475.715	32.70	18.28	46.00	13.30	160	330	Horizontal
6	725.975	39.42	22.23	46.00	6.58	160	349	Horizontal

Note 1: The test trace is same as the ambient noise and the amplitude of the emissions are attenuated more than 20dB below the permissible (the test frequency range: 9kHz ~ 30MHz, 18GHz ~ 25GHz), therefore no data appear in the report.

EUT:	Base Station	Polarity:	Vertical
Model:	JCZ06RM	S/N:	/
Mode:	Transmit by 802.11b at Channel 2462MHz	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia

### Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	47.9450	28.08	10.57	40.00	11.92	160	58	Vertical
2	200.235	32.08	9.70	43.50	11.42	160	234	Vertical
3	475.715	35.74	18.28	46.00	10.26	160	307	Vertical
4	574.170	39.30	20.00	46.00	6.70	160	161	Vertical
5	676.020	36.92	21.44	46.00	9.08	160	3	Vertical
6	725.975	38.93	22.23	46.00	7.07	160	0	Vertical

Note 1: The test trace is same as the ambient noise and the amplitude of the emissions are attenuated more than 20dB below the permissible (the test frequency range: 9kHz ~ 30MHz, 18GHz ~ 25GHz), therefore no data appear in the report.

## 7.7. Radiated Restricted Band Edge Measurement

### 7.7.1. Test Limit

#### **For 15.205 requirement:**

Radiated emissions which fall in the restricted bands, as defined in Section 15.205(a) of FCC part 15, must also comply with the radiated emission limits specified in Section 15.209(a).

Frequency (MHz)	Frequency (MHz)	Frequency (MHz)	Frequency (GHz)
0.090 - 0.110	16.42 - 16.423	399.9 - 410	4.5 - 5.15
<sup>1</sup> 0.495 - 0.505	16.69475 - 16.69525	608 - 614	5.35 - 5.46
2.1735 - 2.1905	16.80425 - 16.80475	960 - 1240	7.25 - 7.75
4.125 - 4.128	25.5 - 25.67	1300 - 1427	8.25 - 8.5
4.17725 - 4.17775	37.5 - 38.25	1435 - 1626.5	9.0 - 9.2
4.20725 - 4.20775	73 - 74.6	1645.5 - 1646.5	9.3 - 9.5
6.215 - 6.218	74.8 - 75.2	1660 - 1710	10.6 - 12.7
6.26775 - 6.26825	108 - 121.94	1718.8 - 1722.2	13.25 - 13.4
6.31175 - 6.31225	123 - 138	2200 - 2300	14.47 - 14.5
8.291 - 8.294	149.9 - 150.05	2310 - 2390	15.35 - 16.2
8.362 - 8.366	156.52475 - 156.525	2483.5 - 2500	17.7 - 21.4
8.37625 - 8.38675	156.7 - 156.9	2690 - 2900	22.01 - 23.12
8.41425 - 8.41475	162.0125 - 167.17	3260 - 3267	23.6 - 24.0
12.29 - 12.293	167.72 - 173.2	3332 - 3339	31.2 - 31.8
12.51975 - 12.52025	240 - 285	3345.8 - 3358	36.43 - 36.5
12.57675 - 12.57725	322 - 335.4	3600 - 4400	( <sup>2</sup> )
13.36 - 13.41	--	--	--



All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47CFR must not exceed the limits shown in Table per Section 15.209.

FCC Part 15 Subpart C Paragraph 15.209		
Frequency [MHz]	Field Strength [uV/m]	Measured Distance [Meters]
0.009 - 0.490	2400/F (kHz)	300
0.490 - 1.705	24000/F (kHz)	30
1.705 - 30	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3

### 7.7.2. Test Procedure Used

ANSI C63.10 Section 6.3 (General Requirements)

ANSI C63.10 Section 6.6 (Standard test method above 1GHz)

### 7.7.3. Test Setting


#### Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

### Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = Power Average (RMS)
5. Number of sweep point = 2001 (Number of sweep points must be  $\geq 2 \times \text{span} / \text{RBW}$ )
6. Sweep time = auto
7. Trace (RMS) averaging was performed over at least 100 traces.

#### 7.7.4. Test Setup




Note: This item was performed with the WIFI antenna connected.

### 7.7.5. Test Result

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2412MHz		

Start of Test:2022-07-26 18:09:05

#### Test Graph




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2387.56	57.50	34.53	74.00	16.50	160	200	Horizontal
2	2411.12	107.29	34.71	74.00	-33.29	160	193	Horizontal

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2412MHz		

Start of Test:2022-07-26 18:10:13

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2387.96	52.42	34.53	74.00	21.58	160	155	Vertical
2	2409.32	101.23	34.70	74.00	-27.23	160	112	Vertical

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2412MHz		

Start of Test:2022-07-26 18:11:26

### Test Graph




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2373.84	49.00	34.43	54.00	5.00	160	200	Horizontal
2	2413.76	104.47	34.73	54.00	-50.47	160	200	Horizontal

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2412MHz		

Start of Test:2022-07-26 18:12:18

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2374.40	43.18	34.44	54.00	10.82	160	118	Vertical
2	2410.28	98.28	34.70	54.00	-44.28	160	118	Vertical

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2462MHz		

Start of Test:2022-07-26 18:32:45

### Test Graph




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2462.87	102.54	35.06	74.00	-28.54	160	193	Horizontal
2	2483.80	53.18	35.12	74.00	20.82	160	193	Horizontal

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2462MHz		

Start of Test:2022-07-26 18:33:37

**Test Graph**



\* AV Detector


Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2459.27	93.98	35.05	74.00	-19.98	160	111	Vertical
2	2483.50	48.83	35.12	74.00	25.17	160	32	Vertical



Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2462MHz		

Start of Test:2022-07-26 18:35:13

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2463.70	99.77	35.07	54.00	-45.77	160	192	Horizontal
2	2483.50	41.56	35.12	54.00	12.44	160	192	Horizontal

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2462MHz		

Start of Test:2022-07-26 18:36:05

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2460.20	91.07	35.06	54.00	-37.07	160	117	Vertical
2	2483.50	37.78	35.12	54.00	16.22	160	145	Vertical

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2412MHz		

Start of Test:2022-07-26 17:45:09

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2389.52	57.08	34.54	74.00	16.92	160	198	Horizontal
2	2407.28	103.24	34.68	74.00	-29.24	160	198	Horizontal

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2412MHz		

Start of Test:2022-07-26 17:46:17

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	48.95	34.55	74.00	25.05	160	32	Vertical
2	2409.12	97.30	34.69	74.00	-23.30	160	110	Vertical

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2412MHz		

Start of Test:2022-07-26 17:47:52

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	43.70	34.55	54.00	10.30	160	198	Horizontal
2	2407.16	94.08	34.68	54.00	-40.08	160	198	Horizontal

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2412MHz		

Start of Test:2022-07-26 17:49:00

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	38.91	34.55	54.00	15.09	160	153	Vertical
2	2407.92	87.65	34.68	54.00	-33.65	160	117	Vertical

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2462MHz		

Start of Test:2022-07-26 18:23:37

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2460.29	100.07	35.06	74.00	-26.07	160	193	Horizontal
2	2483.74	52.32	35.12	74.00	21.68	160	193	Horizontal

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2462MHz		

Start of Test:2022-07-26 18:24:30

**Test Graph**



\* AV Detector


Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2458.36	91.85	35.05	74.00	-17.85	160	111	Vertical
2	2483.50	49.01	35.12	74.00	24.99	160	60	Vertical



Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2462MHz		

Start of Test:2022-07-26 18:29:24

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2463.61	90.31	35.07	54.00	-36.31	160	197	Horizontal
2	2483.50	39.65	35.12	54.00	14.35	160	190	Horizontal

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2462MHz		

Start of Test:2022-07-26 18:30:17

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2457.43	82.16	35.05	54.00	-28.16	160	110	Vertical
2	2483.50	36.97	35.12	54.00	17.03	160	24	Vertical

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2412MHz		

Start of Test:2022-07-26 18:14:47

### Test Graph




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2389.00	56.54	34.54	74.00	17.46	160	198	Horizontal
2	2408.68	103.53	34.69	74.00	-29.53	160	198	Horizontal

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2412MHz		

Start of Test:2022-07-26 18:15:40

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2389.24	51.96	34.54	74.00	22.04	160	113	Vertical
2	2410.20	97.28	34.70	74.00	-23.28	160	113	Vertical

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2412MHz		

Start of Test:2022-07-26 18:16:51

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	43.55	34.55	54.00	10.45	160	200	Horizontal
2	2409.08	93.94	34.69	54.00	-39.94	160	200	Horizontal

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2412MHz		

Start of Test:2022-07-26 18:17:43

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	38.72	34.55	54.00	15.28	160	122	Vertical
2	2409.16	88.02	34.70	54.00	-34.02	160	115	Vertical

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2462MHz		

Start of Test:2022-07-26 18:44:02

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2458.77	99.19	35.05	74.00	-25.19	160	191	Horizontal
2	2483.50	50.83	35.12	74.00	23.17	160	184	Horizontal

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2462MHz		

Start of Test:2022-07-26 18:44:54

**Test Graph**



\* AV Detector


Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2459.68	90.75	35.06	74.00	-16.75	160	109	Vertical
2	2483.50	48.44	35.12	74.00	25.56	160	308	Vertical



Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2462MHz		

Start of Test:2022-07-26 18:46:05

**Test Graph**




\* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2463.81	88.86	35.07	54.00	-34.86	160	191	Horizontal
2	2483.50	39.47	35.12	54.00	14.53	160	191	Horizontal

Project Information			
EUT:	Base Station	Model:	JCZ06RM
S/N:	/	Voltage:	AC 120V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2462MHz		

Start of Test:2022-07-26 18:46:57

**Test Graph**



Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2460.01	80.30	35.06	54.00	-26.30	160	111	Vertical
2	2483.50	37.07	35.12	54.00	16.93	160	111	Vertical

## 7.8. AC Conducted Emissions Measurement


### 7.8.1. Test Limit

FCC Part 15 Subpart C Paragraph 15.207 Limits		
Frequency (MHz)	QP (dBuV)	AV (dBuV)
0.15 - 0.50	66 - 56	56 - 46
0.50 - 5.0	56	46
5.0 - 30	60	50

Note 1: The lower limit shall apply at the transition frequencies.


Note 2: The limit decreases linearly with the logarithm of the frequency in the range 0.15MHz to 0.5MHz.

### 7.8.2. Test Setup




### 7.8.3. Test Result

EUT:	Base Station	Polarity:	LINE
Model:	JCZ06RM	Voltage:	120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2412MHz		




Frequency (MHz)	QuasiPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.246000	35.59	---	61.89	26.31	1000.0	9.000	L1	ON	9.6
0.270000	---	24.21	51.12	26.90	1000.0	9.000	L1	ON	9.6
0.346000	43.22	---	59.06	15.84	1000.0	9.000	L1	ON	9.6
0.358000	---	27.18	48.78	21.59	1000.0	9.000	L1	ON	9.6
0.928000	19.44	---	56.00	36.56	1000.0	9.000	L1	ON	9.6
1.906000	---	17.93	46.00	28.07	1000.0	9.000	L1	ON	9.6
2.400000	19.22	---	56.00	36.78	1000.0	9.000	L1	ON	9.6
3.780000	---	19.24	46.00	26.76	1000.0	9.000	L1	ON	9.6
10.698000	20.87	---	60.00	39.13	1000.0	9.000	L1	ON	9.7
11.164000	---	19.64	50.00	30.36	1000.0	9.000	L1	ON	9.7
20.978000	27.06	---	60.00	32.94	1000.0	9.000	L1	ON	9.8
21.096000	---	24.77	50.00	25.23	1000.0	9.000	L1	ON	9.8

EUT:	Base Station	Polarity:	NEUTRAL
Model:	JCZ06RM	Voltage:	120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2412MHz		




Frequency (MHz)	QuasiPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.172000	---	21.50	54.86	33.37	1000.0	9.000	N	ON	9.6
0.180000	29.51	---	64.49	34.97	1000.0	9.000	N	ON	9.6
0.290000	37.54	---	60.52	22.98	1000.0	9.000	N	ON	9.6
0.298000	---	24.40	50.30	25.89	1000.0	9.000	N	ON	9.6
0.346000	43.65	---	59.06	15.41	1000.0	9.000	N	ON	9.6
0.352000	---	27.65	48.92	21.27	1000.0	9.000	N	ON	9.6
0.478000	---	19.04	46.37	27.34	1000.0	9.000	N	ON	9.6
0.864000	20.23	---	56.00	35.77	1000.0	9.000	N	ON	9.6
3.320000	19.91	---	56.00	36.09	1000.0	9.000	N	ON	9.6
20.976000	---	23.78	50.00	26.22	1000.0	9.000	N	ON	9.8
20.976000	31.28	---	60.00	28.72	1000.0	9.000	N	ON	9.8
26.368000	---	22.61	50.00	27.39	1000.0	9.000	N	ON	9.8

EUT:	Base Station	Polarity:	LINE
Model:	JCZ06RM	Voltage:	120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2437MHz		




Frequency (MHz)	QuasiPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.294000	---	24.55	50.41	25.86	1000.0	9.000	L1	ON	9.6
0.294000	38.04	---	60.41	22.37	1000.0	9.000	L1	ON	9.6
0.348000	---	27.88	49.01	21.13	1000.0	9.000	L1	ON	9.6
0.348000	43.72	---	59.01	15.29	1000.0	9.000	L1	ON	9.6
0.898000	19.48	---	56.00	36.52	1000.0	9.000	L1	ON	9.6
1.036000	---	18.18	46.00	27.82	1000.0	9.000	L1	ON	9.6
3.378000	20.07	---	56.00	35.93	1000.0	9.000	L1	ON	9.6
4.778000	---	19.76	46.00	26.24	1000.0	9.000	L1	ON	9.7
7.190000	---	20.13	50.00	29.87	1000.0	9.000	L1	ON	9.7
10.562000	20.79	---	60.00	39.21	1000.0	9.000	L1	ON	9.7
26.796000	24.85	---	60.00	35.15	1000.0	9.000	L1	ON	9.8
27.152000	---	31.09	50.00	18.91	1000.0	9.000	L1	ON	9.8

EUT:	Base Station	Polarity:	NEUTRAL
Model:	JCZ06RM	Voltage:	120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2437MHz		



Frequency (MHz)	QuasiPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.220000	30.30	---	62.82	32.52	1000.0	9.000	N	ON	9.6
0.250000	---	23.65	51.76	28.11	1000.0	9.000	N	ON	9.6
0.348000	44.27	---	59.01	14.74	1000.0	9.000	N	ON	9.6
0.360000	---	27.22	48.73	21.51	1000.0	9.000	N	ON	9.6
0.444000	---	20.15	46.99	26.84	1000.0	9.000	N	ON	9.6
0.444000	29.24	---	56.99	27.75	1000.0	9.000	N	ON	9.6
7.166000	21.27	---	60.00	38.73	1000.0	9.000	N	ON	9.7
7.266000	---	20.44	50.00	29.56	1000.0	9.000	N	ON	9.7
21.096000	---	25.33	50.00	24.67	1000.0	9.000	N	ON	9.8
21.562000	26.22	---	60.00	33.78	1000.0	9.000	N	ON	9.8
24.242000	---	21.15	50.00	28.85	1000.0	9.000	N	ON	9.8
27.126000	23.48	---	60.00	36.52	1000.0	9.000	N	ON	9.8


EUT:	Base Station	Polarity:	LINE
Model:	JCZ06RM	Voltage:	120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2462MHz		



Frequency (MHz)	QuasiPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.168000	34.05	---	65.06	31.01	1000.0	9.000	L1	ON	9.6
0.268000	---	24.57	51.18	26.61	1000.0	9.000	L1	ON	9.6
0.348000	44.08	---	59.01	14.93	1000.0	9.000	L1	ON	9.6
0.358000	---	27.53	48.78	21.24	1000.0	9.000	L1	ON	9.6
0.932000	19.75	---	56.00	36.25	1000.0	9.000	L1	ON	9.6
1.034000	---	18.15	46.00	27.85	1000.0	9.000	L1	ON	9.6
4.064000	20.28	---	56.00	35.72	1000.0	9.000	L1	ON	9.6
4.780000	---	19.67	46.00	26.33	1000.0	9.000	L1	ON	9.7
7.236000	22.08	---	60.00	37.92	1000.0	9.000	L1	ON	9.7
7.238000	---	20.33	50.00	29.67	1000.0	9.000	L1	ON	9.7
27.156000	---	26.29	50.00	23.71	1000.0	9.000	L1	ON	9.8
27.266000	22.25	---	60.00	37.75	1000.0	9.000	L1	ON	9.8



EUT:	Base Station	Polarity:	NEUTRAL
Model:	JCZ06RM	Voltage:	120V/60Hz
Environment:	Temp: 25°C; Humi:60%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2462MHz		



Frequency (MHz)	QuasiPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Line	Filter	Corr. (dB)
0.166000	34.19	---	65.16	30.96	1000.0	9.000	N	ON	9.6
0.278000	37.91	---	60.88	22.97	1000.0	9.000	N	ON	9.6
0.340000	---	27.14	49.20	22.06	1000.0	9.000	N	ON	9.6
0.360000	42.92	---	58.73	15.81	1000.0	9.000	N	ON	9.6
0.366000	---	25.90	48.59	22.69	1000.0	9.000	N	ON	9.6
0.366000	41.05	---	58.59	17.55	1000.0	9.000	N	ON	9.6
0.448000	29.35	---	56.91	27.56	1000.0	9.000	N	ON	9.6
0.466000	27.76	---	56.59	28.82	1000.0	9.000	N	ON	9.6
21.094000	---	25.06	50.00	24.94	1000.0	9.000	N	ON	9.8
26.148000	---	25.57	50.00	24.43	1000.0	9.000	N	ON	9.8
27.152000	---	28.21	50.00	21.79	1000.0	9.000	N	ON	9.8
28.158000	---	27.13	50.00	22.87	1000.0	9.000	N	ON	9.8

— The End —