


EUT:	Self-Cleaning and Emptying Robot Vacuum	Polarity:	Horizontal
Model:	SDJ06RM	S/N:	/
Mode:	Transmit by 802.11b at Channel 2462MHz	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia

Test Graph




Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	98.3850	31.35	11.04	43.50	12.15	160	126	Horizontal
2	133.790	28.55	11.44	43.50	14.95	160	88	Horizontal
3	210.905	26.70	10.11	43.50	16.80	160	31	Horizontal
4	374.350	29.25	15.32	46.00	16.75	160	10	Horizontal
5	475.715	36.97	18.28	46.00	9.03	160	302	Horizontal
6	725.975	36.42	22.23	46.00	9.58	160	156	Horizontal

Note 1: The test trace is same as the ambient noise and the amplitude of the emissions are attenuated more than 20dB below the permissible (the test frequency range: 9kHz ~ 30MHz, 18GHz ~ 25GHz), therefore no data appear in the report.

EUT:	Self-Cleaning and Emptying Robot Vacuum	Polarity:	Vertical
Model:	SDJ06RM	S/N:	/
Mode:	Transmit by 802.11b at Channel 2462MHz	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia

Test Graph



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	58.1300	28.77	7.31	40.00	11.23	160	5	Vertical
2	97.4150	24.58	10.92	43.50	18.92	160	190	Vertical
3	128.940	25.72	11.50	43.50	17.78	160	211	Vertical
4	153.675	24.69	10.65	43.50	18.81	160	225	Vertical
5	224.000	33.34	10.59	46.00	12.66	160	138	Vertical
6	574.170	38.85	20.00	46.00	7.15	160	190	Vertical

Note 1: The test trace is same as the ambient noise and the amplitude of the emissions are attenuated more than 20dB below the permissible (the test frequency range: 9kHz ~ 30MHz, 18GHz ~ 25GHz), therefore no data appear in the report.

7.7. Radiated Restricted Band Edge Measurement

7.7.1. Test Limit

For 15.205 requirement:

Radiated emissions which fall in the restricted bands, as defined in Section 15.205(a) of FCC part 15, must also comply with the radiated emission limits specified in Section 15.209(a).

Frequency (MHz)	Frequency (MHz)	Frequency (MHz)	Frequency (GHz)
0.090 - 0.110	16.42 - 16.423	399.9 - 410	4.5 - 5.15
¹ 0.495 - 0.505	16.69475 - 16.69525	608 - 614	5.35 - 5.46
2.1735 - 2.1905	16.80425 - 16.80475	960 - 1240	7.25 - 7.75
4.125 - 4.128	25.5 - 25.67	1300 - 1427	8.25 - 8.5
4.17725 - 4.17775	37.5 - 38.25	1435 - 1626.5	9.0 - 9.2
4.20725 - 4.20775	73 - 74.6	1645.5 - 1646.5	9.3 - 9.5
6.215 - 6.218	74.8 - 75.2	1660 - 1710	10.6 - 12.7
6.26775 - 6.26825	108 - 121.94	1718.8 - 1722.2	13.25 - 13.4
6.31175 - 6.31225	123 - 138	2200 - 2300	14.47 - 14.5
8.291 - 8.294	149.9 - 150.05	2310 - 2390	15.35 - 16.2
8.362 - 8.366	156.52475 - 156.525	2483.5 - 2500	17.7 - 21.4
8.37625 - 8.38675	156.7 - 156.9	2690 - 2900	22.01 - 23.12
8.41425 - 8.41475	162.0125 - 167.17	3260 - 3267	23.6 - 24.0
12.29 - 12.293	167.72 - 173.2	3332 - 3339	31.2 - 31.8
12.51975 - 12.52025	240 - 285	3345.8 - 3358	36.43 - 36.5
12.57675 - 12.57725	322 - 335.4	3600 - 4400	(²)
13.36 - 13.41	--	--	--

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47CFR must not exceed the limits shown in Table per Section 15.209.

FCC Part 15 Subpart C Paragraph 15.209		
Frequency [MHz]	Field Strength [uV/m]	Measured Distance [Meters]
0.009 - 0.490	2400/F (kHz)	300
0.490 - 1.705	24000/F (kHz)	30
1.705 - 30	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3

7.7.2. Test Procedure Used

ANSI C63.10 Section 6.3 (General Requirements)

ANSI C63.10 Section 6.6 (Standard test method above 1GHz)

7.7.3. Test Setting


Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

Average Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = Power Average (RMS)
5. Number of sweep point = 2001 (Number of sweep points must be $\geq 2 \times \text{span} / \text{RBW}$)
6. Sweep time = auto
7. Trace (RMS) averaging was performed over at least 100 traces.

7.7.4. Test Setup




Note: This item was performed with the WIFI antenna connected.

7.7.5. Test Result

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2412MHz		

Start of Test:2022-06-16 14:54:07

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	48.04	34.55	74.00	25.96	165	357	Horizontal
2	2412.12	98.51	34.72	74.00	-24.51	165	51	Horizontal

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2412MHz		

Start of Test:2022-06-16 14:55:00

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	53.08	34.55	74.00	20.92	165	290	Vertical
2	2412.12	108.77	34.72	74.00	-34.77	165	283	Vertical

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2412MHz		

Start of Test:2022-06-16 14:59:58

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	47.81	34.55	54.00	6.19	165	137	Horizontal
2	2411.42	96.68	34.71	54.00	-42.68	165	52	Horizontal

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2412MHz		

Start of Test:2022-06-16 15:00:51

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2386.54	53.16	34.52	54.00	0.84	165	221	Vertical
2	2390.00	50.12	34.55	54.00	3.88	165	287	Vertical
3	2412.44	107.35	34.72	54.00	-53.35	165	287	Vertical

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2462MHz		

Start of Test:2022-06-16 15:14:18

Test Graph




Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2461.86	98.57	35.06	74.00	-24.57	165	209	Horizontal
2	2483.50	48.61	35.12	74.00	25.39	165	216	Horizontal

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2462MHz		

Start of Test:2022-06-16 15:15:11

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2462.18	109.77	35.06	74.00	-35.77	165	227	Vertical
2	2483.50	54.08	35.12	74.00	19.92	165	291	Vertical

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2462MHz		

Start of Test:2022-06-16 15:10:17

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2462.70	95.39	35.06	54.00	-41.39	165	211	Horizontal
2	2483.50	38.18	35.12	54.00	15.82	165	211	Horizontal

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11b at Channel 2462MHz		

Start of Test:2022-06-16 15:11:09

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2461.28	106.64	35.06	54.00	-52.64	165	225	Vertical
2	2483.50	44.72	35.12	54.00	9.28	165	225	Vertical

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2412MHz		

Start of Test:2022-06-16 15:35:17

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	47.54	34.55	74.00	26.46	165	154	Horizontal
2	2410.20	96.71	34.70	74.00	-22.71	165	52	Horizontal

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2412MHz		

Start of Test:2022-06-16 15:36:09

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	55.54	34.55	74.00	18.46	165	287	Vertical
2	2415.94	106.59	34.75	74.00	-32.59	165	287	Vertical

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2412MHz		

Start of Test:2022-06-16 15:39:49

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	37.35	34.55	54.00	16.65	165	62	Horizontal
2	2410.79	87.58	34.71	54.00	-33.58	165	48	Horizontal

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2412MHz		

Start of Test:2022-06-16 15:40:42

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	43.53	34.55	54.00	10.47	165	294	Vertical
2	2413.45	97.55	34.73	54.00	-43.55	165	288	Vertical

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2462MHz		

Start of Test:2022-06-16 15:45:26

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2463.95	97.52	35.07	74.00	-23.52	165	211	Horizontal
2	2483.50	50.02	35.12	74.00	23.98	165	34	Horizontal

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2462MHz		

Start of Test:2022-06-16 15:46:19

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2463.82	108.95	35.07	74.00	-34.95	165	227	Vertical
2	2483.50	60.66	35.12	74.00	13.34	165	284	Vertical

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2462MHz		

Start of Test:2022-06-16 15:55:14

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2463.35	87.62	35.06	54.00	-33.62	165	212	Horizontal
2	2483.50	38.82	35.12	54.00	15.18	165	220	Horizontal

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11g-HT20 at Channel 2462MHz		

Start of Test:2022-06-16 15:56:07

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2462.72	99.23	35.06	54.00	-45.23	165	222	Vertical
2	2483.50	47.57	35.12	54.00	6.43	165	229	Vertical

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2412MHz		

Start of Test:2022-06-16 15:19:04

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	48.07	34.55	74.00	25.93	165	52	Horizontal
2	2414.96	95.17	34.74	74.00	-21.17	165	37	Horizontal

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2412MHz		

Start of Test:2022-06-16 15:19:57

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	54.48	34.55	74.00	19.52	165	221	Vertical
2	2415.06	105.34	34.74	74.00	-31.34	165	285	Vertical

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2412MHz		

Start of Test:2022-06-16 15:21:28

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	36.88	34.55	54.00	17.12	165	40	Horizontal
2	2419.26	85.27	34.78	54.00	-31.27	165	40	Horizontal

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2412MHz		

Start of Test:2022-06-16 15:22:20

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2390.00	42.24	34.55	54.00	11.76	165	290	Vertical
2	2418.46	95.59	34.77	54.00	-41.59	165	282	Vertical

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2462MHz		

Start of Test:2022-06-16 15:28:37

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2464.27	94.38	35.07	74.00	-20.38	165	213	Horizontal
2	2483.50	48.68	35.12	74.00	25.32	165	220	Horizontal

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2462MHz		

Start of Test:2022-06-16 15:29:30

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2464.30	105.97	35.07	74.00	-31.97	165	220	Vertical
2	2483.50	56.13	35.12	74.00	17.87	165	220	Vertical

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2462MHz		

Start of Test:2022-06-16 15:25:20

Test Graph




* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2463.08	85.15	35.06	54.00	-31.15	165	213	Horizontal
2	2483.50	37.90	35.12	54.00	16.10	165	31	Horizontal

Project Information			
EUT:	Self-Cleaning and Emptying Robot Vacuum	Model:	SDJ06RM
S/N:	/	Voltage:	DC 14.4V
Environment:	Temp: 24°C; Humi:51%	Engineer:	Amos Xia
Remark:	Transmit by 802.11n at Channel 2462MHz		

Start of Test:2022-06-16 15:26:13

Test Graph



* AV Detector

Suspected Data List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2466.78	96.70	35.07	54.00	-42.70	165	226	Vertical
2	2483.50	45.02	35.12	54.00	8.98	165	226	Vertical

7.8. AC Conducted Emissions Measurement


7.8.1. Test Limit

FCC Part 15 Subpart C Paragraph 15.207 Limits		
Frequency (MHz)	QP (dBuV)	AV (dBuV)
0.15 - 0.50	66 - 56	56 - 46
0.50 - 5.0	56	46
5.0 - 30	60	50

Note 1: The lower limit shall apply at the transition frequencies.

Note 2: The limit decreases linearly with the logarithm of the frequency in the range 0.15MHz to 0.5MHz.

7.8.2. Test Setup



7.8.3. Test Result

Power supply by battery, not applicable.

_____ The End _____