

APPLICATION		REVISION				
NEXT ASSY	PROJECT NO.	ECN NO.	REV	DESCRIPTION	DATE	APPROVED
	17272	-	A	PRODUCTION RELEASE	03/08/19	CATHY MOORE
		XX	B	RELEASE -005 THRU -008	05/06/19	CATHY MOORE

**REFERENCE DOCUMENTS**

- 6009-0336 "HP-VIS-CLR-STD Jack Black Industrial Design."
- 137124 "Specification, Label Orientation and Liner Format."
- 453669 "Specification, Cosmetic Requirements."
- 854682 "Specification, Supplier Packaging/Material Handling, HPE."
- HPE-00011-00 "General Specification for the Environment."
- CSA "List of Accepted Adhesive Type Name Plates." Canadian Standards Association
- UL 969 "Standard for Safety of Marking and Labeling Systems." Underwriters Laboratories, Inc. (U.L.)
- IEC 60950-1 "Safety of Information Technology Equipment - Safety - Part 1: General requirements", International Electrotechnical Commission".

**REQUIREMENTS**

**MATERIAL**

- **FACESTOCK:** White opaque polyester film. Will caliper .002 ±10%.
- **ADHESIVE:** Permanent bonding pressure-sensitive acrylic adhesive. Will caliper .001 ±10%. Suitable for bonding to a steel, sheet metal or aluminum surface. Minimum service temperature range shall be -20°C to +80°C.
- **OVERLAMINATE:** Matte clear polyester. Will caliper .001 ±10%.
- **LINER:** 40# to 60# (basis weight) removable, release coated paper liner. Labels will be cut without damage to liner. The matrix will be stripped from liner.

**NOTES:**

1. The product (part) and packaging must comply with the Hewlett Packard Enterprise Document HPE-00011-00, General Specification for the Environment (GSE).
2. Alternate material (facestock, adhesive, overlaminates or liner) must be pre-approved for production Compatibility by Procurement and/or Product Engineering Groups.

**MECHANICAL**

- **LABEL ORIENTATION ON LINER:** Unwind will be chosen based on economy of producibility and to ensure delivery of unblemished labels. Reference document 137124.
- **MAXIMUM ROLL DIAMETER:** 8.00 [203.2]

**INK**

- **BACKGROUND:** HPE Jack Black, full-bleed process. Refer to document 6009-0336 for color matching requirements.
- **TEXT AND GRAPHICS:** Opaque White.

**COSMETIC REQUIREMENTS**

The label will conform to document 453669.

**AGENCY REQUIREMENTS**


UL Recognized Component Marking and Labeling System (PGDQ2 or PGJ12)  
 Canadian Standards Association (CSA) Approved Manufacturer of Accepted Adhesive Type Name Plates (CSA Identifier will appear on the label.) The label shall comply with the durability test of cl. 1.7.11 of IEC 60950-1 (rub test). This applies to the ink on the label stock as well as the label stock on the intended surface.

**SHIPPING AND QUALITY REQUIREMENTS**

Refer to document 137124 and 854682.


**ARTWORK AVAILABILITY**

Electronic artwork files are available from Hewlett Packard Enterprise's myPIM Application and can be downloaded utilizing the Common Document Viewer Module.


<b>HEWLETT PACKARD ENTERPRISE RESTRICTED</b>  THIS DOCUMENT AND ANY ASSOCIATED DATA CONTAIN RESTRICTED INFORMATION THAT IS HEWLETT PACKARD ENTERPRISE PROPERTY. DO NOT DISCLOSE TO OR DUPLICATE FOR OTHERS EXCEPT AS AUTHORIZED BY HEWLETT PACKARD ENTERPRISE.	<b>APPROVALS</b>		<b>DATE</b>	  LBL, [AGB HSTNS-5231, AC 5U]			
	DRAWN	HA DOAN	02/28/19				
	CHECKED	CATHY MOORE	03/05/19				
	DSGN ENGR	DAN CAVANAGH	03/05/19				
	ENG						
	PKG ENG						
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [MILLIMETERS]. TOLERANCES ARE: FRACTIONS DECIMALS ANGLES ± 1/32 .XX ± .02 [0.5] ±1° .XXX ± .010 [0.25]	QA			SIZE	DRAWING NO.	REV	
	LEGAL						<b>A</b>
	AGENCY	DAN CAVANAGH	03/05/19	DO NOT SCALE DRAWING		SUPPLEMENTS: EF, PDF, TIFF	

TYPICAL -001/00A LABEL  
(INACTIVE)

This Line Does Not Print




Ink colors are reversed for Print On Demand Process.


 <b>Hewlett Packard Enterprise</b>	SIZE <b>A</b>	DRAWING NO. P16390		REV B
	DRAWN: H.D		SCALE 1/1	SHEET 2 OF 9

TYPICAL -002/00B LABEL  
(INACTIVE)

This Line Does Not Print




Ink colors are reversed for Print On Demand Process.


 <b>Hewlett Packard Enterprise</b>	SIZE <b>A</b>	DRAWING NO. P16390	REV B
	DRAWN: H.D	SCALE 1/1	SHEET 3 OF 9

TYPICAL -003/00C LABEL  
(INACTIVE)

This Line Does Not Print




Ink colors are reversed for Print On Demand Process.


 <b>Hewlett Packard Enterprise</b>	SIZE <b>A</b>	DRAWING NO. P16390	REV B
	DRAWN: H.D	SCALE 1/1	SHEET 4 OF 9

TYPICAL -004/00D LABEL  
(INACTIVE)

This Line Does Not Print




Ink colors are reversed for Print On Demand Process.


 <b>Hewlett Packard Enterprise</b>	SIZE <b>A</b>	DRAWING NO. P16390	REV B
	DRAWN: H.D	SCALE 1/1	SHEET 5 OF 9

# TYPICAL -005 LABEL

This Line Does Not Print




Ink colors are reversed for Print On Demand Process.

 <b>Hewlett Packard</b> <b>Enterprise</b>	SIZE <b>A</b>	DRAWING NO. <b>P16390</b>	REV <b>B</b>
	DRAWN: H.D	SCALE 1/1	SHEET 6 OF 9

# TYPICAL -006 LABEL

This Line Does Not Print




Ink colors are reversed for Print On Demand Process.

	SIZE	DRAWING NO.	REV
	A	P16390	B
DRAWN: H.D		SCALE 1/1	SHEET 7 OF 9

# TYPICAL -007 LABEL

This Line Does Not Print




Ink colors are reversed for Print On Demand Process.

	SIZE	DRAWING NO.	REV
	A	P16390	B
DRAWN: H.D		SCALE 1/1	SHEET 8 OF 9




# TYPICAL -008 LABEL

This Line Does Not Print



Ink colors are reversed for Print On Demand Process.

 <b>Hewlett Packard Enterprise</b>	SIZE <b>A</b>	DRAWING NO. P16390	REV B
	DRAWN: H.D	SCALE 1/1	SHEET 9 OF 9