


Mode:	DH5 2402	Voltage:	120V
-------	----------	----------	------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	39.9920	-15.82	23.24	40.00	16.76	Vertical	PASS
2	49.5960	-15.48	13.06	40.00	26.94	Vertical	PASS
3	58.3268	-16.12	12.23	40.00	27.77	Vertical	PASS
4	74.2364	-19.23	19.89	40.00	20.11	Vertical	PASS
5	99.9440	-20.16	22.68	43.50	20.82	Vertical	PASS
6	570.344	-9.99	20.55	46.00	25.45	Vertical	PASS

Mode:	DH5 2441	Voltage:	120V
-------	----------	----------	------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.7761	-17.34	17.65	40.00	22.35	Horizontal	PASS
2	39.9920	-15.82	24.79	40.00	15.21	Horizontal	PASS
3	74.2364	-19.23	13.16	40.00	26.84	Horizontal	PASS
4	99.7500	-20.18	11.30	43.50	32.20	Horizontal	PASS
5	565.299	-10.10	20.81	46.00	25.19	Horizontal	PASS
6	779.982	-6.85	27.30	46.00	18.70	Horizontal	PASS

Mode:	DH5 2441	Voltage:	120V
-------	----------	----------	------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.2910	-17.42	18.16	40.00	21.84	Vertical	PASS
2	39.9920	-15.82	22.55	40.00	17.45	Vertical	PASS
3	74.2364	-19.23	19.25	40.00	20.75	Vertical	PASS
4	100.041	-20.15	22.70	43.50	20.80	Vertical	PASS
5	566.560	-10.07	20.46	46.00	25.54	Vertical	PASS
6	780.079	-6.84	22.28	46.00	23.72	Vertical	PASS

Mode:	DH5 2480	Voltage:	120V
-------	----------	----------	------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	39.9920	-15.82	24.87	40.00	15.13	Horizontal	PASS
2	57.7448	-16.07	13.06	40.00	26.94	Horizontal	PASS
3	74.2364	-19.23	13.43	40.00	26.57	Horizontal	PASS
4	100.041	-20.15	11.01	43.50	32.49	Horizontal	PASS
5	555.695	-10.30	20.46	46.00	25.54	Horizontal	PASS
6	779.982	-6.85	28.92	46.00	17.08	Horizontal	PASS

Mode:	DH5 2480	Voltage:	120V
-------	----------	----------	------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.2910	-17.42	19.13	40.00	20.87	Vertical	PASS
2	39.9920	-15.82	23.67	40.00	16.33	Vertical	PASS
3	59.4909	-16.21	11.97	40.00	28.03	Vertical	PASS
4	74.2364	-19.23	19.92	40.00	20.08	Vertical	PASS
5	99.9440	-20.16	22.78	43.50	20.72	Vertical	PASS
6	565.881	-10.09	19.95	46.00	26.05	Vertical	PASS

Mode:	2DH5 2402	Voltage:	120V
-------	-----------	----------	------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.5821	-17.37	19.47	40.00	20.53	Horizontal	PASS
2	39.9920	-15.82	25.00	40.00	15.00	Horizontal	PASS
3	74.1394	-19.21	12.69	40.00	27.31	Horizontal	PASS
4	125.263	-18.03	14.24	43.50	29.26	Horizontal	PASS
5	568.209	-10.04	19.83	46.00	26.17	Horizontal	PASS
6	780.079	-6.84	26.92	46.00	19.08	Horizontal	PASS

Mode:	2DH5 2402	Voltage:	120V
-------	-----------	----------	------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.0000	-17.47	18.87	40.00	21.13	Vertical	PASS
2	39.9920	-15.82	23.44	40.00	16.56	Vertical	PASS
3	59.0059	-16.17	12.49	40.00	27.51	Vertical	PASS
4	74.2364	-19.23	20.93	40.00	19.07	Vertical	PASS
5	99.9440	-20.16	22.34	43.50	21.16	Vertical	PASS
6	556.762	-10.28	19.07	46.00	26.93	Vertical	PASS

Mode:	2DH5 2441	Voltage:	120V
-------	-----------	----------	------

**Test Graph**




QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.7761	-17.34	17.48	40.00	22.52	Horizontal	PASS
2	39.9920	-15.82	24.78	40.00	15.22	Horizontal	PASS
3	58.9089	-16.16	11.79	40.00	28.21	Horizontal	PASS
4	99.6530	-20.19	14.16	43.50	29.34	Horizontal	PASS
5	556.471	-10.28	19.86	46.00	26.14	Horizontal	PASS
6	779.982	-6.85	28.74	46.00	17.26	Horizontal	PASS



Mode:	2DH5 2441	Voltage:	120V
-------	-----------	----------	------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.7761	-17.34	17.50	40.00	22.50	Vertical	PASS
2	39.9920	-15.82	22.46	40.00	17.54	Vertical	PASS
3	47.9468	-15.54	13.36	40.00	26.64	Vertical	PASS
4	74.2364	-19.23	21.59	40.00	18.41	Vertical	PASS
5	99.9440	-20.16	23.15	43.50	20.35	Vertical	PASS
6	572.090	-9.96	20.43	46.00	25.57	Vertical	PASS

Mode:	2DH5 2480	Voltage:	120V
-------	-----------	----------	------


**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.7761	-17.34	18.64	40.00	21.36	Horizontal	PASS
2	39.9920	-15.82	24.96	40.00	15.04	Horizontal	PASS
3	59.0059	-16.17	12.70	40.00	27.30	Horizontal	PASS
4	74.2364	-19.23	13.59	40.00	26.41	Horizontal	PASS
5	99.5560	-20.20	11.74	43.50	31.76	Horizontal	PASS
6	575.097	-9.90	20.34	46.00	25.66	Horizontal	PASS

Mode:	2DH5 2480	Voltage:	120V
-------	-----------	----------	------

**Test Graph**



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.0000	-17.47	18.40	40.00	21.60	Vertical	PASS
2	39.9920	-15.82	23.63	40.00	16.37	Vertical	PASS
3	59.1029	-16.18	13.66	40.00	26.34	Vertical	PASS
4	74.2364	-19.23	22.33	40.00	17.67	Vertical	PASS
5	99.8470	-20.17	23.05	43.50	20.45	Vertical	PASS
6	545.897	-10.50	19.57	46.00	26.43	Vertical	PASS

Above 1GHz

Mode:	DH5 2402	Voltage:	3.7V
-------	----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4800.8802	70.10	-16.48	53.62	74.00	20.38	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4800.8802	56.21	-16.48	39.73	54.00	14.27	Horizontal	PASS

Mode:	DH5 2402	Voltage:	3.7V
-------	----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4801.0602	72.76	-16.48	56.28	74.00	17.72	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4801.0602	60.99	-16.48	44.51	54.00	9.49	Vertical	PASS

Mode:	DH5 2441	Voltage:	3.7V
-------	----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4879.3483	67.70	-16.32	51.38	74.00	22.62	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4879.3483	61.90	-16.32	45.58	54.00	8.42	Horizontal	PASS

Mode:	DH5 2441	Voltage:	3.7V
-------	----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4881.8683	69.06	-16.31	52.75	74.00	21.25	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4881.8683	53.23	-16.31	36.92	54.00	17.08	Vertical	PASS

Mode:	DH5 2480	Voltage:	3.7V
-------	----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4957.3358	68.10	-16.38	51.72	74.00	22.28	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4957.3358	60.45	-16.38	44.07	54.00	9.93	Horizontal	PASS

Mode:	DH5 2480	Voltage:	3.7V
-------	----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4957.1358	71.55	-16.38	55.17	74.00	18.83	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4957.1358	53.45	-16.38	37.07	54.00	16.93	Vertical	PASS

Mode:	2DH5 2402	Voltage:	3.7V
-------	-----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4800.9402	69.24	-16.48	52.76	74.00	21.24	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4800.9402	63.51	-16.48	47.03	54.00	6.97	Horizontal	PASS

Mode:	2DH5 2402	Voltage:	3.7V
-------	-----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4800.8000	72.24	-16.48	55.76	74.00	18.24	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4800.8000	69.24	-16.48	52.76	54.00	1.24	Vertical	PASS

Mode:	2DH5 2441	Voltage:	3.7V
-------	-----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4878.8480	69.39	-16.32	53.07	74.00	20.93	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4878.8480	63.75	-16.32	47.43	54.00	6.57	Horizontal	PASS

Mode:	2DH5 2441	Voltage:	3.7V
-------	-----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4878.9880	71.92	-16.32	55.60	74.00	18.40	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4878.9880	68.04	-16.32	51.72	54.00	2.28	Vertical	PASS



Mode:	2DH5 2480	Voltage:	3.7V
-------	-----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4957.0758	68.65	-16.38	52.27	74.00	21.73	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4957.0758	62.34	-16.38	45.96	54.00	8.04	Horizontal	PASS

Mode:	2DH5 2480	Voltage:	3.7V
-------	-----------	----------	------


PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB $\mu$ V/m]	Factor [dB/m]	PK Value [dB $\mu$ V/m]	PK Limit [dB $\mu$ V/m]	PK Margin [dB]	Polarity	Verdict
1	4957.2358	71.34	-16.38	54.96	74.00	19.04	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB $\mu$ V/m]	Factor [dB/m]	AV Value [dB $\mu$ V/m]	AV Limit [dB $\mu$ V/m]	AV Margin [dB]	Polarity	Verdict
1	4957.2358	67.32	-16.38	50.94	54.00	3.06	Vertical	PASS

Band edge

Mode:	DH5 2402	Voltage:	3.7V
-------	----------	----------	------


**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2378.13	71.26	53.05	-18.21	74.00	20.95	Horizontal	PASS
2	2388.23	70.95	53.28	-17.67	74.00	20.72	Horizontal	PASS

Mode:	DH5 2402	Voltage:	3.7V
-------	----------	----------	------


**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2332.78	65.78	46.03	-19.75	74.00	27.97	Vertical	PASS
2	2389.59	67.67	50.07	-17.60	74.00	23.93	Vertical	PASS

Mode:	DH5 2480	Voltage:	3.7V
-------	----------	----------	------


**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2487.03	67.50	48.86	-18.64	74.00	25.14	Horizontal	PASS
2	2497.33	67.10	48.21	-18.89	74.00	25.79	Horizontal	PASS

Mode:	DH5 2480	Voltage:	3.7V
-------	----------	----------	------


**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.79	67.48	49.38	-18.10	74.00	24.62	Vertical	PASS
2	2487.20	66.96	48.30	-18.66	74.00	25.70	Vertical	PASS

Mode:	2DH5 2402	Voltage:	3.7V
-------	-----------	----------	------


**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2320.41	67.04	47.27	-19.77	74.00	26.73	Horizontal	PASS
2	2377.78	69.42	51.19	-18.23	74.00	22.81	Horizontal	PASS

Mode:	2DH5 2402	Voltage:	3.7V
-------	-----------	----------	------


**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2322.20	66.42	46.65	-19.77	74.00	27.35	Vertical	PASS
2	2381.86	67.81	49.80	-18.01	74.00	24.20	Vertical	PASS

Mode:	2DH5 2480	Voltage:	3.7V
-------	-----------	----------	------

**Test Graph**




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.88	68.00	49.88	-18.12	74.00	24.12	Horizontal	PASS
2	2492.52	67.44	48.49	-18.95	74.00	25.51	Horizontal	PASS



Mode:	2DH5 2480	Voltage:	3.7V
-------	-----------	----------	------

**Test Graph**



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2487.40	67.47	48.79	-18.68	74.00	25.21	Vertical	PASS
2	2497.00	66.80	47.91	-18.89	74.00	26.09	Vertical	PASS