


Mode:	2DH5 2480	Voltage:	120V
-------	-----------	----------	------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.7761	-17.34	17.81	40.00	22.19	Vertical	PASS
2	39.9920	-15.82	26.90	40.00	13.10	Vertical	PASS
3	74.2364	-19.23	25.12	40.00	14.88	Vertical	PASS
4	128.173	-17.66	13.92	43.50	29.58	Vertical	PASS
5	228.384	-18.47	9.81	46.00	36.19	Vertical	PASS
6	568.209	-10.04	20.56	46.00	25.44	Vertical	PASS

Mode:	3DH5 2402	Voltage:	120V
-------	-----------	----------	------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.7761	-17.34	17.01	40.00	22.99	Horizontal	PASS
2	39.9920	-15.82	27.03	40.00	12.97	Horizontal	PASS
3	64.9235	-17.22	15.85	40.00	24.15	Horizontal	PASS
4	74.2364	-19.23	19.87	40.00	20.13	Horizontal	PASS
5	226.638	-18.62	10.79	46.00	35.21	Horizontal	PASS
6	571.023	-9.98	20.67	46.00	25.33	Horizontal	PASS

Mode:	3DH5 2402	Voltage:	120V
-------	-----------	----------	------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.7761	-17.34	17.42	40.00	22.58	Vertical	PASS
2	39.9920	-15.82	26.67	40.00	13.33	Vertical	PASS
3	74.2364	-19.23	25.68	40.00	14.32	Vertical	PASS
4	129.920	-17.43	15.45	43.50	28.05	Vertical	PASS
5	227.123	-18.58	8.58	46.00	37.42	Vertical	PASS
6	567.142	-10.06	20.62	46.00	25.38	Vertical	PASS

Mode:	3DH5 2441	Voltage:	120V
-------	-----------	----------	------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	31.0671	-17.29	16.98	40.00	23.02	Horizontal	PASS
2	39.9920	-15.82	26.32	40.00	13.68	Horizontal	PASS
3	64.9235	-17.22	16.29	40.00	23.71	Horizontal	PASS
4	74.2364	-19.23	21.19	40.00	18.81	Horizontal	PASS
5	226.541	-18.63	10.26	46.00	35.74	Horizontal	PASS
6	566.560	-10.07	20.58	46.00	25.42	Horizontal	PASS

Mode:	3DH5 2441	Voltage:	120V
-------	-----------	----------	------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.7761	-17.34	18.41	40.00	21.59	Vertical	PASS
2	39.9920	-15.82	26.68	40.00	13.32	Vertical	PASS
3	64.9235	-17.22	14.46	40.00	25.54	Vertical	PASS
4	74.2364	-19.23	25.40	40.00	14.60	Vertical	PASS
5	129.920	-17.43	13.67	43.50	29.83	Vertical	PASS
6	563.650	-10.13	19.91	46.00	26.09	Vertical	PASS

Mode:	3DH5 2480	Voltage:	120V
-------	-----------	----------	------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	30.7761	-17.34	18.93	40.00	21.07	Horizontal	PASS
2	39.9920	-15.82	27.00	40.00	13.00	Horizontal	PASS
3	58.8119	-16.15	12.63	40.00	27.37	Horizontal	PASS
4	74.2364	-19.23	20.52	40.00	19.48	Horizontal	PASS
5	226.638	-18.62	10.75	46.00	35.25	Horizontal	PASS
6	568.597	-10.03	20.15	46.00	25.85	Horizontal	PASS

Mode:	3DH5 2480	Voltage:	120V
-------	-----------	----------	------

Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity	Verdict
1	31.0671	-17.29	18.60	40.00	21.40	Vertical	PASS
2	39.9920	-15.82	26.64	40.00	13.36	Vertical	PASS
3	74.2364	-19.23	24.79	40.00	15.21	Vertical	PASS
4	99.9440	-20.16	11.57	43.50	31.93	Vertical	PASS
5	129.920	-17.43	11.37	43.50	32.13	Vertical	PASS
6	566.754	-10.07	20.80	46.00	25.20	Vertical	PASS

Above 1GHz

Mode:	DH5 2402	Voltage:	120V
-------	----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4804.0605	68.72	-16.47	52.25	74.00	21.75	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4804.0605	60.78	-16.47	44.31	54.00	9.69	Horizontal	PASS

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4803.7005	70.12	-16.47	53.65	74.00	20.35	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4803.7005	64.41	-16.47	47.94	54.00	6.06	Vertical	PASS

Mode:	DH5 2441	Voltage:	120V
-------	----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4879.2280	68.63	-16.32	52.31	74.00	21.69	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4879.2280	62.77	-16.32	46.45	54.00	7.55	Horizontal	PASS

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4878.7680	70.21	-16.32	53.89	74.00	20.11	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4878.7680	65.89	-16.32	49.57	54.00	4.43	Vertical	PASS

Mode:	DH5 2480	Voltage:	120V
-------	----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4956.8558	67.78	-16.38	51.40	74.00	22.60	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4956.8558	61.32	-16.38	44.94	54.00	9.06	Horizontal	PASS

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4956.9158	70.06	-16.38	53.68	74.00	20.32	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4956.9158	54.89	-16.38	38.51	54.00	15.49	Vertical	PASS

Mode:	2DH5 2402	Voltage:	120V
-------	-----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4800.8202	69.83	-16.48	53.35	74.00	20.65	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4800.8202	57.62	-16.48	41.14	54.00	12.86	Horizontal	PASS

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4801.1602	71.69	-16.48	55.21	74.00	18.79	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4801.1602	59.33	-16.48	42.85	54.00	11.15	Vertical	PASS

Mode:	2DH5 2441	Voltage:	120V
-------	-----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4879.1280	69.13	-16.32	52.81	74.00	21.19	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4879.1280	56.62	-16.32	40.30	54.00	13.70	Horizontal	PASS

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4879.2680	70.63	-16.32	54.31	74.00	19.69	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4879.2680	58.43	-16.32	42.11	54.00	11.89	Vertical	PASS

Mode:	2DH5 2480	Voltage:	120V
-------	-----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4957.3558	67.91	-16.38	51.53	74.00	22.47	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4957.3558	56.60	-16.38	40.22	54.00	13.78	Horizontal	PASS

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4956.6558	69.42	-16.38	53.04	74.00	20.96	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4956.6558	65.87	-16.38	49.49	54.00	4.51	Vertical	PASS

Mode:	3DH5 2402	Voltage:	120V
-------	-----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4800.7600	68.80	-16.48	52.32	74.00	21.68	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4800.7600	63.17	-16.48	46.69	54.00	7.31	Horizontal	PASS

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4800.8400	70.20	-16.48	53.72	74.00	20.28	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4800.8400	66.11	-16.48	49.63	54.00	4.37	Vertical	PASS

Mode:	3DH5 2441	Voltage:	120V
-------	-----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4878.8880	67.67	-16.32	51.35	74.00	22.65	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4878.8880	55.47	-16.32	39.15	54.00	14.85	Horizontal	PASS

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4879.1080	70.83	-16.32	54.51	74.00	19.49	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4879.1080	65.30	-16.32	48.98	54.00	5.02	Vertical	PASS

Mode:	3DH5 2480	Voltage:	120V
-------	-----------	----------	------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4956.9958	67.45	-16.38	51.07	74.00	22.93	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4956.9958	59.60	-16.38	43.22	54.00	10.78	Horizontal	PASS


PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4957.0958	70.19	-16.38	53.81	74.00	20.19	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4957.0958	66.02	-16.38	49.64	54.00	4.36	Vertical	PASS

Band edge

Mode:	DH5 2402	Voltage:	3.7V
-------	----------	----------	------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2317.34	66.68	46.90	-19.78	74.00	27.10	Horizonta	PASS
2	2385.99	67.01	49.22	-17.79	74.00	24.78	Horizonta	PASS

Mode:	DH5 2402	Voltage:	3.7V
-------	----------	----------	------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2319.92	66.72	46.95	-19.77	74.00	27.05	Vertical	PASS
2	2389.20	67.11	49.49	-17.62	74.00	24.51	Vertical	PASS

Mode:	DH5 2480	Voltage:	3.7V
-------	----------	----------	------

Test Graph




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.51	71.72	53.44	-18.28	74.00	20.56	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.88	72.48	-18.12	54.36	74.00	19.64	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.88	52.18	-18.12	34.06	54.00	19.94	Horizontal	PASS

Mode:	DH5 2480	Voltage:	3.7V
-------	----------	----------	------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.64	67.60	49.54	-18.06	74.00	24.46	Vertical	PASS
2	2489.41	66.96	48.05	-18.91	74.00	25.95	Vertical	PASS

Mode:	2DH5 2402	Voltage:	3.7V
-------	-----------	----------	------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2326.30	66.50	46.74	-19.76	74.00	27.26	Horizontal	PASS
2	2385.23	66.87	49.04	-17.83	74.00	24.96	Horizontal	PASS

Mode:	2DH5 2402	Voltage:	3.7V
-------	-----------	----------	------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2310.92	66.81	47.02	-19.79	74.00	26.98	Vertical	PASS
2	2384.55	66.29	48.42	-17.87	74.00	25.58	Vertical	PASS

Mode:	2DH5 2480	Voltage:	3.7V
-------	-----------	----------	------

Test Graph




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.52	77.39	-18.03	59.36	74.00	14.64	Horizontal	PASS
2	2484.61	71.40	-18.31	53.09	74.00	20.91	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.52	56.56	-18.03	38.53	54.00	15.47	Horizontal	PASS
2	2484.61	53.08	-18.31	34.77	54.00	19.23	Horizontal	PASS

Mode:	2DH5 2480	Voltage:	3.7V
-------	-----------	----------	------

Test Graph




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2485.27	66.98	48.54	-18.44	74.00	25.46	Vertical	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.53	73.19	-18.03	55.16	74.00	18.84	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.53	54.57	-18.03	36.54	54.00	17.46	Vertical	PASS

Mode:	3DH5 2402	Voltage:	3.7V
-------	-----------	----------	------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2312.30	66.65	46.86	-19.79	74.00	27.14	Horizonta	PASS
2	2362.61	66.89	47.85	-19.04	74.00	26.15	Horizonta	PASS

Mode:	3DH5 2402	Voltage:	3.7V
-------	-----------	----------	------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2315.01	66.50	46.72	-19.78	74.00	27.28	Vertical	PASS
2	2384.53	66.89	49.02	-17.87	74.00	24.98	Vertical	PASS

Mode:	3DH5 2480	Voltage:	3.7V
-------	-----------	----------	------

Test Graph




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2485.09	70.42	52.00	-18.42	74.00	22.00	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.51	77.01	-18.03	58.98	74.00	15.02	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBµV/m]	Factor [dB/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.51	56.39	-18.03	38.36	54.00	15.64	Horizontal	PASS

Mode:	3DH5 2480	Voltage:	3.7V
-------	-----------	----------	------

Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.52	71.80	53.77	-18.03	74.00	20.23	Vertical	PASS
2	2492.17	66.65	47.70	-18.95	74.00	26.30	Vertical	PASS