

Appendix A: Duty cycle Test Result

Item	Duty Cycle																								
Mode	BLE																								
Rate	1Mbps																								
Channel	2402MHz, 2440MHz, 2480MHz																								
Result	Duty Cycle:40.21%; Burst:1.56ms; Period:3.88ms																								
Graph:	 <p>The screenshot shows a Keysight Spectrum Analyzer interface. The main display shows a burst signal with a period of 3.880 ms and a peak level of -17.77 dB. The marker table below the display shows the following data:</p> <table border="1"> <thead> <tr> <th>Mode</th> <th>Trace</th> <th>Scale</th> <th>X</th> <th>Y</th> <th>Function</th> <th>Function Width</th> <th>Function Value</th> </tr> </thead> <tbody> <tr> <td>Δt</td> <td></td> <td></td> <td>3.880 ms (Δ)</td> <td>-17.77 dB</td> <td></td> <td></td> <td></td> </tr> <tr> <td>F</td> <td></td> <td></td> <td>10.24 ms</td> <td>-57.94 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value	Δt			3.880 ms (Δ)	-17.77 dB				F			10.24 ms	-57.94 dBm			
Mode	Trace	Scale	X	Y	Function	Function Width	Function Value																		
Δt			3.880 ms (Δ)	-17.77 dB																					
F			10.24 ms	-57.94 dBm																					
Graph:	 <p>The screenshot shows a Keysight Spectrum Analyzer interface. The main display shows a burst signal with a period of 1.560 ms and a peak level of 52.96 dB. The marker table below the display shows the following data:</p> <table border="1"> <thead> <tr> <th>Mode</th> <th>Trace</th> <th>Scale</th> <th>X</th> <th>Y</th> <th>Function</th> <th>Function Width</th> <th>Function Value</th> </tr> </thead> <tbody> <tr> <td>Δt</td> <td></td> <td></td> <td>1.560 ms (Δ)</td> <td>52.96 dB</td> <td></td> <td></td> <td></td> </tr> <tr> <td>F</td> <td></td> <td></td> <td>10.24 ms</td> <td>-57.94 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value	Δt			1.560 ms (Δ)	52.96 dB				F			10.24 ms	-57.94 dBm			
Mode	Trace	Scale	X	Y	Function	Function Width	Function Value																		
Δt			1.560 ms (Δ)	52.96 dB																					
F			10.24 ms	-57.94 dBm																					

Appendix B: 6dB bandwidth Test Result

Test Mode	Antenna	Channel	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE	Ant1	2402	0.744	2401.608	2402.352	>=0.5	PASS
		2440	0.756	2439.604	2440.360	>=0.5	PASS
		2480	0.736	2479.636	2480.372	>=0.5	PASS

Test Graphs



BLE_2440



BLE_2480



Test Report No.: EFGX19090040-IE-01-E01

Eurofins Electrical Testing Service (Shenzhen) Co., Ltd.

1st Floor, Building 2, Chungu, Meisheng Huigu Science and Technology Park, No. 83 Dabao Road, Bao'an District, Shenzhen.

P.R.China. Telephone: +86-755-82911867, Fax : +86-755-82910749

Appendix C: Conducted output power and E.I.R.P for DTS Test Result

Test Mode	Antenna	Channel	Conducted Result[dBm]	Limit[dBm]	Verdict
BLE	Ant1	2402	4.12	<=30	PASS
		2440	4.07	<=30	PASS
		2480	3.7	<=30	PASS

Test Graphs



BLE_2440



BLE_2480



Test Report No.: EFGX19090040-IE-01-E01

Eurofins Electrical Testing Service (Shenzhen) Co., Ltd.

1st Floor, Building 2, Chungu, Meisheng Huigu Science and Technology Park, No. 83 Dabao Road, Bao'an District, Shenzhen.

P.R.China. Telephone: +86-755-82911867, Fax : +86-755-82910749

Appendix D: Power spectral density Test Result

Test Mode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
BLE	Ant1	2402	-6.21	<=8	PASS
		2440	-5.9	<=8	PASS
		2480	-6.66	<=8	PASS

Test Graphs



BLE_2440



BLE_2480



Test Report No.: EFGX19090040-IE-01-E01

Eurofins Electrical Testing Service (Shenzhen) Co., Ltd.


1st Floor, Building 2, Chungu, Meisheng Huigu Science and Technology Park, No. 83 Dabao Road, Bao'an District, Shenzhen.

P.R.China. Telephone: +86-755-82911867, Fax : +86-755-82910749

Appendix E: Band edge Test Result

Test Mode	Antenna	Ch Name	Channel	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE	Ant1	Low	2402	3.10	-38.13	<=-16.9	PASS
		High	2480	2.68	-49.82	<=-17.32	PASS

Test Graphs



Test Report No.: EFGX19090040-IE-01-E01

Eurofins Electrical Testing Service (Shenzhen) Co., Ltd.

1st Floor, Building 2, Chungu, Meisheng Huigu Science and Technology Park, No. 83 Dabao Road, Bao'an District, Shenzhen.

P.R.China. Telephone: +86-755-82911867, Fax : +86-755-82910749

Appendix F: Emissions in Restricted Bands Test Result

Test Mode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Verdict
BLE	Ant1	Low	2402	AV	2310.000	-45.82	<=-41.20	PASS
				AV	2390.000	-44.75	<=-41.20	PASS
				Peak	2310.000	-42.54	<=-21.20	PASS
				Peak	2390.000	-40.34	<=-21.20	PASS
		High	2480	AV	2483.500	-43.76	<=-41.20	PASS
				AV	2500.000	-45.49	<=-41.20	PASS
				Peak	2483.500	-42.09	<=-21.20	PASS
				Peak	2500.000	-43.56	<=-21.20	PASS

Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs

BLE_2402_AV



BLE_2402_Peak



Test Report No.: EFGX19090040-IE-01-E01

Eurofins Electrical Testing Service (Shenzhen) Co., Ltd.

1st Floor, Building 2, Chungu, Meisheng Huigu Science and Technology Park, No. 83 Dabao Road, Bao'an District, Shenzhen.

P.R.China. Telephone: +86-755-82911867, Fax : +86-755-82910749

BLE_2480_AV



BLE_2480_Peak



Test Report No.: EFGX19090040-IE-01-E01

Eurofins Electrical Testing Service (Shenzhen) Co., Ltd.

1st Floor, Building 2, Chungu, Meisheng Huigu Science and Technology Park, No. 83 Dabao Road, Bao'an District, Shenzhen.

P.R.China. Telephone: +86-755-82911867, Fax : +86-755-82910749

Appendix G: Spurious RF conducted emissions Test Result

Test Mode	Antenna	Channel	Freq Range [MHz]	Ref Level [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE	Ant1	2402	Reference	2.90	2.90	---	PASS
			30~1000	30~1000	-62.54	<=-17.104	PASS
			1000~26500	1000~26500	-30.837	<=-17.104	PASS
		2440	Reference	2.42	2.42	---	PASS
			30~1000	30~1000	-62.169	<=-17.58	PASS
			1000~26500	1000~26500	-33.335	<=-17.58	PASS
		2480	Reference	2.48	2.48	---	PASS
			30~1000	30~1000	-62.79	<=-17.523	PASS
			1000~26500	1000~26500	-34.932	<=-17.523	PASS

Test Graphs



Test Report No.: EFGX19090040-IE-01-E01

Eurofins Electrical Testing Service (Shenzhen) Co., Ltd.

1st Floor, Building 2, Chungu, Meisheng Huigu Science and Technology Park, No. 83 Dabao Road, Bao'an District, Shenzhen.

P.R.China. Telephone: +86-755-82911867, Fax : +86-755-82910749

BLE_2402_30~1000



BLE_2402_1000~26500



Test Report No.: EFGX19090040-IE-01-E01

Eurofins Electrical Testing Service (Shenzhen) Co., Ltd.

1st Floor, Building 2, Chungu, Meisheng Huigu Science and Technology Park, No. 83 Dabao Road, Bao'an District, Shenzhen.

P.R.China. Telephone: +86-755-82911867, Fax : +86-755-82910749

BLE_2440_0-Reference



BLE_2440_30-1000



Test Report No.: EFGX19090040-IE-01-E01

Eurofins Electrical Testing Service (Shenzhen) Co., Ltd.

1st Floor, Building 2, Chungu, Meisheng Huigu Science and Technology Park, No. 83 Dabao Road, Bao'an District, Shenzhen.

P.R.China. Telephone: +86-755-82911867, Fax : +86-755-82910749

BLE_2440_1000~26500



BLE_2480_0~Reference



Test Report No.: EFGX19090040-IE-01-E01

Eurofins Electrical Testing Service (Shenzhen) Co., Ltd.

1st Floor, Building 2, Chungu, Meisheng Huigu Science and Technology Park, No. 83 Dabao Road, Bao'an District, Shenzhen.

P.R.China. Telephone: +86-755-82911867, Fax : +86-755-82910749

BLE_2480_30~1000



BLE_2480_1000~26500



Test Report No.: EFGX19090040-IE-01-E01

Eurofins Electrical Testing Service (Shenzhen) Co., Ltd.

1st Floor, Building 2, Chungu, Meisheng Huigu Science and Technology Park, No. 83 Dabao Road, Bao'an District, Shenzhen.

P.R.China. Telephone: +86-755-82911867, Fax : +86-755-82910749