


Label and location


CSGXXX-YYY-ZZZ







CAN ICES003(A)/NMB-003(A) FCC ID: 2ARF9CSG-BT IC: 26338-CSG700 Contain FCC ID: NYNMC7455 Contains IC: 26338-CSGW1 Contain FCC ID: 2ARF9CSG-W1 Indoor use only Made in India
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
LITE ED00001
P/N:JVASBXXXXXARIAL 11 Model BarcodeSN:XXXXXXARIAL 11 Model BarcodeMAC:XXXXXXXARIAL 11 Model BarcodeIMEI:XXXXXXXARIAL 11 Model Barcode
Versa Networks INC Model:CSG750-WLA-4GF ARIAL 11 Model Barcode Input Rated: 12V ==, 5A SUITE 350 GREAT AMERICA WAY SUITE 350 SANTA CLARA, CA 50564, USA









CAN ICES003(A)/NMB-003(A) FCC ID: 2ARF9CSG-BT IC: 2838-CSG700 Contains IC: 2417C-MC7455 Contain FCC ID: N7NMC7455 Indoor use only Made In India	828
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.	This c devic interf
LITE ESSING	г.
P/N:JVASBXXXXXARIAL 11 Model BarcodeSN:XXXXXXXARIAL 11 Model BarcodeMAC:XXXXXXXXARIAL 11 Model BarcodeIMEI:XXXXXXXARIAL 11 Model Barcode	A S S E
Versa Networks INC Model:CSG750-2LA-4GP-120W ARIAL 11 Model Barcode Input Rated: 12V ==:, 5A Versa Networks Inc. POE Input Rated: 54V ==:, 2.78A sure socsawra CLARA CABBEA USA	

CAN ICES003(A)/IMB-003(A) FCC ID: 2ARF9CSG-BT IC: 28338-CSG700 Contain FCC ID: N7NMC7455 Contains IC: 2417C-MC7455 Indoor use only Made In India
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
LITE EDDDE
P/N:JVASBXXXXX ARIAL 11 Model Barcode SN:XXXXXXX ARIAL 11 Model Barcode MAC:XXXXXXXX ARIAL 11 Model Barcode IMEI:XXXXXXXX ARIAL 11 Model Barcode
Versa Networks INC Model:CSG770-2LA-4GP-120W ARIAL 11 Model Barcode Input Rated: 12V =::, 5A POE Input Rated: 54V =::, 2.78A sure sso sAVIA CLARA, CA 9854, USA

CAN ICES003(A)VIMB-003(A) FCC ID: 2ARF9CSG-BT IC: 28338-CSG700 Contain FCC ID: N7NMC7455 Contains IC: 2417C-MC7455 Indoor use only Made in India
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
LISTED CEFC
P/N:JVASBXXXXXARIAL 11 Model BarcodeSN:XXXXXXARIAL 11 Model BarcodeMAC:XXXXXXXARIAL 11 Model BarcodeIMEI:XXXXXXXARIAL 11 Model Barcode
Versa Networks INC Model:CSG750-2LA-4GF ARIAL 11 Model Barcode Input Rated: 12V, 5A SUITE 350 GREAT AMERICA WAY SUITE 350 GREAT AMERICA WAY SUITE 350 GREAT AMERICA WAY

FCC Rues Operation is subject to the following two o proce, and (2) this device must accept any interference re operation.
P/N:JVASBXXXXXX ARIAL 11 Model Barcode SN:XXXXXXXX ARIAL 11 Model Barcode MAC:XXXXXXX ARIAL 11 Model Barcode
Versa Networks INC Model:CSG770-2LA-4GF ARIAL 11 Model Barcode Input Rated: 12V ==:, 5A Surf 200 Saft Automation Surf 200 Saft Automation Saft Automation Surf 200 Saft Automation Surf 200 Saft Automation Surf 200 Saft Automation Suff Aut

The device complex with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.	P/N:JVASBXXXXXX ARIAL 11 Model Barcode SN:XXXXXXX MAC:XXXXXXX IMEI:XXXXXXXX ARIAL 11 Model Barcode IMEI:XXXXXXX ARIAL 11 Model Barcode	Model:CSG750-2LA-8GE ARIAL 11 Model Barcode Input Rated: 12V, 5A
---	--	--

CAN ICES003(A)/NIB-003(A) FCC ID: 2ARF9CSG-BT IC: 26338-CSG700 Contain FCC ID: N7NMC7455 Contains IC: 2417C-MC7455 Indoor use only Made In India
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
LITE EDDDO
P/N:JVASBXXXXXARIAL 11 Model BarcodeSN:XXXXXXXARIAL 11 Model BarcodeMAC:XXXXXXXXARIAL 11 Model BarcodeIMEI:XXXXXXXARIAL 11 Model Barcode
Versa Networks INC Model:CSG770-2LA-8GE ARIAL 11 Model Barcode Input Rated: 12V, 5A SUITE 300 SANTA CLARA, CA 98054, USA