





Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA



Bandedge Band5 QPSK FRB 3MHz CH20415

Date: 17.SEP.2018 11:18:17



Bandedge Band5 QPSK FRB 3MHz CH20635

Date: 17.SEP.2018 13:11:57




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21808-18353-P-247


FCC ID: 2ARGFIOTA

5 MHz QPSK



Bandedge Band5 QPSK 1RB 5MHz CH20450

Date: 17.SEP.2018 14:14:00




Bandedge Band5 QPSK 1RB 5MHz CH20625

Date: 17.SEP.2018 15:55:05



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA




Bandedge Band5 QPSK FRB 5MHz CH20450

Date: 17.SEP.2018 14:15:10




Bandedge Band5 QPSK FRB 5MHz CH20625

Date: 17.SEP.2018 15:53:59




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA
 10 MHz QPSK




Bandedge Band5 16QAM 1RB 10MHz CH20450
 Date: 17.SEP.2018 16:26:58



Bandedge Band5 16QAM 1RB 10MHz CH20600
 Date: 17.SEP.2018 16:50:18




Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA



Bandedge Band5 16QAM FRB 10MHz CH20450

Date: 17.SEP.2018 16:28:27



Bandedge Band5 16QAM FRB 10MHz CH20600

Date: 17.SEP.2018 16:48:44




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21808-18353-P-247


FCC ID: 2ARGFIOTA

1.4 MHz 16QAM



Bandedge Band5 16QAM 1RB 1.4MHz CH20407

Date: 17.SEP.2018 17:07:09




Bandedge Band5 16QAM 1RB 1.4MHz CH20643

Date: 17.SEP.2018 18:12:18




Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA



Bandedge Band5 16QAM FRB 1.4MHz CH20407

Date: 17.SEP.2018 17:08:52



Bandedge Band5 16QAM FRB 1.4MHz CH20643

Date: 17.SEP.2018 18:10:19



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA
 3 MHz 16QAM



Bandedge Band5 16QAM 1RB 3MHz CH20415
 Date: 17.SEP.2018 11:20:55




Bandedge Band5 16QAM 1RB 3MHz CH20635
 Date: 17.SEP.2018 13:14:48




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA



Bandedge Band5 16QAM FRB 3MHz CH20415

Date: 17.SEP.2018 11:19:40




Bandedge Band5 16QAM FRB 3MHz CH20635

Date: 17.SEP.2018 13:16:02




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA
 5 MHz 16QAM



Bandedge Band12 16QAM 1RB 5MHz CH23060
 Date: 17.SEP.2018 14:19:43




Bandedge Band12 16QAM 1RB 5MHz CH23155
 Date: 17.SEP.2018 16:03:50




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA



Bandedge Band12 16QAM FRB 5MHz CH23060
 Date: 17.SEP.2018 14:20:55




Bandedge Band12 16QAM FRB 5MHz CH23155
 Date: 17.SEP.2018 16:02:38




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA
 10 MHz 16QAM




Bandedge Band5 QPSK 1RB 10MHz CH20450
 Date: 17.SEP.2018 16:25:22




Bandedge Band5 QPSK 1RB 10MHz CH20600
 Date: 17.SEP.2018 16:51:55




Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA




Bandedge Band5 QPSK FRB 10MHz CH20450
 Date: 17.SEP.2018 16:23:47




Bandedge Band5 QPSK FRB 10MHz CH20600
 Date: 17.SEP.2018 16:55:27




Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA
 Band 12
 1.4 MHz QPSK




Bandedge Band12 16QAM 1RB 1.4MHz CH23017
 Date: 17.SEP.2018 17:13:02




Bandedge Band12 16QAM 1RB 1.4MHz CH23173
 Date: 17.SEP.2018 18:50:28




Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA



Bandedge Band12 16QAM FRB 1.4MHz CH23017
 Date: 17.SEP.2018 17:11:23



Bandedge Band12 16QAM FRB 1.4MHz CH23173
 Date: 17.SEP.2018 18:48:50




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21808-18353-P-247

FCC ID: 2ARGFIOTA

3 MHz QPSK



Bandedge Band12 QPSK 1RB 3MHz CH23025

Date: 17.SEP.2018 11:27:16




Bandedge Band12 QPSK 1RB 3MHz CH23165

Date: 17.SEP.2018 13:21:11



Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA



Bandedge Band12 QPSK FRB 3MHz CH23025
 Date: 17.SEP.2018 11:26:03




Bandedge Band12 QPSK FRB 3MHz CH23165
 Date: 17.SEP.2018 13:19:51




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA
 5 MHz QPSK




Bandedge Band12 QPSK 1RB 5MHz CH23060
 Date: 17.SEP.2018 14:18:29



Bandedge Band12 QPSK 1RB 5MHz CH23155
 Date: 17.SEP.2018 16:05:02




Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA



Bandedge Band12 QPSK FRB 5MHz CH23060
 Date: 17.SEP.2018 14:17:08




Bandedge Band12 QPSK FRB 5MHz CH23155
 Date: 17.SEP.2018 16:06:10




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA
 10 MHz QPSK




Bandedge Band12 QPSK 1RB 10MHz CH23060
 Date: 17.SEP.2018 16:34:44




Bandedge Band12 QPSK 1RB 10MHz CH23130
 Date: 17.SEP.2018 16:41:28



Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA



Bandedge Band12 QPSK FRB 10MHz CH23060
 Date: 17.SEP.2018 16:36:20



Bandedge Band12 QPSK FRB 10MHz CH23130
 Date: 17.SEP.2018 16:39:43




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21808-18353-P-247


FCC ID: 2ARGFIOTA

1.4 MHz 16QAM




Bandedge Band12 16QAM 1RB 1.4MHz CH23017

Date: 17.SEP.2018 17:13:02




Bandedge Band12 16QAM 1RB 1.4MHz CH23173


Date: 17.SEP.2018 18:50:28



Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA



Bandedge Band12 16QAM FRB 1.4MHz CH23017
 Date: 17.SEP.2018 17:11:23




Bandedge Band12 16QAM FRB 1.4MHz CH23173
 Date: 17.SEP.2018 18:48:50



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA
 3 MHz 16QAM




Bandedge Band12 16QAM 1RB 3MHz CH23025
 Date: 17.SEP.2018 11:22:48




Bandedge Band12 16QAM 1RB 3MHz CH23165
 Date: 17.SEP.2018 13:22:44



Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA



Bandedge Band12 16QAM FRB 3MHz CH23025
 Date: 17.SEP.2018 11:24:16



Bandedge Band12 16QAM FRB 3MHz CH23165
 Date: 17.SEP.2018 13:23:55




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21808-18353-P-247


FCC ID: 2ARGFIOTA

5 MHz 16QAM




Bandedge Band12 16QAM 1RB 5MHz CH23060

Date: 17.SEP.2018 14:19:43




Bandedge Band12 16QAM 1RB 5MHz CH23155


Date: 17.SEP.2018 16:03:50



Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA



Bandedge Band12 16QAM FRB 5MHz CH23060
 Date: 17.SEP.2018 14:20:55




Bandedge Band12 16QAM FRB 5MHz CH23155
 Date: 17.SEP.2018 16:02:38




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA
 10 MHz 16QAM




Bandedge Band12 16QAM 1RB 10MHz CH23060
 Date: 17.SEP.2018 16:33:15




Bandedge Band12 16QAM 1RB 10MHz CH23130
 Date: 17.SEP.2018 16:45:04



Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA



Bandedge Band12 16QAM FRB 10MHz CH23060
 Date: 17.SEP.2018 16:31:57



Bandedge Band12 16QAM FRB 10MHz CH23130
 Date: 17.SEP.2018 16:46:33

Test equipment: ETSTW-RE 004, ETSTW-RE 030, ETSTW-RE 062, ETSTW-RE 142, ETSTW-RE 147, ETSTW-GSM 002, ETSTW-GSM 003

Report Number: W6M21808-18353-P-247


FCC ID: 2ARGFIOTA


9. Frequency Stability

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

9.1 Test procedure

- The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.
After the temperature stabilized the frequency output was recorded from the counter.
- An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.





Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA

9.2 Test Results

9.2.1 Frequency Stability vs. Temperature

WCDMA Band 2					WCDMA Band 4					WCDMA Band 5				
CH9262	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1312	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4132	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	18.00	0.010	±2.5	120Vac	-30	22.00	0.013	±2.5	120Vac	-30	16.00	0.019	±2.5
	-20	13.00	0.007			-20	31.00	0.018			-20	17.00	0.021	
	-10	40.00	0.022			-10	12.00	0.007			-10	13.00	0.016	
	0	-23.00	-0.012			0	16.00	0.009			0	15.00	0.018	
	10	-24.00	-0.013			10	14.00	0.008			10	23.00	0.028	
	20	28.00	0.015			20	18.00	0.011			20	16.00	0.019	
	30	22.00	0.012			30	12.00	0.007			30	19.00	0.023	
	40	33.00	0.018			40	11.00	0.006			40	21.00	0.025	
50	24.00	0.013	50	21.00	0.012	50	14.00	0.017						
132Vac	25	-18.00	-0.010		132Vac	25	19.00	0.011		132Vac	25	12.00	0.015	
108Vac	25	20.00	0.011		108Vac	25	11.00	0.006		108Vac	25	12.00	0.015	
CH9400	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1413	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4183	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	16.00	0.009	±2.5	120Vac	-30	15.00	0.009	±2.5	120Vac	-30	24.00	0.029	±2.5
	-20	14.00	0.007			-20	16.00	0.009			-20	21.00	0.025	
	-10	13.00	0.007			-10	11.00	0.006			-10	15.00	0.018	
	0	12.00	0.006			0	21.00	0.012			0	18.00	0.022	
	10	-17.00	-0.009			10	19.00	0.011			10	11.00	0.013	
	20	-13.00	-0.007			20	12.00	0.007			20	-14.00	-0.017	
	30	13.00	0.007			30	11.00	0.006			30	11.00	0.013	
	40	-17.00	-0.009			40	23.00	0.013			40	20.00	0.024	
50	15.00	0.008	50	21.00	0.012	50	16.00	0.019						
132Vac	25	19.00	0.010		132Vac	25	14.00	0.008		132Vac	25	14.00	0.017	
108Vac	25	20.00	0.011		108Vac	25	17.00	0.010		108Vac	25	21.00	0.025	
CH9538	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1513	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4233	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	11.00	0.006	±2.5	120Vac	-30	-22.00	-0.013	±2.5	120Vac	-30	10.00	0.012	±2.5
	-20	15.00	0.008			-20	14.00	0.008			-20	14.00	0.017	
	-10	16.00	0.008			-10	18.00	0.010			-10	18.00	0.021	
	0	13.00	0.007			0	13.00	0.007			0	16.00	0.019	
	10	19.00	0.010			10	15.00	0.009			10	18.00	0.021	
	20	12.00	0.006			20	11.00	0.006			20	-16.00	-0.019	
	30	15.00	0.008			30	16.00	0.009			30	-14.00	-0.017	
	40	22.00	0.012			40	21.00	0.012			40	-13.00	-0.015	
50	11.00	0.006	50	14.00	0.008	50	12.00	0.014						
132Vac	25	31.00	0.016		132Vac	25	18.00	0.010		132Vac	25	14.00	0.017	
108Vac	25	18.00	0.009		108Vac	25	16.00	0.009		108Vac	25	19.00	0.022	




Report Number: W6M21808-18353-P-247
 FCC ID: 2ARGFIOTA

LTE Band 2 QPSK 10MHz FRB					LTE Band 4 QPSK 10MHz FRB				
CH18900	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	16.00	0.009	±2.5	120Vac	-30	12.00	0.007	±2.5
	-20	18.00	0.010			-20	11.00	0.006	
	-10	-47.00	-0.025			-10	8.00	0.005	
	0	-33.00	-0.018			0	6.00	0.003	
	10	-19.00	-0.010			10	-16.00	-0.009	
	20	-25.00	-0.013			20	-7.00	-0.004	
	30	21.00	0.011			30	14.00	0.008	
	40	17.00	0.009			40	19.00	0.011	
50	-21.00	-0.011	50	21.00	0.012				
132Vac	25	-16.00	-0.009	132Vac	25	-16.00	-0.009		
108Vac	25	-19.00	-0.010	108Vac	25	-9.00	-0.005		

LTE Band 5 QPSK 10MHz FRB					LTE Band 12 QPSK 10MHz FRB				
CH20525	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH23095	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	12.00	0.014	±2.5	120Vac	-30	14.00	0.020	±2.5
	-20	14.00	0.017			-20	-12.00	-0.017	
	-10	-20.00	-0.024			-10	-18.00	-0.025	
	0	-18.00	-0.022			0	-17.00	-0.024	
	10	-18.00	-0.022			10	-14.00	-0.020	
	20	-48.00	-0.057			20	-19.00	-0.027	
	30	17.00	0.020			30	13.00	0.018	
	40	-17.00	-0.020			40	18.00	0.025	
50	29.00	0.035	50	-26.00	-0.037				
132Vac	25	-19.00	-0.023	132Vac	25	-22.00	-0.031		
108Vac	25	-18.00	-0.022	108Vac	25	-22.00	-0.031		

Test equipment: ETSTW-CE 009, ETSTW-GSM 004

Note: Measurement uncertainty ± 6.09 Hz; Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.



Report Number: W6M21808-18353-P-247

FCC ID: 2ARGFIOTA

10 Maximum Permissible Exposure

10.1 RF Exposure Compliance Requirements

FCC OET Bulletin 65 Edition 97.01 determines the equations for predicting RF fields and applicable limits.

The prediction for power density in the far-field but will over-predict power density in the near field, where it could be used for walking a “worst case” or conservative prediction.


$$S = \frac{PG}{4\pi R^2}$$

- S – Power Density
- P – Output power ERP
- R – Distance
- D – Cable Loss
- AG – Antenna Gain

WCDMA Band 2			
Item	Unit	Value	Remarks
P	dBm/mW	22.69/185.7804	Peak value
D	dB		
AG	dBi	2.56	
G		1.8030	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0667	Calculated value

WCDMA Band 4			
Item	Unit	Value	Remarks
P	dBm/mW	23.10/204.1738	Peak value
D	dB		
AG	dBi	3.94	
G		2.4774	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.1006	Calculated value

WCDMA Band 5			
Item	Unit	Value	Remarks
P	dBm/mW	20.16/103.7528	Peak value
D	dB		
AG	dBi	1.75	
G		1.4962	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0309	Calculated value



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21808-18353-P-247

FCC ID: 2ARGFIOTA

LTE Band 2			
Item	Unit	Value	Remarks
P	dBm/mW	22.59/181.5516	Peak value
D	dB		
AG	dB _i	2.56	
G		1.8030	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0651	Calculated value


LTE Band 4			
Item	Unit	Value	Remarks
P	dBm/mW	22.00/158.4893	Peak value
D	dB		
AG	dB _i	3.94	
G		2.4774	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0781	Calculated value

LTE Band 5			
Item	Unit	Value	Remarks
P	dBm/mW	20.98/125.3141	Peak value
D	dB		
AG	dB _i	1.75	
G		1.4962	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0373	Calculated value

LTE Band 12			
Item	Unit	Value	Remarks
P	dBm/mW	20.99/125.6030	Peak value
D	dB		
AG	dB _i	1.34	
G		1.3614	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0340	Calculated value

Limits:

Limit for General Population / Uncontrolled Exposure	
Frequency (MHz)	Power Density (mW/cm ²)
1500 – 100.000	1.0



Report Number: W6M21808-18353-P-247
FCC ID: 2ARGFIOTA

Appendix

Measurement diagrams

1. RF Power Output
2. Filed Strength of Spurious Emission



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH9262

Data :#1


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 01:18:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1853.502	-22.94	peak	43.66	20.72	33.00	150	350	-12.28	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH9262

Data :#2


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 01:34:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1853.542	-26.91	peak	46.43	19.52	33.00	150	260	-13.48	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH9400

Data :#1


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 01:20:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND2 CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1880.982	-24.54	peak	43.91	19.37	33.00	150	350	-13.63	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH9400

Data :#2


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 01:35:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND2 CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1881.102	-24.89	peak	46.54	21.65	33.00	150	260	-11.35	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH9538

Data :#1


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 01:22:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1908.502	-26.13	peak	44.15	18.02	33.00	150	350	-14.98	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH9538

Data :#2


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 01:36:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND2 CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1906.738	-24.45	peak	46.65	22.20	33.00	150	260	-10.80	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH1312

Data :#1


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 01:25:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND4 CH1312

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1713.422	-28.85	peak	42.41	13.56	33.00	150	350	-19.44	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH1312

Data :#2


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 01:33:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND4 CH1312

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1713.342	-30.84	peak	45.84	15.00	33.00	150	260	-18.00	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :CH1413

Data :#1


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 01:26:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND4 CH1413

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1731.618	-26.73	peak	42.58	15.85	33.00	150	350	-17.15	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH1413

Data :#2


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 01:32:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND4 CH1413

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1731.899	-30.52	peak	45.92	15.40	33.00	150	260	-17.60	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH1513

Data :#1


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 01:28:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND4 CH1513

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1753.702	-25.26	peak	42.77	17.51	33.00	150	350	-15.49	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH1513

Data :#2


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 01:30:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND4 CH1513

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1753.301	-29.45	peak	46.01	16.56	33.00	150	260	-16.44	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH4132

Data :#2


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 02:45:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND5 CH4132

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	827.4220	-20.07	peak	36.02	15.95	38.45	150	100	-22.50	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH4132

Data :#1


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 02:35:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	827.1014	-13.82	peak	36.00	22.18	38.45	150	260	-16.27	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :CH4183

Data :#2


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 02:44:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND5 CH4183

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	837.6220	-19.05	peak	36.20	17.15	38.45	150	100	-21.30	



Radiated Emission Measurement

Operator: Robert

File :CH4183

Data :#1


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 02:37:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	837.7824	-13.71	peak	36.36	22.65	38.45	150	260	-15.80	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH4233

Data :#2


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 02:42:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND5 CH4233

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	845.2172	-16.87	peak	36.34	19.47	38.45	150	100	-18.98	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH4233

Data :#1


Date: 2018/9/3

Temperature:24 °C

50.0 dBm

Time: 下午 02:40:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	845.4978	-12.74	peak	36.62	23.88	38.45	150	260	-14.57	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH18607

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:59:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 1.4M CH18607

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.155	-23.29	peak	44.16	20.87	33.00	150	0	-12.13	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH18607

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:56:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 1.4M CH18607

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.235	-20.19	peak	45.39	25.20	33.00	150	100	-7.80	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH18900

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 09:57:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.487	-21.84	peak	44.17	22.33	33.00	150	0	-10.67	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :CH18900

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:55:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.551	-21.52	peak	45.49	23.97	33.00	150	100	-9.03	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :CH19193

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 09:59:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 1.4M CH19193

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1908.755	-20.45	peak	44.37	23.92	33.00	150	130	-9.08	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :CH19193

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:53:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 1.4M CH19193

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1908.723	-20.60	peak	45.82	25.22	33.00	150	100	-7.78	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH18607

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:06:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 1.4M CH18607

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.267	-20.19	peak	44.16	23.97	33.00	150	0	-9.03	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH18607

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:48:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 1.4M CH18607

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.107	-19.34	peak	45.39	26.05	33.00	150	100	-6.95	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH18900

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:03:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 1.4M CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.615	-21.14	peak	44.17	23.03	33.00	150	0	-9.97	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH18900

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:50:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 1.4M CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.583	-20.45	peak	45.49	25.04	33.00	150	100	-7.96	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH19193

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:01:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 1.4M CH19193

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1908.867	-19.42	peak	44.37	24.95	33.00	150	0	-8.05	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH19193

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:52:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 1.4M CH19193

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1908.819	-19.74	peak	45.83	26.09	33.00	150	100	-6.91	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH18700

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 09:59:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 20M CH18700

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1851.859	-21.40	peak	44.16	22.76	33.00	150	0	-10.24	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH18700

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:16:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 20M CH18700

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1851.859	-19.90	peak	44.16	24.26	33.00	150	100	-8.74	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH18900

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:04:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1868.526	-24.64	peak	44.16	19.52	33.00	150	0	-13.48	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH18900

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:31:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1872.051	-22.65	peak	44.16	21.51	33.00	150	130	-11.49	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH19100

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:17:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 20M CH19100

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1892.051	-21.27	peak	44.17	22.90	33.00	150	0	-10.10	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH19100

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:27:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 20M CH19100

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1892.051	-18.77	peak	44.17	25.40	33.00	150	240	-7.60	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH18700

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:22:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 20M CH18700

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1851.923	-20.69	peak	44.16	23.47	33.00	150	0	-9.53	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH18700

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:24:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 20M CH18700

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1851.923	-20.65	peak	45.39	24.74	33.00	150	100	-8.26	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH18900

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:20:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 16QAM 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1870.513	-23.99	peak	44.16	20.17	33.00	150	0	-12.83	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH18900

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:27:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 20M CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1870.513	-21.99	peak	44.16	22.17	33.00	150	200	-10.83	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH19100

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:19:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 20M CH19100

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1889.167	-20.97	peak	44.17	23.20	33.00	150	0	-9.80	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH19100

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:31:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 20M CH19100

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1893.013	-19.18	peak	44.17	24.99	33.00	150	100	-8.01	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH19975

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:14:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 1.4M CH19975

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.267	-25.22	peak	43.48	18.26	30.00	150	0	-11.74	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH19975

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:16:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 1.4M CH19975

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.315	-24.09	peak	47.22	23.13	30.00	150	100	-6.87	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20175

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:12:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1732.051	-25.90	peak	43.64	17.74	30.00	150	0	-12.26	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :CH20175

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:19:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1731.971	-24.51	peak	46.73	22.22	30.00	150	100	-7.78	



Radiated Emission Measurement

Operator: Robert

File :CH20393

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:11:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 1.4M CH20393

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1753.803	-28.40	peak	43.80	15.40	30.00	150	0	-14.60	



Radiated Emission Measurement

Operator: Robert

File :CH20393

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:42:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 1.4M CH20393

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1753.851	-25.25	peak	46.24	20.99	30.00	150	100	-9.01	



Radiated Emission Measurement

Operator: Robert

File :CH19957

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:04:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 1.4M CH19957

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.299	-24.75	peak	43.48	18.73	30.00	150	0	-11.27	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH19957

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:45:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 1.4M CH19957

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.139	-23.40	peak	47.22	23.82	30.00	150	100	-6.18	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20175

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:08:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 1.4M CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1732.019	-25.44	peak	43.64	18.20	30.00	150	0	-11.80	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20175

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:44:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 1.4M CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1732.115	-23.66	peak	46.73	23.07	30.00	150	100	-6.93	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20393

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:09:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 1.4M CH20393

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1753.883	-28.16	peak	43.80	15.64	30.00	150	0	-14.36	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20393

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 11:43:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 1.4M CH20393

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1753.803	-25.06	peak	46.24	21.18	30.00	150	100	-8.82	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :CH20050

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:48:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 20M CH20050

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1711.090	-24.84	peak	43.48	18.64	30.00	150	0	-11.36	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20050

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:46:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 20M CH20050

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.641	-25.09	peak	47.21	22.12	30.00	150	100	-7.88	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20175

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:50:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1722.436	-26.38	peak	43.57	17.19	30.00	150	0	-12.81	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20175

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:44:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1723.654	-26.05	peak	43.58	17.53	30.00	150	100	-12.47	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20300

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:51:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 20M CH20300

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1734.808	-25.34	peak	43.66	18.32	30.00	150	0	-11.68	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20300

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:42:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20300

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1736.090	-25.83	peak	43.67	17.84	30.00	150	100	-12.16	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20050

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:55:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 20M CH20050

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1710.128	-24.22	peak	43.48	19.26	30.00	150	0	-10.74	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20050

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:28:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 20M CH20050

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1708.974	-24.76	peak	47.25	22.49	30.00	150	100	-7.51	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20175

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:53:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 20M CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1724.167	-26.25	peak	43.58	17.33	30.00	150	100	-12.67	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20175

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:31:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 16QAM 20M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1722.628	-25.91	peak	46.94	21.03	30.00	150	100	-8.97	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20300

Data :#2


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:52:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 20M CH20300

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1736.923	-24.95	peak	43.68	18.73	30.00	150	0	-11.27	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20300

Data :#1


Date: 2018/9/4

Temperature:24 °C

50.0 dBm

Time: 上午 10:33:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 16QAM 20M CH20300

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1736.026	-25.49	peak	46.64	21.15	30.00	150	100	-8.85	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20407

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:35:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 1.4M CH20407

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.2673	-17.59	peak	35.64	18.05	38.45	150	0	-20.40	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20407

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:40:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 1.4M CH20407

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.2833	-11.87	peak	35.57	23.70	38.45	150	100	-14.75	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :CH20525

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:33:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	835.9712	-17.71	peak	36.04	18.33	38.45	150	0	-20.12	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20525

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:45:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.0192	-12.68	peak	35.93	23.25	38.45	150	100	-15.20	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :CH20643

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:31:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 1.4M CH20643

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.8353	-16.52	peak	36.45	19.93	38.45	150	0	-18.52	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20643

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:46:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 1.4M CH20643

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.8513	-12.30	peak	36.29	23.99	38.45	150	100	-14.46	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20407

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:26:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 1.4M CH20407

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.2513	-17.53	peak	35.64	18.11	38.45	150	0	-20.34	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20407

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:51:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 1.4M CH20407

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.1872	-11.39	peak	35.56	24.17	38.45	150	100	-14.28	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20525

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:28:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 1.4M CH20525

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.0032	-17.87	peak	36.04	18.17	38.45	150	0	-20.28	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20525

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:50:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 1.4M CH20525

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.0673	-12.53	peak	35.93	23.40	38.45	150	60	-15.05	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20643

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:29:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 1.4M CH20643

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.7071	-16.76	peak	36.44	19.68	38.45	150	0	-18.77	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20643

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:48:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 1.4M CH20643

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.6270	-12.05	peak	36.29	24.24	38.45	150	100	-14.21	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20470

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 下午 02:39:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 10M CH20470

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	828.8846	-24.80	peak	35.80	11.00	38.45	150	0	-27.45	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :CH20470

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 下午 12:00:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20470

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	828.3718	-14.84	peak	35.69	20.85	38.45	150	100	-17.60	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20525

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 下午 02:40:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	833.4230	-24.95	peak	35.95	11.00	38.45	150	0	-27.45	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20525

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:58:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	833.2308	-15.13	peak	35.84	20.71	38.45	150	100	-17.74	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20600

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 下午 02:42:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 10M CH20600

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	841.4360	-19.60	peak	36.23	16.63	38.45	150	0	-21.82	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20600

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:57:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 10M CH20600

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	841.1474	-11.92	peak	36.09	24.17	38.45	150	100	-14.28	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20470

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 下午 02:47:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 10M CH20470

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	827.9230	-24.86	peak	35.76	10.90	38.45	150	0	-27.55	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20470

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:49:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 10M CH20470

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	828.0513	-14.68	peak	35.68	21.00	38.45	150	100	-17.45	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20525

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 下午 02:46:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 10M CH20525

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	833.8397	-24.62	peak	35.97	11.35	38.45	150	0	-27.10	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :CH20525

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:52:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 10M CH20525

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	834.1923	-14.78	peak	35.87	21.09	38.45	150	100	-17.36	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20600

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 下午 02:44:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 10M CH20600

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	840.5705	-19.19	peak	36.20	17.01	38.45	150	0	-21.44	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH20600

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:54:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 10M CH20600

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	840.1538	-11.50	peak	36.06	24.56	38.45	150	100	-13.89	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23017

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:05:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 1.4M CH23017

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	699.1391	-20.39	peak	37.64	17.25	34.77	150	0	-17.52	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23017

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:03:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 1.4M CH23017

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	699.3635	-12.83	peak	34.36	21.53	34.77	150	100	-13.24	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23095

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:07:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	707.0673	-20.46	peak	37.26	16.80	34.77	150	0	-17.97	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :CH23095

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:01:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	707.0513	-14.03	peak	34.38	20.35	34.77	150	100	-14.42	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23173

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:08:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 1.4M CH23173

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	714.8513	-19.81	peak	36.81	17.00	34.77	150	0	-17.77	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23173

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:00:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 1.4M CH23173

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	714.7071	-14.15	peak	34.38	20.23	34.77	150	100	-14.54	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23017

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:12:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 1.4M CH23017

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	699.2032	-18.85	peak	37.64	18.79	34.77	150	0	-15.98	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23017

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:55:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 1.4M CH23017

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	699.1872	-11.10	peak	34.35	23.25	34.77	150	100	-11.52	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23095

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:10:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 1.4M CH23095

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	706.9712	-19.15	peak	37.26	18.11	34.77	150	0	-16.66	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23095

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:56:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 1.4M CH23095

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	707.0032	-13.30	peak	34.38	21.08	34.77	150	100	-13.69	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23173

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:09:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 1.4M CH23173

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	714.7231	-18.93	peak	36.82	17.89	34.77	150	0	-16.88	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23173

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 10:58:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 1.4M CH23173

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	714.7391	-13.10	peak	34.38	21.28	34.77	150	100	-13.49	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :CH23060

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:29:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 10M CH23060

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	700.8590	-20.78	peak	37.61	16.83	34.77	150	0	-17.94	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23060

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:31:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 10M CH23060

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	700.5705	-13.57	peak	34.37	20.80	34.77	150	0	-13.97	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23095

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:27:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	701.5064	-20.16	peak	37.57	17.41	34.77	150	0	-17.36	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23095

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:32:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	704.3270	-13.62	peak	34.37	20.75	34.77	150	100	-14.02	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23130

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:23:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 10M CH23130

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	705.1987	-21.42	peak	37.36	15.94	34.77	150	0	-18.83	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23130

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:34:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 10M CH23130

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	708.0192	-15.66	peak	34.38	18.72	34.77	150	100	-16.05	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :CH23060

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:15:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 10M CH23060

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	700.6987	-19.73	peak	37.62	17.89	34.77	150	110	-16.88	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23060

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:38:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 10M CH23060

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	700.7308	-11.21	peak	34.37	23.16	34.77	150	100	-11.61	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23095

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:20:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 10M CH23095

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	703.2692	-19.24	peak	37.47	18.23	34.77	150	0	-16.54	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23095

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:37:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 10M CH23095

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	704.4230	-13.74	peak	34.37	20.63	34.77	150	100	-14.14	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23130

Data :#1


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:21:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 10M CH23130

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	708.4680	-20.53	peak	37.18	16.65	34.77	150	0	-18.12	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :CH23130

Data :#2


Date: 2018/9/5

Temperature:24 °C

50.0 dBm

Time: 上午 11:35:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 27_BAND12 POWER

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 10M CH23130

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	707.9551	-16.14	peak	34.38	18.24	34.77	150	100	-16.53	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:28:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	59.2986	-88.03	peak	24.29	-63.74	-13.00	150	90	-50.74	
*	160.8216	-87.11	peak	23.54	-63.57	-13.00	150	250	-50.57	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:44:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	62.3647	-86.55	peak	24.05	-62.50	-13.00	150	180	-49.50	
	174.4488	-87.81	peak	24.63	-63.18	-13.00	150	30	-50.18	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:20:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	711.4228	-84.04	peak	37.01	-47.03	-13.00	150	200	-34.03	
	921.4430	-85.75	peak	38.71	-47.04	-13.00	150	210	-34.04	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:55:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	628.0561	-86.78	peak	32.93	-53.85	-13.00	150	200	-40.85	
*	940.6814	-85.59	peak	36.29	-49.30	-13.00	150	180	-36.30	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:14:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:45:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:16:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5787.575	-44.00	peak	9.21	-34.79	-13.00	150	30	-21.79	
	6909.820	-65.39	peak	11.79	-53.60	-13.00	150	100	-40.60	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:56:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5779.559	-46.55	peak	9.16	-37.39	-13.00	150	250	-24.39	
	6909.820	-65.74	peak	11.26	-54.48	-13.00	150	10	-41.48	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#8


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:22:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:57:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:23:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:03:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:27:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:05:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:28:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	59.2986	-88.03	peak	24.29	-63.74	-13.00	150	140	-50.74	
*	160.8216	-87.11	peak	23.54	-63.57	-13.00	150	200	-50.57	



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:45:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.3527	-85.42	peak	23.30	-62.12	-13.00	150	30	-49.12	
	178.1964	-87.76	peak	24.70	-63.06	-13.00	150	190	-50.06	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:37:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	709.8196	-85.81	peak	37.10	-48.71	-13.00	150	90	-35.71	
*	935.8717	-85.44	peak	38.44	-47.00	-13.00	150	210	-34.00	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:58:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	642.4850	-86.97	peak	33.14	-53.83	-13.00	150	260	-40.83	
*	903.8076	-86.01	peak	36.54	-49.47	-13.00	150	140	-36.47	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:13:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:47:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:17:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5803.607	-46.67	peak	9.38	-37.29	-13.00	150	140	-24.29	
	7054.108	-64.90	peak	9.96	-54.94	-13.00	150	90	-41.94	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:55:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5787.575	-45.05	peak	9.28	-35.77	-13.00	150	60	-22.77	
	6877.756	-65.60	peak	11.26	-54.34	-13.00	150	200	-41.34	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#8


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:21:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:58:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:24:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:02:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin