



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:26:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:06:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:29:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	86.2124	-88.45	peak	23.65	-64.80	-13.00	150	90	-51.80	
*	180.9218	-88.22	peak	24.45	-63.77	-13.00	150	140	-50.77	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:46:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	113.1263	-88.21	peak	23.20	-65.01	-13.00	150	60	-52.01	
*	175.1303	-88.45	peak	24.64	-63.81	-13.00	150	190	-50.81	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:39:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	709.8196	-87.61	peak	37.10	-50.51	-13.00	150	190	-37.51	
*	916.6333	-86.00	peak	38.80	-47.20	-13.00	150	250	-34.20	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:59:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	522.2445	-87.13	peak	32.14	-54.99	-13.00	150	20	-41.99	
*	924.6493	-85.67	peak	36.40	-49.27	-13.00	150	140	-36.27	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:09:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:48:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:53:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5787.575	-46.04	peak	9.28	-36.76	-13.00	150	250	-23.76	
	6901.804	-65.52	peak	11.34	-54.18	-13.00	150	90	-41.18	



Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:18:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4280.561	-56.46	peak	7.65	-48.81	-13.00	150	100	-35.81	
*	5787.575	-46.83	peak	9.21	-37.62	-13.00	150	240	-24.62	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :3

Data :#8


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:20:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:59:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:25:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:00:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:26:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:07:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:30:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-86.61	peak	23.46	-63.15	-13.00	150	80	-50.15	
	172.0641	-87.34	peak	24.10	-63.24	-13.00	150	20	-50.24	



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:39:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	45.6713	-84.38	peak	23.28	-61.10	-13.00	150	140	-48.10	
	146.5130	-87.26	peak	23.04	-64.22	-13.00	150	90	-51.22	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:40:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	365.1303	-86.88	peak	34.37	-52.51	-13.00	150	20	-39.51	
*	908.6172	-86.84	peak	38.95	-47.89	-13.00	150	180	-34.89	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:53:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	506.2124	-86.72	peak	32.21	-54.51	-13.00	150	200	-41.51	
*	932.6653	-85.39	peak	36.35	-49.04	-13.00	150	140	-36.04	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:30:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:50:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:37:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5811.623	-44.19	peak	9.43	-34.76	-13.00	150	70	-21.76	
	6885.771	-65.34	peak	11.80	-53.54	-13.00	150	90	-40.54	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:52:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5787.575	-44.45	peak	9.28	-35.17	-13.00	150	190	-22.17	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:38:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#8


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:58:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	8514.028	-66.84	peak	27.86	-38.98	-13.00	150	20	-25.98	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:43:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:59:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:44:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 下午 12:00:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:30:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-86.61	peak	23.46	-63.15	-13.00	150	90	-50.15	
	172.0641	-87.34	peak	24.10	-63.24	-13.00	150	140	-50.24	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:42:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-84.61	peak	23.30	-61.31	-13.00	150	140	-48.31	
	157.7555	-87.77	peak	24.12	-63.65	-13.00	150	90	-50.65	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:42:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	701.8036	-87.27	peak	37.56	-49.71	-13.00	150	250	-36.71	
*	934.2685	-84.78	peak	38.47	-46.31	-13.00	150	140	-33.31	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

10.0 dBm

Time: 上午 10:54:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	696.9940	-86.56	peak	34.30	-52.26	-13.00	150	290	-39.26	
*	931.0621	-85.61	peak	36.36	-49.25	-13.00	150	120	-36.25	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:31:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:49:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:35:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5787.575	-46.17	peak	9.21	-36.96	-13.00	150	190	-23.96	
	6917.836	-65.86	peak	11.66	-54.20	-13.00	150	200	-41.20	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:53:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5787.575	-43.88	peak	9.28	-34.60	-13.00	150	130	-21.60	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:39:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#8


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:56:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	8523.547	-66.61	peak	27.84	-38.77	-13.00	150	60	-25.77	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:42:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:59:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:45:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 下午 12:00:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:30:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	56.9138	-87.87	peak	24.23	-63.64	-13.00	150	120	-50.64	
*	87.2345	-86.97	peak	23.61	-63.36	-13.00	150	40	-50.36	



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:42:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	103.2464	-88.70	peak	23.91	-64.79	-13.00	150	140	-51.79	
*	168.9980	-88.46	peak	24.52	-63.94	-13.00	150	20	-50.94	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:43:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	682.5651	-87.61	peak	37.25	-50.36	-13.00	150	250	-37.36	
*	940.6814	-85.80	peak	38.35	-47.45	-13.00	150	140	-34.45	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:55:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	499.7996	-87.13	peak	32.22	-54.91	-13.00	150	230	-41.91	
*	931.0621	-85.61	peak	36.36	-49.25	-13.00	150	90	-36.25	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:33:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:48:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:34:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5787.575	-44.56	peak	9.21	-35.35	-13.00	150	240	-22.35	
	7014.028	-64.10	peak	10.24	-53.86	-13.00	150	90	-40.86	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:54:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5811.623	-42.61	peak	9.47	-33.14	-13.00	150	20	-20.14	
	6901.804	-65.99	peak	11.34	-54.65	-13.00	150	190	-41.65	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:40:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#8


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:55:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:41:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:59:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 11:46:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 下午 12:00:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:31:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	96.7735	-87.84	peak	23.47	-64.37	-13.00	150	140	-51.37	
*	164.2285	-87.37	peak	23.71	-63.66	-13.00	150	80	-50.66	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:38:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	61.3427	-86.64	peak	24.06	-62.58	-13.00	150	140	-49.58	
	155.7114	-87.82	peak	23.93	-63.89	-13.00	150	90	-50.89	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 下午 02:52:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	350.7014	-87.67	peak	35.10	-52.57	-13.00	150	200	-39.57	
*	908.6172	-86.03	peak	38.95	-47.08	-13.00	150	180	-34.08	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:52:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	632.8657	-87.07	peak	33.00	-54.07	-13.00	150	200	-41.07	
*	947.0942	-84.97	peak	36.25	-48.72	-13.00	150	140	-35.72	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:12:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1655.311	-54.86	peak	0.61	-54.25	-13.00	150	60	-41.25	
*	2683.367	-60.90	peak	8.71	-52.19	-13.00	150	200	-39.19	



Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:31:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1703.407	-60.13	peak	2.28	-57.85	-13.00	150	50	-44.85	
*	2731.463	-61.05	peak	9.93	-51.12	-13.00	150	190	-38.12	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:21:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:32:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:22:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:38:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:32:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	129.1383	-86.42	peak	22.05	-64.37	-13.00	150	10	-51.37	
*	164.2285	-87.37	peak	23.71	-63.66	-13.00	150	290	-50.66	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:37:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.6854	-87.84	peak	23.96	-63.88	-13.00	150	90	-50.88	
*	174.7896	-87.57	peak	24.64	-62.93	-13.00	150	140	-49.93	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:45:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	666.5331	-86.18	peak	36.87	-49.31	-13.00	150	250	-36.31	
*	926.2525	-85.21	peak	38.62	-46.59	-13.00	150	190	-33.59	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:49:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	640.8817	-86.69	peak	33.12	-53.57	-13.00	150	210	-40.57	
*	879.7595	-85.01	peak	36.48	-48.53	-13.00	150	120	-35.53	



Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:15:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-51.87	peak	0.63	-51.24	-13.00	150		-38.24	
	2707.415	-61.63	peak	9.05	-52.58	-13.00	150	60	-39.58	



Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:29:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-60.14	peak	1.69	-58.45	-13.00	150	100	-45.45	
*	2466.934	-57.47	peak	7.15	-50.32	-13.00	150	80	-37.32	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:20:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:33:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:24:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:37:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:32:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	97.1142	-87.24	peak	23.46	-63.78	-13.00	150	250	-50.78	
*	164.2285	-87.37	peak	23.71	-63.66	-13.00	150	140	-50.66	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:36:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	60.3206	-87.39	peak	24.07	-63.32	-13.00	150	90	-50.32	
*	174.7896	-87.91	peak	24.64	-63.27	-13.00	150	250	-50.27	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:46:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	703.4068	-87.26	peak	37.47	-49.79	-13.00	150	20	-36.79	
*	918.2365	-86.01	peak	38.77	-47.24	-13.00	150	190	-34.24	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:48:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	698.5972	-87.39	peak	34.34	-53.05	-13.00	150	290	-40.05	
*	958.3166	-85.63	peak	36.31	-49.32	-13.00	150	150	-36.32	



Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:17:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1691.383	-57.30	peak	0.64	-56.66	-13.00	150	120	-43.66	
*	2695.391	-61.77	peak	9.17	-52.60	-13.00	150	190	-39.60	



Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:28:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1691.383	-59.98	peak	2.14	-57.84	-13.00	150	190	-44.84	
*	2809.619	-59.95	peak	9.64	-50.31	-13.00	150	40	-37.31	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:18:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:34:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:26:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/3

Temperature:24 °C

0.0 dBm

Time: 上午 10:36:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA BNAD5 CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:16:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.1142	-87.04	peak	23.46	-63.58	-13.00	150	250	-50.58	
	180.5812	-88.24	peak	24.47	-63.77	-13.00	150	190	-50.77	



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:48:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	59.9800	-85.75	peak	24.07	-61.68	-13.00	150	90	-48.68	
	119.9400	-86.66	peak	22.70	-63.96	-13.00	150	160	-50.96	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:03:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	701.8034	-88.26	peak	37.56	-50.70	-13.00	150	90	-37.70	
*	898.9980	-87.17	peak	39.06	-48.11	-13.00	150	20	-35.11	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:00:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	520.6413	-86.94	peak	32.15	-54.79	-13.00	150	90	-41.79	
*	894.1884	-86.87	peak	36.55	-50.32	-13.00	150	140	-37.32	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:01:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:56:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:26:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4793.587	-66.58	peak	11.83	-54.75	-13.00	150	180	-41.75	
*	6909.820	-66.63	peak	13.94	-52.69	-13.00	150	200	-39.69	



Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:07:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4777.555	-66.19	peak	11.84	-54.35	-13.00	150	180	-41.35	
*	7519.038	-63.18	peak	10.43	-52.75	-13.00	150	0	-39.75	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:28:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#8


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:08:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:29:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:08:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:30:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:09:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:18:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	97.1142	-87.05	peak	23.46	-63.59	-13.00	150	90	-50.59	
*	175.8116	-87.46	peak	24.29	-63.17	-13.00	150	120	-50.17	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:48:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	59.9800	-85.75	peak	24.07	-61.68	-13.00	150	40	-48.68	
	172.4047	-88.11	peak	24.59	-63.52	-13.00	150	30	-50.52	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:02:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	443.6874	-86.91	peak	34.24	-52.67	-13.00	150	130	-39.67	
*	916.6333	-85.59	peak	38.80	-46.79	-13.00	150	40	-33.79	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:01:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	745.0902	-86.42	peak	34.41	-52.01	-13.00	150	90	-39.01	
*	955.1102	-85.99	peak	36.28	-49.71	-13.00	150	140	-36.71	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:10:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:57:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:25:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5330.661	-67.47	peak	12.65	-54.82	-13.00	150	140	-41.82	
*	6917.836	-66.07	peak	13.81	-52.26	-13.00	150	60	-39.26	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:04:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4785.571	-66.74	peak	12.03	-54.71	-13.00	150	70	-41.71	
*	6909.820	-66.19	peak	13.41	-52.78	-13.00	150	250	-39.78	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:32:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#8


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:06:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:33:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:06:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:33:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:06:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:18:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	97.1142	-87.05	peak	23.46	-63.59	-13.00	150	90	-50.59	
*	175.8116	-87.46	peak	24.29	-63.17	-13.00	150	120	-50.17	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:48:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	59.9800	-85.75	peak	24.07	-61.68	-13.00	150	40	-48.68	
	172.4047	-88.11	peak	24.59	-63.52	-13.00	150	30	-50.52	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:02:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	443.6874	-86.91	peak	34.24	-52.67	-13.00	150	130	-39.67	
*	916.6333	-85.59	peak	38.80	-46.79	-13.00	150	40	-33.79	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:01:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	745.0902	-86.42	peak	34.41	-52.01	-13.00	150	90	-39.01	
*	955.1102	-85.99	peak	36.28	-49.71	-13.00	150	140	-36.71	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:10:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:57:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:25:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5330.661	-67.47	peak	12.65	-54.82	-13.00	150	140	-41.82	
*	6917.836	-66.07	peak	13.81	-52.26	-13.00	150	60	-39.26	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:04:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4785.571	-66.74	peak	12.03	-54.71	-13.00	150	70	-41.71	
*	6909.820	-66.19	peak	13.41	-52.78	-13.00	150	250	-39.78	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:32:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#8


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:06:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:33:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:06:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:33:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:06:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:18:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	55.8918	-87.31	peak	24.20	-63.11	-13.00	150	120	-50.11	
	175.8116	-87.46	peak	24.29	-63.17	-13.00	150	90	-50.17	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:49:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	94.7295	-87.92	peak	24.01	-63.91	-13.00	150	90	-50.91	
*	129.1383	-86.41	peak	22.57	-63.84	-13.00	150	140	-50.84	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:00:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	698.5972	-87.39	peak	37.63	-49.76	-13.00	150	280	-36.76	
*	910.2204	-85.80	peak	38.92	-46.88	-13.00	150	130	-33.88	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:02:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	688.9780	-87.73	peak	34.12	-53.61	-13.00	150	60	-40.61	
*	947.0942	-85.52	peak	36.25	-49.27	-13.00	150	140	-36.27	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:12:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:59:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:24:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4785.571	-66.59	peak	11.65	-54.94	-13.00	150	140	-41.94	
*	6901.804	-66.37	peak	14.07	-52.30	-13.00	150	250	-39.30	



Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:01:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4785.571	-66.41	peak	12.03	-54.38	-13.00	150	140	-41.38	
*	6917.836	-65.33	peak	13.34	-51.99	-13.00	150	20	-38.99	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:35:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#8


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:02:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:37:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:03:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:37:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:03:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:20:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	61.0020	-88.11	peak	24.29	-63.82	-13.00	150	70	-50.82	
	130.1603	-86.50	peak	22.06	-64.44	-13.00	150	160	-51.44	



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:49:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.1904	-88.64	peak	23.85	-64.79	-13.00	150	90	-51.79	
*	177.5150	-88.58	peak	24.69	-63.89	-13.00	150	140	-50.89	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 09:59:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	435.6713	-87.65	peak	33.94	-53.71	-13.00	150	190	-40.71	
*	924.6493	-86.28	peak	38.65	-47.63	-13.00	150	250	-34.63	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:03:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	506.2124	-86.49	peak	32.21	-54.28	-13.00	150	290	-41.28	
*	876.5531	-85.90	peak	36.47	-49.43	-13.00	150	70	-36.43	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:18:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:55:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:19:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-59.96	peak	10.47	-49.49	-13.00	150	140	-36.49	
	6909.820	-66.16	peak	13.94	-52.22	-13.00	150	90	-39.22	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:10:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-57.70	peak	10.54	-47.16	-13.00	150	190	-34.16	
	6917.836	-66.07	peak	13.34	-52.73	-13.00	150	70	-39.73	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:41:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#8


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:11:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:43:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:12:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:43:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:12:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:20:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.7715	-87.69	peak	24.21	-63.48	-13.00	150	140	-50.48	
	164.9098	-87.65	peak	23.75	-63.90	-13.00	150	90	-50.90	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:50:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	81.1022	-88.21	peak	23.82	-64.39	-13.00	150	80	-51.39	
*	155.0301	-87.98	peak	23.86	-64.12	-13.00	150	140	-51.12	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 09:52:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	353.9078	-88.16	peak	34.94	-53.22	-13.00	150	20	-40.22	
*	692.1844	-87.66	peak	37.48	-50.18	-13.00	150	130	-37.18	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:04:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	595.9920	-86.85	peak	32.48	-54.37	-13.00	150	140	-41.37	
*	907.0140	-85.46	peak	36.52	-48.94	-13.00	150	90	-35.94	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:16:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:54:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:21:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5186.373	-61.87	peak	10.41	-51.46	-13.00	150	180	-38.46	
	6893.788	-65.93	peak	14.04	-51.89	-13.00	150	20	-38.89	



Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:13:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5186.373	-55.16	peak	10.43	-44.73	-13.00	150	250	-31.73	
	6893.788	-66.19	peak	13.48	-52.71	-13.00	150	190	-39.71	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:45:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#8


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:14:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:46:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:14:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:47:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:15:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:21:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.5952	-87.88	peak	24.25	-63.63	-13.00	150	180	-50.63	
*	70.8818	-86.98	peak	24.11	-62.87	-13.00	150	60	-49.87	



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:50:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	60.3206	-87.40	peak	24.07	-63.33	-13.00	150	90	-50.33	
	177.1743	-88.19	peak	24.68	-63.51	-13.00	150	140	-50.51	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 09:51:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	456.5130	-87.37	peak	34.24	-53.13	-13.00	150	250	-40.13	
*	895.7916	-85.50	peak	38.89	-46.61	-13.00	150	140	-33.61	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:05:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	693.7876	-87.87	peak	34.23	-53.64	-13.00	150	90	-40.64	
*	934.2685	-85.18	peak	36.34	-48.84	-13.00	150	140	-35.84	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:15:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:53:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:22:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5170.341	-61.45	peak	10.28	-51.17	-13.00	150	200	-38.17	
	6893.788	-66.56	peak	14.04	-52.52	-13.00	150	70	-39.52	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#7


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:16:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5170.341	-56.91	peak	10.22	-46.69	-13.00	150	140	-33.69	
	6893.788	-65.39	peak	13.48	-51.91	-13.00	150	90	-38.91	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:48:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#8


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:17:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:50:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:17:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:50:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#10


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 06:17:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:22:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	69.1784	-87.92	peak	24.14	-63.78	-13.00	150	90	-50.78	
*	178.8778	-87.37	peak	24.44	-62.93	-13.00	150	230	-49.93	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:53:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	45.6713	-84.85	peak	23.28	-61.57	-13.00	150	140	-48.57	
	99.1583	-87.67	peak	24.13	-63.54	-13.00	150	90	-50.54	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:16:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	352.3046	-87.93	peak	35.02	-52.91	-13.00	150	170	-39.91	
*	931.0621	-85.62	peak	38.53	-47.09	-13.00	150	200	-34.09	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:09:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	814.0281	-86.81	peak	35.25	-51.56	-13.00	150	60	-38.56	
*	907.0140	-86.52	peak	36.52	-50.00	-13.00	150	140	-37.00	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:07:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2364.729	-50.54	peak	7.50	-43.04	-13.00	150	140	-30.04	
	3020.040	-61.57	peak	9.43	-52.14	-13.00	150	130	-39.14	



Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:35:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-53.52	peak	3.84	-49.68	-13.00	150	140	-36.68	
	2791.583	-61.88	peak	12.07	-49.81	-13.00	150	90	-36.81	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:13:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:42:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:19:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:49:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:23:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.1904	-88.56	peak	23.69	-64.87	-13.00	150	90	-51.87	
*	132.8858	-85.95	peak	22.06	-63.89	-13.00	150	140	-50.89	



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:54:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	45.6713	-84.85	peak	23.28	-61.57	-13.00	150	90	-48.57	
	176.8337	-87.90	peak	24.68	-63.22	-13.00	150	140	-50.22	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:14:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	352.3046	-88.58	peak	35.02	-53.56	-13.00	150	250	-40.56	
*	916.6333	-85.77	peak	38.80	-46.97	-13.00	150	190	-33.97	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:11:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	615.2305	-86.60	peak	32.74	-53.86	-13.00	150	90	-40.86	
*	918.2365	-85.73	peak	36.45	-49.28	-13.00	150	140	-36.28	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:12:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1769.539	-55.60	peak	2.77	-52.83	-13.00	150	180	-39.83	
*	2707.415	-62.57	peak	11.20	-51.37	-13.00	150	200	-38.37	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:36:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1667.335	-56.30	peak	3.69	-52.61	-13.00	150	190	-39.61	
*	2773.547	-62.13	peak	12.08	-50.05	-13.00	150	110	-37.05	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:14:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:41:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:18:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:50:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:24:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	132.8858	-85.95	peak	22.06	-63.89	-13.00	150	80	-50.89	
	174.1082	-88.13	peak	24.21	-63.92	-13.00	150	190	-50.92	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:54:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	65.0902	-88.55	peak	24.02	-64.53	-13.00	150	190	-51.53	
*	176.1523	-87.44	peak	24.66	-62.78	-13.00	150	50	-49.78	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:13:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	676.1523	-86.93	peak	37.10	-49.83	-13.00	150	140	-36.83	
*	895.7916	-86.43	peak	38.89	-47.54	-13.00	150	20	-34.54	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:11:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	304.2084	-88.17	peak	30.79	-57.38	-13.00	150	250	-44.38	
*	918.2365	-85.73	peak	36.45	-49.28	-13.00	150	70	-36.28	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:14:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2196.393	-61.61	peak	6.96	-54.65	-13.00	150	20	-41.65	
*	2695.391	-62.74	peak	11.32	-51.42	-13.00	150	160	-38.42	



Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:38:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1757.515	-52.77	peak	3.36	-49.41	-13.00	150	190	-36.41	
	2755.511	-61.97	peak	12.08	-49.89	-13.00	150	20	-36.89	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:15:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:40:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:16:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:52:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:26:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	134.2485	-86.23	peak	22.07	-64.16	-13.00	150	60	-51.16	
*	149.5792	-86.64	peak	22.76	-63.88	-13.00	150	140	-50.88	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:51:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.3527	-84.24	peak	23.30	-60.94	-13.00	150	130	-47.94	
	158.4370	-87.16	peak	24.19	-62.97	-13.00	150	100	-49.97	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:12:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	698.5972	-87.20	peak	37.63	-49.57	-13.00	150	140	-36.57	
*	900.6012	-85.46	peak	39.10	-46.36	-13.00	150	200	-33.36	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:07:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	741.8837	-86.97	peak	34.40	-52.57	-13.00	150	180	-39.57	
*	890.9820	-85.31	peak	36.53	-48.78	-13.00	150	90	-35.78	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:43:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-42.87	peak	0.81	-42.06	-13.00	150	280	-29.06	
	2689.379	-62.32	peak	11.09	-51.23	-13.00	150	90	-38.23	



Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:32:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-45.11	peak	1.68	-43.43	-13.00	150	140	-30.43	
	2118.236	-56.76	peak	5.82	-50.94	-13.00	150	90	-37.94	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:12:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:43:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:21:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:48:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:26:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	98.4770	-88.81	peak	23.46	-65.35	-13.00	150	80	-52.35	
*	165.5912	-88.24	peak	23.78	-64.46	-13.00	150	130	-51.46	



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:52:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	83.8277	-88.56	peak	23.84	-64.72	-13.00	150	130	-51.72	
	110.0601	-88.25	peak	23.42	-64.83	-13.00	150	70	-51.83	



Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:11:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	474.1483	-86.88	peak	33.58	-53.30	-13.00	150	180	-40.30	
*	907.0140	-85.95	peak	38.98	-46.97	-13.00	150	200	-33.97	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:08:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	692.1844	-85.92	peak	34.19	-51.73	-13.00	150	120	-38.73	
*	940.6814	-85.35	peak	36.29	-49.06	-13.00	150	90	-36.06	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:45:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1408.818	-44.01	peak	0.82	-43.19	-13.00	150	210	-30.19	
	2490.982	-52.34	peak	7.98	-44.36	-13.00	150	60	-31.36	



Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:29:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1408.818	-47.07	peak	1.60	-45.47	-13.00	150	240	-32.47	
	1757.515	-54.03	peak	3.36	-50.67	-13.00	150	190	-37.67	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:11:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:44:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:23:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:47:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:26:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	56.2325	-88.25	peak	24.21	-64.04	-13.00	150	250	-51.04	
	133.5671	-86.72	peak	22.06	-64.66	-13.00	150	90	-51.66	



Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:52:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	90.9820	-88.51	peak	23.92	-64.59	-13.00	150	10	-51.59	
*	146.5130	-86.85	peak	23.04	-63.81	-13.00	150	150	-50.81	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :2

Data :#1


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 10:10:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :2

Data :#2


Date: 2018/9/6

Temperature:24 °C

0.0 dBm

Time: 上午 11:08:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	672.9460	-87.11	peak	33.76	-53.35	-13.00	150	90	-40.35	
*	915.0301	-86.07	peak	36.47	-49.60	-13.00	150	200	-36.60	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:47:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1402.806	-41.98	peak	0.83	-41.15	-13.00	150	140	-28.15	
	2725.451	-61.89	peak	10.49	-51.40	-13.00	150	290	-38.40	



Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:28:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1402.806	-49.28	peak	1.52	-47.76	-13.00	150	190	-34.76	
	2767.535	-61.93	peak	12.08	-49.85	-13.00	150	230	-36.85	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#2


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:48:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:45:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:24:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Robert

File :3

Data :#6


Date: 2018/9/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:46:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21808-18353

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 9/11/2018

Temperature:23.3 °C

80.0 dBuV/m

Time: 12:15:02 AM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	123.3066	45.18	peak	-6.50	38.68	43.50	100	140	-4.82	
	249.6593	41.50	peak	-7.39	34.11	46.00	100	120	-11.89	
	300.2004	41.06	peak	-5.55	35.51	46.00	100	60	-10.49	
	832.8256	29.74	peak	3.44	33.18	46.00	100	270	-12.82	



Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 9/11/2018

Temperature:23.3 °C

80.0 dBuV/m

Time: 12:16:02 AM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	49.4388	46.37	peak	-10.03	36.34	40.00	100	300	-3.66	
	105.8116	45.09	peak	-8.44	36.65	43.50	100	265	-6.85	
	123.3066	42.90	peak	-6.50	36.40	43.50	100	80	-7.10	
	300.2004	37.74	peak	-5.55	32.19	46.00	100	175	-13.81	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 10:25:16 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	46.07	peak	-2.16	43.91	74.00	150	130	-30.09	
*	5993.988	41.89	peak	3.79	45.68	74.00	150	15	-28.32	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 10:27:03 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	44.21	peak	-2.16	42.05	74.00	150	225	-31.95	
*	5909.820	41.90	peak	3.64	45.54	74.00	150	210	-28.46	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 8:06:08 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 8:14:06 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 8:07:33 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 8:16:11 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 8:09:19 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 8:17:49 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 9/11/2018

Temperature:23.3 °C

80.0 dBuV/m

Time: 12:18:31 AM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	123.3066	44.10	peak	-6.50	37.60	43.50	100	25	-5.90	
	249.6593	43.39	peak	-7.39	36.00	46.00	100	150	-10.00	
	300.2004	41.08	peak	-5.55	35.53	46.00	100	360	-10.47	
	955.2906	28.11	peak	5.85	33.96	46.00	100	45	-12.04	



Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 9/11/2018

Temperature:23.3 °C

80.0 dBuV/m

Time: 12:19:30 AM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	53.3267	46.55	peak	-10.53	36.02	40.00	100	145	-3.98	
	105.8116	43.12	peak	-8.44	34.68	43.50	100	105	-8.82	
	123.3066	41.87	peak	-6.50	35.37	43.50	100	220	-8.13	
	300.2004	37.57	peak	-5.55	32.02	46.00	100	60	-13.98	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 10:29:43 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	45.32	peak	-2.16	43.16	74.00	150	115	-30.84	
*	5460.922	41.95	peak	2.32	44.27	74.00	150	275	-29.73	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 10:31:01 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	44.52	peak	-2.16	42.36	74.00	150	225	-31.64	
*	5671.343	41.25	peak	3.16	44.41	74.00	150	270	-29.59	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 9:10:14 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 9:16:58 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 9:11:44 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 9:18:19 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 9/11/2018

Temperature:23.3 °C

80.0 dBuV/m

Time: 12:23:30 AM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21808-18353

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	123.3066	43.91	peak	-6.50	37.41	43.50	100	230	-6.09	
	249.6593	42.03	peak	-7.39	34.64	46.00	100	265	-11.36	
	300.2004	40.92	peak	-5.55	35.37	46.00	100	140	-10.63	
	910.5812	28.25	peak	5.05	33.30	46.00	100	65	-12.70	



Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 9/11/2018

Temperature:23.3 °C

80.0 dBuV/m

Time: 12:24:30 AM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	53.3267	46.04	peak	-10.53	35.51	40.00	100	140	-4.49	
	105.8116	43.98	peak	-8.44	35.54	43.50	100	250	-7.96	
	125.2505	42.61	peak	-6.44	36.17	43.50	100	195	-7.33	
	300.2004	37.94	peak	-5.55	32.39	46.00	100	310	-13.61	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 10:33:16 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3468.938	46.16	peak	-2.16	44.00	74.00	150	240	-30.00	
	5390.782	41.45	peak	2.50	43.95	74.00	150	135	-30.05	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 10:34:40 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	44.98	peak	-2.16	42.82	74.00	150	35	-31.18	
*	6232.465	41.43	peak	4.01	45.44	74.00	150	220	-28.56	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 9:24:34 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 9:30:57 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 9/10/2018

Temperature:23.3 °C

80.0 dBuV/m

Time: 11:49:52 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	123.3066	43.83	peak	-6.50	37.33	43.50	100	45	-6.17	
	249.6593	41.93	peak	-7.39	34.54	46.00	100	175	-11.46	
	300.2004	40.92	peak	-5.55	35.37	46.00	100	80	-10.63	
	931.9640	28.11	peak	5.40	33.51	46.00	100	235	-12.49	



Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 9/10/2018

Temperature:23.3 °C

80.0 dBuV/m

Time: 11:50:52 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	53.3267	46.42	peak	-10.53	35.89	40.00	100	120	-4.11	
	105.8115	43.48	peak	-8.44	35.04	43.50	100	155	-8.46	
	123.3066	42.02	peak	-6.50	35.52	43.50	100	230	-7.98	
	300.2004	37.96	peak	-5.55	32.41	46.00	100	75	-13.59	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 10:09:07 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	46.21	peak	-2.16	44.05	74.00	150	225	-29.95	
*	5741.483	41.06	peak	3.41	44.47	74.00	150	180	-29.53	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 10:10:52 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	44.91	peak	-2.16	42.75	74.00	150	95	-31.25	
*	6008.016	41.61	peak	3.80	45.41	74.00	150	10	-28.59	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 7:07:10 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 7:17:33 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 7:08:50 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 7:19:46 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 7:11:04 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 7:21:33 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 9/11/2018

Temperature:23.3 °C

80.0 dBuV/m

Time: 12:01:58 AM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21808-18353

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	123.3066	41.99	peak	-6.50	35.49	43.50	100	155	-8.01	
	249.6593	43.61	peak	-7.39	36.22	46.00	100	240	-9.78	
	300.2004	41.14	peak	-5.55	35.59	46.00	100	305	-10.41	
	937.7956	28.32	peak	5.49	33.81	46.00	100	170	-12.19	



Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 9/11/2018

Temperature:23.3 °C

80.0 dBuV/m

Time: 12:02:58 AM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21808-18353

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	53.3267	45.87	peak	-10.53	35.34	40.00	100	50	-4.66	
	105.8116	44.95	peak	-8.44	36.51	43.50	100	280	-6.99	
	123.3066	42.45	peak	-6.50	35.95	43.50	100	195	-7.55	
	300.2004	37.52	peak	-5.55	31.97	46.00	100	30	-14.03	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 10:13:52 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	45.71	peak	-2.16	43.55	74.00	150	45	-30.45	
*	5909.819	41.45	peak	3.64	45.09	74.00	150	115	-28.91	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 10:15:03 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	45.40	peak	-2.16	43.24	74.00	150	275	-30.76	
*	5993.988	41.83	peak	3.79	45.62	74.00	150	160	-28.38	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 7:29:23 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 7:36:31 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 7:31:05 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 7:38:39 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 9/11/2018

Temperature:23.3 °C

80.0 dBuV/m

Time: 12:05:00 AM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	123.3066	44.98	peak	-6.50	38.48	43.50	100	25	-5.02	
	249.6593	43.09	peak	-7.39	35.70	46.00	100	140	-10.30	
	300.2004	40.92	peak	-5.55	35.37	46.00	100	75	-10.63	
	947.5150	28.32	peak	5.65	33.97	46.00	100	320	-12.03	



Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 9/11/2018

Temperature:23.3 °C

80.0 dBuV/m

Time: 12:06:00 AM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.4950	46.03	peak	-9.87	36.16	40.00	100	100	-3.84	
	105.8116	42.61	peak	-8.44	34.17	43.50	100	30	-9.33	
	123.3066	43.81	peak	-6.50	37.31	43.50	100	285	-6.19	
	300.2004	37.43	peak	-5.55	31.88	46.00	100	65	-14.12	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 10:17:16 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	45.40	peak	-2.16	43.24	74.00	150	215	-30.76	
*	5909.820	41.39	peak	3.64	45.03	74.00	150	305	-28.97	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 10:19:07 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	44.79	peak	-2.16	42.63	74.00	150	115	-31.37	
*	5839.679	41.20	peak	3.48	44.68	74.00	150	230	-29.32	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 7:45:46 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 7:51:41 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 9/11/2018

Temperature:23.3 °C

80.0 dBuV/m

Time: 12:10:46 AM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	123.3066	42.21	peak	-6.50	35.71	43.50	100	60	-7.79	
	249.6593	43.80	peak	-7.39	36.41	46.00	100	120	-9.59	
	300.2004	40.85	peak	-5.55	35.30	46.00	100	185	-10.70	
	951.4028	27.97	peak	5.73	33.70	46.00	100	300	-12.30	



Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 9/11/2018

Temperature:23.3 °C

80.0 dBuV/m

Time: 12:11:46 AM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	53.3267	46.95	peak	-10.53	36.42	40.00	100	235	-3.58	
	105.8116	43.56	peak	-8.44	35.12	43.50	100	175	-8.38	
	123.3066	41.26	peak	-6.50	34.76	43.50	100	80	-8.74	
	300.2004	37.22	peak	-5.55	31.67	46.00	100	90	-14.33	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 10:22:01 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21808-18353

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	46.34	peak	-2.16	44.18	74.00	150	40	-29.82	
*	5671.343	42.02	peak	3.16	45.18	74.00	150	160	-28.82	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 9/10/2018

Temperature:23.3 °C

90.0 dBuV/m

Time: 10:23:22 PM

Humidity:85.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M21808-18353

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	45.64	peak	-2.16	43.48	74.00	150	75	-30.52	
*	5376.753	41.38	peak	2.45	43.83	74.00	150	240	-30.17	