



3.Maximum Conduct Output Power

Test Mode	Test Channel	Ant	Level [dBm]	10log(1/x) Factor [dB]	Power [dBm]	Limit [dBm]	Verdict
11N20	5180	Ant1	9.11	0.38	9.49	<30.00	PASS
11N20	5180	Ant2	8.91	0.38	9.29	<30.00	PASS
11N20	5180	Ant1+Ant2	12.02	0.38	12.40	<30.00	PASS
11N20	5220	Ant1	9.21	0.38	9.59	<30.00	PASS
11N20	5220	Ant2	9	0.38	9.38	<30.00	PASS
11N20	5220	Ant1+Ant2	12.12	0.38	12.50	<30.00	PASS
11N20	5240	Ant1	9.1	0.38	9.48	<30.00	PASS
11N20	5240	Ant2	9.11	0.38	9.49	<30.00	PASS
11N20	5240	Ant1+Ant2	12.12	0.38	12.50	<30.00	PASS
11N20	5745	Ant1	15.45	0.38	15.83	<30.00	PASS
11N20	5745	Ant2	16.34	0.38	16.72	<30.00	PASS
11N20	5745	Ant1+Ant2	18.93	0.38	19.31	<30.00	PASS
11N20	5785	Ant1	15.16	0.38	15.54	<30.00	PASS
11N20	5785	Ant2	16.03	0.38	16.41	<30.00	PASS
11N20	5785	Ant1+Ant2	18.63	0.38	19.01	<30.00	PASS
11N20	5825	Ant1	15.12	0.41	15.53	<30.00	PASS
11N20	5825	Ant2	16.1	0.38	16.48	<30.00	PASS
11N20	5825	Ant1+Ant2	18.65	0.38	19.03	<30.00	PASS
11N40	5190	Ant1	10.41	0.67	11.08	<30.00	PASS
11N40	5190	Ant2	11.08	0.67	11.75	<30.00	PASS
11N40	5190	Ant1+Ant2	13.77	0.67	14.44	<30.00	PASS
11N40	5230	Ant1	10.66	0.67	11.33	<30.00	PASS
11N40	5230	Ant2	11.1	0.67	11.77	<30.00	PASS
11N40	5230	Ant1+Ant2	13.90	0.67	14.57	<30.00	PASS
11N40	5755	Ant1	16.14	0.67	16.81	<30.00	PASS
11N40	5755	Ant2	16.96	0.7	17.66	<30.00	PASS
11N40	5755	Ant1+Ant2	19.58	0.7	20.28	<30.00	PASS
11N40	5795	Ant1	15.94	0.67	16.61	<30.00	PASS
11N40	5795	Ant2	16.85	0.67	17.52	<30.00	PASS
11N40	5795	Ant1+Ant2	19.43	0.67	20.10	<30.00	PASS
11AC20	5180	Ant1	9.15	0.38	9.53	<30.00	PASS



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180800804505

Page: 223 of 313

11AC20	5180	Ant2	8.94	0.38	9.32	<30.00	PASS
11AC20	5180	Ant1+Ant2	12.06	0.38	12.44	<30.00	PASS
11AC20	5220	Ant1	9.05	0.38	9.43	<30.00	PASS
11AC20	5220	Ant2	8.81	0.38	9.19	<30.00	PASS
11AC20	5220	Ant1+Ant2	11.94	0.38	12.32	<30.00	PASS
11AC20	5240	Ant1	9.01	0.38	9.39	<30.00	PASS
11AC20	5240	Ant2	8.84	0.38	9.22	<30.00	PASS
11AC20	5240	Ant1+Ant2	11.94	0.38	12.32	<30.00	PASS
11AC20	5745	Ant1	15.47	0.38	15.85	<30.00	PASS
11AC20	5745	Ant2	16.37	0.38	16.75	<30.00	PASS
11AC20	5745	Ant1+Ant2	18.95	0.38	19.33	<30.00	PASS
11AC20	5785	Ant1	15.15	0.38	15.53	<30.00	PASS
11AC20	5785	Ant2	15.96	0.38	16.34	<30.00	PASS
11AC20	5785	Ant1+Ant2	18.58	0.38	18.96	<30.00	PASS
11AC20	5825	Ant1	15.06	0.38	15.44	<30.00	PASS
11AC20	5825	Ant2	16.08	0.38	16.46	<30.00	PASS
11AC20	5825	Ant1+Ant2	18.61	0.38	18.99	<30.00	PASS
11AC80	5210	Ant1	9.8	1.22	11.02	<30.00	PASS
11AC80	5210	Ant2	10.71	1.19	11.9	<30.00	PASS
11AC80	5210	Ant1+Ant2	13.29	1.19	14.48	<30.00	PASS
11AC80	5775	Ant1	15.78	1.2	16.98	<30.00	PASS
11AC80	5775	Ant2	16.79	1.22	18.01	<30.00	PASS
11AC80	5775	Ant1+Ant2	19.32	1.22	20.54	<30.00	PASS
11AC40	5190	Ant1	10.44	0.66	11.1	<30.00	PASS
11AC40	5190	Ant2	10.72	0.67	11.39	<30.00	PASS
11AC40	5190	Ant1+Ant2	13.59	0.67	14.26	<30.00	PASS
11AC40	5230	Ant1	10.62	0.67	11.29	<30.00	PASS
11AC40	5230	Ant2	10.61	0.66	11.27	<30.00	PASS
11AC40	5230	Ant1+Ant2	13.63	0.66	14.29	<30.00	PASS
11AC40	5755	Ant1	16.06	0.7	16.76	<30.00	PASS
11AC40	5755	Ant2	17.19	0.7	17.89	<30.00	PASS
11AC40	5755	Ant1+Ant2	19.67	0.7	20.37	<30.00	PASS
11AC40	5795	Ant1	15.98	0.7	16.68	<30.00	PASS
11AC40	5795	Ant2	16.95	0.67	17.62	<30.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180800804505


Page: 224 of 313

11AC40	5795	Ant1+Ant2	19.50	0.67	20.17	<30.00	PASS
11N20	5180	Ant1	9.11	0.38	9.49	<30.00	PASS
11N20	5180	Ant2	8.91	0.38	9.29	<30.00	PASS
11N20	5180	Ant1+Ant2	12.02	0.38	12.40	<30.00	PASS
11N20	5220	Ant1	9.21	0.38	9.59	<30.00	PASS
11N20	5220	Ant2	9	0.38	9.38	<30.00	PASS
11N20	5220	Ant1+Ant2	12.12	0.38	12.50	<30.00	PASS
11N20	5240	Ant1	9.1	0.38	9.48	<30.00	PASS
11N20	5240	Ant2	9.11	0.38	9.49	<30.00	PASS
11N20	5240	Ant1+Ant2	12.12	0.38	12.50	<30.00	PASS
11N20	5745	Ant1	15.45	0.38	15.83	<30.00	PASS
11N20	5745	Ant2	16.34	0.38	16.72	<30.00	PASS
11N20	5745	Ant1+Ant2	18.93	0.38	19.31	<30.00	PASS


Maximum Conduct Output Power_11A_5180_Ant1




Maximum Conduct Output Power_11A_5180_Ant2



Maximum Conduct Output Power_11A_5220_Ant1




Maximum Conduct Output Power_11A_5220_Ant2







Maximum Conduct Output Power_11A_5240_Ant1




Maximum Conduct Output Power_11A_5240_Ant2




Maximum Conduct Output Power_11A_5745_Ant1




Maximum Conduct Output Power_11A_5745_Ant2





Maximum Conduct Output Power_11A_5785_Ant1




Maximum Conduct Output Power_11A_5785_Ant2







Maximum Conduct Output Power_11N20_5180_Ant1




Maximum Conduct Output Power_11N20_5180_Ant2




Maximum Conduct Output Power_11N20_5220_Ant1




Maximum Conduct Output Power_11N20_5220_Ant2




Maximum Conduct Output Power_11N20_5240_Ant1




Maximum Conduct Output Power_11N20_5240_Ant2




Maximum Conduct Output Power_11N20_5745_Ant1




Maximum Conduct Output Power_11N20_5745_Ant2





Maximum Conduct Output Power_11N20_5785_Ant1




Maximum Conduct Output Power_11N20_5785_Ant2







Maximum Conduct Output Power_11N40_5190_Ant1




Maximum Conduct Output Power_11N40_5190_Ant2




Maximum Conduct Output Power_11N40_5230_Ant1




Maximum Conduct Output Power_11N40_5230_Ant2




Maximum Conduct Output Power_11N40_5755_Ant1




Maximum Conduct Output Power_11N40_5755_Ant2





Maximum Conduct Output Power_11N40_5795_Ant1




Maximum Conduct Output Power_11N40_5795_Ant2












Maximum Conduct Output Power_11AC20_5745_Ant1




Maximum Conduct Output Power_11AC20_5745_Ant2




Maximum Conduct Output Power_11AC20_5785_Ant1




Maximum Conduct Output Power_11AC20_5785_Ant2




Maximum Conduct Output Power_11AC20_5825_Ant1




Maximum Conduct Output Power_11AC20_5825_Ant2





Maximum Conduct Output Power_11AC80_5210_Ant1




Maximum Conduct Output Power_11AC80_5210_Ant2












Maximum Conduct Output Power_11AC40_5755_Ant1




Maximum Conduct Output Power_11AC40_5755_Ant2



Maximum Conduct Output Power_11AC40_5795_Ant1



Maximum Conduct Output Power_11AC40_5795_Ant2





4. Maximum Power Spectral Density

Test Mode	Test Channel	Ant	Level [dBm/MHz]	10log(1/x) Factor [dB]	PSD [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	5180	Ant1	2.43	0.35	2.78	<17.00	PASS
11A	5180	Ant2	2.96	0.35	3.31	<17.00	PASS
11A	5220	Ant1	2.46	0.35	2.81	<17.00	PASS
11A	5220	Ant2	2.79	0.35	3.14	<17.00	PASS
11A	5240	Ant1	2.6	0.35	2.95	<17.00	PASS
11A	5240	Ant2	3.16	0.35	3.51	<17.00	PASS
11N20	5180	Ant1	-1.75	0.38	-1.37	<17.00	PASS
11N20	5180	Ant2	-2.12	0.38	-1.74	<17.00	PASS
11N20	5180	Ant1+Ant2	1.08	0.38	1.46	<14.81	PASS
11N20	5220	Ant1	-1.54	0.38	-1.16	<17.00	PASS
11N20	5220	Ant2	-2.01	0.38	-1.63	<17.00	PASS
11N20	5220	Ant1+Ant2	1.24	0.38	1.62	<14.81	PASS
11N20	5240	Ant1	-1.65	0.38	-1.27	<17.00	PASS
11N20	5240	Ant2	-1.62	0.38	-1.24	<17.00	PASS
11N20	5240	Ant1+Ant2	1.38	0.38	1.76	<14.81	PASS
11N40	5190	Ant1	-3.6	0.67	-2.93	<17.00	PASS
11N40	5190	Ant2	-2.85	0.67	-2.18	<17.00	PASS
11N40	5190	Ant1+Ant2	-0.20	0.67	0.47	<14.81	PASS
11N40	5230	Ant1	-3.35	0.67	-2.68	<17.00	PASS
11N40	5230	Ant2	-2.77	0.67	-2.1	<17.00	PASS
11N40	5230	Ant1+Ant2	-0.04	0.67	0.63	<14.81	PASS
11AC20	5180	Ant1	-1.73	0.38	-1.35	<17.00	PASS
11AC20	5180	Ant2	-1.85	0.38	-1.47	<17.00	PASS
11AC20	5180	Ant1+Ant2	1.22	0.38	1.60	<14.81	PASS
11AC20	5220	Ant1	-1.72	0.38	-1.34	<17.00	PASS
11AC20	5220	Ant2	-2.1	0.38	-1.72	<17.00	PASS
11AC20	5220	Ant1+Ant2	1.10	0.38	1.48	<14.81	PASS
11AC20	5240	Ant1	-1.77	0.38	-1.39	<17.00	PASS
11AC20	5240	Ant2	-1.94	0.38	-1.56	<17.00	PASS
11AC20	5240	Ant1+Ant2	1.16	0.38	1.54	<14.81	PASS



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180800804505

Page: 254 of 313

11AC80	5210	Ant1	-7.06	1.22	-5.84	<17.00	PASS
11AC80	5210	Ant2	-6.1	1.19	-4.91	<17.00	PASS
11AC80	5210	Ant1+Ant2	-3.54	1.19	-2.35	<14.81	PASS
11AC40	5190	Ant1	-3.44	0.66	-2.78	<17.00	PASS
11AC40	5190	Ant2	-3.47	0.67	-2.8	<17.00	PASS
11AC40	5190	Ant1+Ant2	-0.44	0.67	0.23	<14.81	PASS
11AC40	5230	Ant1	-3.35	0.67	-2.68	<17.00	PASS
11AC40	5230	Ant2	-3.19	0.66	-2.53	<17.00	PASS
11AC40	5230	Ant1+Ant2	-0.26	0.66	0.40	<14.81	PASS

Test Mode	Test Channel	Ant	Level [dBm/500kHz]	10log(1/x) Factor[dB]	PSD [dBm/500kHz]	Limit [dBm/500kHz]	Verdict
11A	5745	Ant1	3.02	0.35	3.37	<30.00	PASS
11A	5745	Ant2	3.82	0.35	4.17	<30.00	PASS
11A	5785	Ant1	2.64	0.35	2.99	<30.00	PASS
11A	5785	Ant2	3.46	0.35	3.81	<30.00	PASS
11A	5825	Ant1	2.51	0.38	2.89	<30.00	PASS
11A	5825	Ant2	3.53	0.35	3.88	<30.00	PASS
11N20	5745	Ant1	2.93	0.38	3.31	<30.00	PASS
11N20	5745	Ant2	3.89	0.38	4.27	<30.00	PASS
11N20	5745	Ant1+Ant2	6.45	0.38	6.83	<27.81	PASS
11N20	5785	Ant1	2.64	0.38	3.02	<30.00	PASS
11N20	5785	Ant2	3.38	0.38	3.76	<30.00	PASS
11N20	5785	Ant1+Ant2	6.04	0.38	6.42	<27.81	PASS
11N20	5825	Ant1	2.44	0.41	2.85	<30.00	PASS
11N20	5825	Ant2	3.73	0.38	4.11	<30.00	PASS
11N20	5825	Ant1+Ant2	6.14	0.38	6.52	<27.81	PASS
11N40	5755	Ant1	0.68	0.67	1.35	<30.00	PASS
11N40	5755	Ant2	1.44	0.7	2.14	<30.00	PASS
11N40	5755	Ant1+Ant2	4.09	0.7	4.79	<27.81	PASS
11N40	5795	Ant1	0.39	0.67	1.06	<30.00	PASS
11N40	5795	Ant2	1.24	0.67	1.91	<30.00	PASS
11N40	5795	Ant1+Ant2	3.85	0.67	4.52	<27.81	PASS
11AC20	5745	Ant1	3.31	0.38	3.69	<30.00	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM180800804505


Page: 255 of 313


11AC20	5745	Ant2	4.3	0.38	4.68	<30.00	PASS
11AC20	5745	Ant1+Ant2	6.84	0.38	7.22	<27.81	PASS
11AC20	5785	Ant1	3.02	0.38	3.4	<30.00	PASS
11AC20	5785	Ant2	3.75	0.38	4.13	<30.00	PASS
11AC20	5785	Ant1+Ant2	6.41	0.38	6.79	<27.81	PASS
11AC20	5825	Ant1	2.95	0.38	3.33	<30.00	PASS
11AC20	5825	Ant2	3.81	0.38	4.19	<30.00	PASS
11AC20	5825	Ant1+Ant2	6.41	0.38	6.79	<27.81	PASS
11AC80	5775	Ant1	-2.48	1.2	-1.28	<30.00	PASS
11AC80	5775	Ant2	-1.54	1.22	-0.32	<30.00	PASS
11AC80	5775	Ant1+Ant2	1.03	1.22	2.25	<27.81	PASS
11AC40	5755	Ant1	0.54	0.7	1.24	<30.00	PASS
11AC40	5755	Ant2	1.83	0.7	2.53	<30.00	PASS
11AC40	5755	Ant1+Ant2	4.24	0.7	4.94	<27.81	PASS
11AC40	5795	Ant1	0.46	0.7	1.16	<30.00	PASS
11AC40	5795	Ant2	1.59	0.67	2.26	<30.00	PASS
11AC40	5795	Ant1+Ant2	4.07	0.67	4.74	<27.81	PASS


Note: Directional gain greater than 8.19 dBi provided the Maximum Power Spectral Density of the intentional radiator is reduced by 2.19 dB for the directional gain of the antenna exceeds 6 dBi


















































































5.Duty Cycle (x)

Test Mode	Test Channel	Ant	Duty Cycle[%]	10log(1/x) Factor[dB]
11A	5180	Ant1	92.21	0.35
11A	5180	Ant2	92.16	0.35
11A	5220	Ant1	92.16	0.35
11A	5220	Ant2	92.16	0.35
11A	5240	Ant1	92.16	0.35
11A	5240	Ant2	92.16	0.35
11A	5745	Ant1	92.16	0.35
11A	5745	Ant2	92.21	0.35
11A	5785	Ant1	92.21	0.35
11A	5785	Ant2	92.21	0.35
11A	5825	Ant1	91.56	0.38
11A	5825	Ant2	92.21	0.35
11N20	5180	Ant1	91.67	0.38
11N20	5180	Ant2	91.67	0.38
11N20	5220	Ant1	91.67	0.38
11N20	5220	Ant2	91.67	0.38
11N20	5240	Ant1	91.67	0.38
11N20	5240	Ant2	91.67	0.38
11N20	5745	Ant1	91.67	0.38
11N20	5745	Ant2	91.67	0.38
11N20	5785	Ant1	91.67	0.38
11N20	5785	Ant2	91.67	0.38
11N20	5825	Ant1	90.97	0.41
11N20	5825	Ant2	91.67	0.38
11N40	5190	Ant1	85.71	0.67
11N40	5190	Ant2	85.71	0.67
11N40	5230	Ant1	85.71	0.67
11N40	5230	Ant2	85.71	0.67
11N40	5755	Ant1	85.62	0.67
11N40	5755	Ant2	85.06	0.7
11N40	5795	Ant1	85.71	0.67





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM180800804505


Page: 285 of 313


11N40	5795	Ant2	85.71	0.67
11AC20	5180	Ant1	91.72	0.38
11AC20	5180	Ant2	91.72	0.38
11AC20	5220	Ant1	91.67	0.38
11AC20	5220	Ant2	91.72	0.38
11AC20	5240	Ant1	91.72	0.38
11AC20	5240	Ant2	91.67	0.38
11AC20	5745	Ant1	91.67	0.38
11AC20	5745	Ant2	91.72	0.38
11AC20	5785	Ant1	91.72	0.38
11AC20	5785	Ant2	91.72	0.38
11AC20	5825	Ant1	91.72	0.38
11AC20	5825	Ant2	91.67	0.38
11AC80	5210	Ant1	75.58	1.22
11AC80	5210	Ant2	76.04	1.19
11AC80	5775	Ant1	75.93	1.2
11AC80	5775	Ant2	75.46	1.22
11AC40	5190	Ant1	85.81	0.66
11AC40	5190	Ant2	85.71	0.67
11AC40	5230	Ant1	85.71	0.67
11AC40	5230	Ant2	85.81	0.66
11AC40	5755	Ant1	85.16	0.7
11AC40	5755	Ant2	85.16	0.7
11AC40	5795	Ant1	85.16	0.7
11AC40	5795	Ant2	85.71	0.67
















































































- End of the Report -