

Bymuse Mini User manual

Warning

- Never lubricate any part of this product.
- Never place this product on other electrical equipment.
- Keep this product away from direct sunlight, naked flames or heat.

Read these instructions.

- Heed all warnings.
- Follow all instructions.
- Do not use this apparatus near water.
- Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- Only use attachments/accessories specified by the manufacturer.
- Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.
- The battery shall not be exposed to excessive heat such as sunshine, fire or the like.
- Apparatus shall not be exposed to dripping or splashing.
- Do not place any sources of danger on the apparatus (e.g. liquid filled objects, lighted candles).

Note

- PCBA in the assembly process need to ensure that the work surface clean, do static defense measures.
- Note that the positive and negative battery should not be reversed.

Charge the built-in battery

- Before use, fully charge the built-in battery.
- The micro USB socket is for charging only.
- It takes you approximately two hours to fully charge the battery.
- During the charging process, the red LED lights are on and the battery is full of red LED lights.

Bluetooth paired connection

- On your Bluetooth device, enable Bluetooth and search for Bluetooth devices that can be paired (refer to the user manual of the device).

Product information

Amplifier

Rated Output Power : 1.6W RMS

Frequency Response : 60 -20KHz, ± 3 dB

Signal to Noise Ratio : > 75 dBA

Bluetooth

Bluetooth Version : 4.2+EDR

Bluetooth profile : A2DP

Bluetooth Frequency Band : 2.402GHz ~ 2.48GHz

Bluetooth Range : 10 m (Free space)

FCC Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.