



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Speakerphone

Test Model: BT-33

Environmental Conditions

Temperature:	23.8 °C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	<i>Nick Peng</i> Nick Peng
Supervised by:	<i>Li Huan</i> Li Huan





A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.971	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.967	N/A	Pass
NVNT	1-DH5	2480	Ant1	1.037	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.309	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.287	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.288	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.277	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.28	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.265	N/A	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	1-DH5	2402	Ant1	0.898
NVNT	1-DH5	2441	Ant1	0.885
NVNT	1-DH5	2480	Ant1	0.903
NVNT	2-DH5	2402	Ant1	1.181
NVNT	2-DH5	2441	Ant1	1.179
NVNT	2-DH5	2480	Ant1	1.17
NVNT	3-DH5	2402	Ant1	1.184
NVNT	3-DH5	2441	Ant1	1.192
NVNT	3-DH5	2480	Ant1	1.179




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

OBW NVNT 1-DH5 2402MHz Ant1




OBW NVNT 1-DH5 2441MHz Ant1






OBW NVNT 1-DH5 2480MHz Ant1




OBW NVNT 2-DH5 2402MHz Ant1






OBW NVNT 2-DH5 2441MHz Ant1



OBW NVNT 2-DH5 2480MHz Ant1






OBW NVNT 3-DH5 2402MHz Ant1




OBW NVNT 3-DH5 2441MHz Ant1





OBW NVNT 3-DH5 2480MHz Ant1





A.3 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	0.81	21	Pass
NVNT	1-DH5	2441	Ant1	1.02	21	Pass
NVNT	1-DH5	2480	Ant1	0.74	21	Pass
NVNT	2-DH5	2402	Ant1	0.51	21	Pass
NVNT	2-DH5	2441	Ant1	0.79	21	Pass
NVNT	2-DH5	2480	Ant1	0.5	21	Pass
NVNT	3-DH5	2402	Ant1	0.67	21	Pass
NVNT	3-DH5	2441	Ant1	0.88	21	Pass
NVNT	3-DH5	2480	Ant1	0.6	21	Pass






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1






Power NVNT 3-DH5 2402MHz Ant1




Power NVNT 3-DH5 2441MHz Ant1





Power NVNT 3-DH5 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.4 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402	2403	1	0.647	Pass
NVNT	2-DH5	Ant1	2402.008	2403	0.992	0.873	Pass
NVNT	3-DH5	Ant1	2402.154	2403.146	0.992	0.851	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1





A.5 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.881	319.791	111	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.88	311.04	108	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.887	311.796	108	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell-NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell-NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.6 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





A.7 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-55.19	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-56.88	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-52.04	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-56.87	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-50.73	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-56.04	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-56.13	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-56.17	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-54.32	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-55.58	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-55.51	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-55.06	-20	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.8 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-55.66	-20	Pass
NVNT	1-DH5	2441	Ant1	-56.06	-20	Pass
NVNT	1-DH5	2480	Ant1	-55.42	-20	Pass
NVNT	2-DH5	2402	Ant1	-54.36	-20	Pass
NVNT	2-DH5	2441	Ant1	-55.16	-20	Pass
NVNT	2-DH5	2480	Ant1	-54.4	-20	Pass
NVNT	3-DH5	2402	Ant1	-55.4	-20	Pass
NVNT	3-DH5	2441	Ant1	-54.4	-20	Pass
NVNT	3-DH5	2480	Ant1	-54.4	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-49.85	2.61	47.99	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-60.39	2.61	37.45	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2384.688	-47.59	2.61	50.25	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2383.536	-59.84	2.61	38.00	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.59	2.61	47.25	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-59.98	2.61	37.86	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-49.95	2.61	47.89	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-59.57	2.61	38.27	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2488.528	-46.77	2.61	51.07	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2495.8	-59.46	2.61	38.38	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.99	2.61	47.85	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-59.68	2.61	38.16	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-50.04	2.61	47.80	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-60.44	2.61	37.40	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2364.624	-47.11	2.61	50.73	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2387.952	-59.82	2.61	38.02	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.3	2.61	47.54	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-60.16	2.61	37.68	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-47.58	2.61	50.26	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-59.34	2.61	38.50	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2496.784	-47.47	2.61	50.37	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2484.904	-59.24	2.61	38.60	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-49.43	2.61	48.41	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-59.74	2.61	38.10	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-49.7	2.61	48.14	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-60.37	2.61	37.47	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2384.592	-47.32	2.61	50.52	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2389.488	-59.85	2.61	37.99	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-51.67	2.61	46.17	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-59.93	2.61	37.91	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-50.69	2.61	47.15	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-59.5	2.61	38.34	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2496.52	-47.49	2.61	50.35	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.728	-59.38	2.61	38.46	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.45	2.61	48.39	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-59.68	2.61	38.16	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

