## MPE ESTIMATION FCC ID: 2ARLM-ZK2003

## 1, Limit for General Population/ Uncontrolled Exposures

Frequency	Power density (mW/ cm <sup>2</sup> )	Averaging time(minutes)	
300MHz1.5GHz	F/1500	30	
1.5GHz100GHz	1.0	30	

## 2, Estimation Result

Mode	Max PK Output power(dBm)	•	Max Tune Up power(mW)	Antenna Gain(dBi)	Antenna Gain (linear)	MPE (mW/cm²)		
BT	-2.554	-3±1(-2)	0.63	0	1	0.00013		
$Pd = \frac{Pout * G}{4\pi r^2}$ : Note:								
Note: The estimation distance is 20cm								
The device could not transmit simultaneously in BT								
Note: PK Output power= conducted power.								
Conducted power see the test report HK2105131493-E								
Gantenna gain=0dBi								
when the minimum test senaration distance is >20 cm, a distance of 20 cm is applied								

when the minimum test separation distance is >20 cm, a distance of 20 cm is applied

to determine RF Exposure test exclusion. The test exclusion threshold is

0.00013mW/cm<sup>2</sup> which is< 1.0mW/cm<sup>2</sup>, RF Exposure testing is not required.

-----The End------