





EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

<p>EUT Housing and Board View 1</p>	 <p>This photograph shows the internal components of the EUT, including the printed circuit board (PCB), a battery, and various connectors, all housed within a black plastic casing. The components are laid out on a blue perforated surface. A black ruler with white markings is placed to the left and bottom of the assembly for scale, showing measurements in millimeters. The ruler indicates the overall size of the components, with the PCB and battery assembly being approximately 100mm wide and 50mm high.</p>
<p>Solder Board-Component View 1</p>	 <p>This is a close-up photograph of a specific component on the PCB, showing a blue PCB with various electronic components and solder joints. The component is positioned on a blue perforated surface. A black ruler with white markings is placed to the left and bottom of the component for scale, showing measurements in millimeters. The ruler indicates the component's size, which is approximately 50mm wide and 20mm high.</p>

<p style="text-align: center;">Solder Board-Component View 2</p>	 A photograph showing a small, circular blue printed circuit board (PCB) component. The component is positioned on a black surface with a white ruler for scale. The ruler has markings in millimeters, with the top edge showing 10, 20, 30, 40, 50, 60, 70, and 80 mm, and the bottom edge showing 10, 20, 30, 40, 50, 60, 70, 80, 90, and 100 mm. The component is oriented vertically, with its top edge near the 10 mm mark on the top ruler. The component features several surface-mounted components, including a central square chip, a red circular mark, and a green circular mark. Two thin black wires are attached to the component. The background is a light blue textured surface.
<p style="text-align: center;">Solder Board-Component View 3</p>	 A photograph showing a small, rectangular yellow battery component and a circular white component. The battery is positioned on a black surface with a white ruler for scale. The ruler has markings in millimeters, with the top edge showing 10, 20, 30, 40, 50, 60, 70, 80, 90, and 100 mm, and the bottom edge showing 10, 20, 30, 40, 50, 60, 70, 80, 90, and 100 mm. The battery is oriented vertically, with its top edge near the 10 mm mark on the top ruler. The battery has a yellow casing and a white label with the text "KEEP 401823P 3.7V" and "K. COOPER + INT.". Two thin wires (one red, one blue) are attached to the battery. The circular white component is positioned to the right of the battery. The background is a light blue textured surface.

Antenna View

