





### EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

<p><b>EUT Housing and Board View 1</b></p>	 <p>This photograph shows the disassembled components of the EUT. On the left is a black plastic housing with a circular opening. In the center is a blue printed circuit board (PCB) populated with various electronic components, including a battery, a microcontroller, and several surface-mount components. To the right is a silver-colored metal back cover. A black ruler with white markings is placed below the components for scale, showing measurements in millimeters.</p>
<p><b>Solder Board-Component View 1</b></p>	 <p>This is a close-up photograph of the PCB component from the previous view. The board is blue and features a central microcontroller chip, several smaller surface-mount components, and two thin black wires extending from the top. A black ruler with white markings is positioned below the component to provide a scale, with millimeter markings clearly visible.</p>

<p style="text-align: center;"><b>Solder Board-Component View 2</b></p>	 <p>A photograph showing a small blue printed circuit board (PCB) component with two thin black wires extending from it. The component is placed on a blue perforated surface. A black ruler with white markings is positioned below the component, showing measurements in millimeters. The ruler has markings from 0 to 100 mm, with major ticks every 10 mm and minor ticks every 1 mm. The component is located between the 10 mm and 40 mm marks on the ruler.</p>
<p style="text-align: center;"><b>Solder Board-Component View 3</b></p>	 <p>A photograph showing a small silver and yellow component, possibly a battery or a sensor, with three thin wires (red, blue, and black) extending from it. The component is placed on a blue perforated surface. A black ruler with white markings is positioned below the component, showing measurements in millimeters. The ruler has markings from 0 to 100 mm, with major ticks every 10 mm and minor ticks every 1 mm. The component is located between the 10 mm and 50 mm marks on the ruler.</p>

