THIS MUST BE SIGNED BY THE APPLICANT/AGENT AND SHOULD BE PLACED ON APPROPRIATE LETTERHEAD

Request for Confidentiality

Date: September 9, 2021		
Subject: Confidentiality Request for:2AROD-004 & 24483-004		
	47 CFR 0.457(d) and 0.459 and IC application be held confidential.	RSP-100, Section 12.4, the applicant requests that a part of
Туре	of Confidentiality Requested	Exhibit
☐ Short T	erm Permanent	Block Diagrams
☐ Short T	erm	External Photos
☐ Short T	erm ☐ Permanent *1	Internal Photos
☐ Short T	erm Permanent	Operation Description/Theory of Operation
☐ Short T	erm Permanent	Parts List & Placement/BOM
☐ Short T	erm Permanent	Tune-Up Procedure
☐ Short T	erm Permanent	Schematics
☐ Short T	erm	Test Setup Photos
☐ Short T	erm	User's Manual
first of its kind i	n industry. Having the subject informave achieved by developing this pro	stantial effort in developing this product and it is one of the nation easily available to "competition" would negate the oduct. Not protecting the details of the design will result in
Permanent Confidentiality: The applicant requests the exhibits listed above as permanently confidential be permanently withheld from public review due to materials that contain trade secrets and proprietary information not customarily released to the public.		
NOTE for Industry Canada Applications: IC currently only distinguishes Permanent Confidentiality exhibits as shown above. Short Term confidentiality is not considered applicable to IC applications.		
Sincerely,		
Ву:	(Signature/Title ²)	Mauri Ukonmaanaho
	(Signature/Title ²)	(Print name)

and review section II, 3) regarding specific

information that must accompany these requests.

¹ - The asterisked items (*) require further information to be provided to ACB before permanent confidentiality will be extended to these exhibits. Please refer to FCC KDB 726920 and the specific Document link for D01 found at:

² - Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate authorized agent letter has been provided. Letters should be placed on appropriate letterhead.