









15MHz/QPSK/Mid CH



15MHz/16QAM/Mid CH





15MHz/64QAM/Mid CH









15MHz/QPSK/High CH



15MHz/16QAM/High CH





15MHz/64QAM/High CH









20MHz/QPSK/Low CH



20MHz/16QAM/Low CH





20MHz/64QAM/Low CH









20MHz/QPSK/Mid CH



20MHz/16QAM/Mid CH





20MHz/64QAM/Mid CH









20MHz/QPSK/High CH



20MHz/16QAM/High CH



20MHz/64QAM/High CH





2.6. Band Edge

2.6.1. Requirement

According to FCC section 22.917(a), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.


According to FCC section 24.238(a), The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

According to FCC section 27.53(g), For operations in the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

According to FCC section 27.53(h), For operations in the 1710–1755MHz bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log_{10}(P)$ dB.

According to FCC section 27.53(m) (4), For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

2.6.2. Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50 Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

2.6.3. Test procedure

KDB 971168 D01v03 Section 6.0 and ANSI/TIA-603-E-2016.


2.6.4. Test Result

The center frequency of spectrum is the band edge frequency and span is 2MHz, Record the max trace into the test report.




LTE Band 5

Channel Bandwidth: 1.4MHz




Channel Bandwidth: 1.4MHz






LTE Band 5

Channel Bandwidth: 3MHz




Channel Bandwidth: 3MHz






LTE Band 5

Channel Bandwidth: 5MHz




Channel Bandwidth: 5MHz






LTE Band 5

Channel Bandwidth: 10MHz



Channel Bandwidth: 10MHz





LTE Band 7

Channel Bandwidth: 5MHz

Channel	20775	1RB	Channel	20775	FULL RB

Channel Bandwidth: 5MHz

Channel	21425	1RB	Channel	21425	FULL RB



LTE Band 7

Channel Bandwidth: 10MHz

Channel	20800	1RB	Channel	20800	FULL RB																																																																																																
<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.4750 GHz</td> <td>2.4901 GHz</td> <td>1.000 MHz</td> <td>2.481795000 GHz</td> <td>-44.94 dBm</td> <td>-19.94 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.4901 GHz</td> <td>2.4950 GHz</td> <td>1.000 MHz</td> <td>2.491986500 GHz</td> <td>-29.85 dBm</td> <td>-16.85 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.4950 GHz</td> <td>2.4990 GHz</td> <td>1.000 MHz</td> <td>2.498893333 GHz</td> <td>-12.73 dBm</td> <td>-2.733 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.4990 GHz</td> <td>2.5000 GHz</td> <td>200.0 kHz</td> <td>2.499960000 GHz</td> <td>-18.55 dBm</td> <td>-48.55 dB</td> </tr> <tr> <td>5</td> <td>5</td> <td>2.5000 GHz</td> <td>2.5050 GHz</td> <td>100.0 kHz</td> <td>2.500550000 GHz</td> <td>-22.72 dBm</td> <td>-7.277 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.4750 GHz	2.4901 GHz	1.000 MHz	2.481795000 GHz	-44.94 dBm	-19.94 dB	2	2	2.4901 GHz	2.4950 GHz	1.000 MHz	2.491986500 GHz	-29.85 dBm	-16.85 dB	3	3	2.4950 GHz	2.4990 GHz	1.000 MHz	2.498893333 GHz	-12.73 dBm	-2.733 dB	4	4	2.4990 GHz	2.5000 GHz	200.0 kHz	2.499960000 GHz	-18.55 dBm	-48.55 dB	5	5	2.5000 GHz	2.5050 GHz	100.0 kHz	2.500550000 GHz	-22.72 dBm	-7.277 dB	<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.4750 GHz</td> <td>2.4901 GHz</td> <td>1.000 MHz</td> <td>2.484009667 GHz</td> <td>-30.85 dBm</td> <td>-5.845 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.4901 GHz</td> <td>2.4950 GHz</td> <td>1.000 MHz</td> <td>2.498120000 GHz</td> <td>-18.91 dBm</td> <td>-5.906 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.4950 GHz</td> <td>2.4990 GHz</td> <td>1.000 MHz</td> <td>2.498120000 GHz</td> <td>-17.50 dBm</td> <td>-7.505 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.4990 GHz</td> <td>2.5000 GHz</td> <td>200.0 kHz</td> <td>2.498863333 GHz</td> <td>-24.43 dBm</td> <td>-54.43 dB</td> </tr> <tr> <td>5</td> <td>5</td> <td>2.5000 GHz</td> <td>2.5050 GHz</td> <td>100.0 kHz</td> <td>2.503023000 GHz</td> <td>-10.20 dBm</td> <td>-19.80 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.4750 GHz	2.4901 GHz	1.000 MHz	2.484009667 GHz	-30.85 dBm	-5.845 dB	2	2	2.4901 GHz	2.4950 GHz	1.000 MHz	2.498120000 GHz	-18.91 dBm	-5.906 dB	3	3	2.4950 GHz	2.4990 GHz	1.000 MHz	2.498120000 GHz	-17.50 dBm	-7.505 dB	4	4	2.4990 GHz	2.5000 GHz	200.0 kHz	2.498863333 GHz	-24.43 dBm	-54.43 dB	5	5	2.5000 GHz	2.5050 GHz	100.0 kHz	2.503023000 GHz	-10.20 dBm	-19.80 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																																														
1	1	2.4750 GHz	2.4901 GHz	1.000 MHz	2.481795000 GHz	-44.94 dBm	-19.94 dB																																																																																														
2	2	2.4901 GHz	2.4950 GHz	1.000 MHz	2.491986500 GHz	-29.85 dBm	-16.85 dB																																																																																														
3	3	2.4950 GHz	2.4990 GHz	1.000 MHz	2.498893333 GHz	-12.73 dBm	-2.733 dB																																																																																														
4	4	2.4990 GHz	2.5000 GHz	200.0 kHz	2.499960000 GHz	-18.55 dBm	-48.55 dB																																																																																														
5	5	2.5000 GHz	2.5050 GHz	100.0 kHz	2.500550000 GHz	-22.72 dBm	-7.277 dB																																																																																														
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																																														
1	1	2.4750 GHz	2.4901 GHz	1.000 MHz	2.484009667 GHz	-30.85 dBm	-5.845 dB																																																																																														
2	2	2.4901 GHz	2.4950 GHz	1.000 MHz	2.498120000 GHz	-18.91 dBm	-5.906 dB																																																																																														
3	3	2.4950 GHz	2.4990 GHz	1.000 MHz	2.498120000 GHz	-17.50 dBm	-7.505 dB																																																																																														
4	4	2.4990 GHz	2.5000 GHz	200.0 kHz	2.498863333 GHz	-24.43 dBm	-54.43 dB																																																																																														
5	5	2.5000 GHz	2.5050 GHz	100.0 kHz	2.503023000 GHz	-10.20 dBm	-19.80 dB																																																																																														


Channel Bandwidth: 10MHz

Channel	21425	1RB	Channel	21425	FULL RB																																																																																																
<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.5600 GHz</td> <td>2.5700 GHz</td> <td>100.0 kHz</td> <td>2.562500000 GHz</td> <td>-55.45 dBm</td> <td>-85.45 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.5700 GHz</td> <td>2.5710 GHz</td> <td>200.0 kHz</td> <td>2.570875000 GHz</td> <td>-53.84 dBm</td> <td>-43.84 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.5710 GHz</td> <td>2.5750 GHz</td> <td>1.000 MHz</td> <td>2.574000000 GHz</td> <td>-45.68 dBm</td> <td>-35.68 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.5750 GHz</td> <td>2.5800 GHz</td> <td>1.000 MHz</td> <td>2.579575000 GHz</td> <td>-44.63 dBm</td> <td>-31.63 dB</td> </tr> <tr> <td>5</td> <td>5</td> <td>2.5800 GHz</td> <td>2.5950 GHz</td> <td>1.000 MHz</td> <td>2.583325000 GHz</td> <td>-49.76 dBm</td> <td>-24.76 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.5600 GHz	2.5700 GHz	100.0 kHz	2.562500000 GHz	-55.45 dBm	-85.45 dB	2	2	2.5700 GHz	2.5710 GHz	200.0 kHz	2.570875000 GHz	-53.84 dBm	-43.84 dB	3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.574000000 GHz	-45.68 dBm	-35.68 dB	4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.579575000 GHz	-44.63 dBm	-31.63 dB	5	5	2.5800 GHz	2.5950 GHz	1.000 MHz	2.583325000 GHz	-49.76 dBm	-24.76 dB	<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.5600 GHz</td> <td>2.5700 GHz</td> <td>100.0 kHz</td> <td>2.562500000 GHz</td> <td>-55.45 dBm</td> <td>-85.45 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.5700 GHz</td> <td>2.5710 GHz</td> <td>200.0 kHz</td> <td>2.570875000 GHz</td> <td>-53.84 dBm</td> <td>-43.84 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.5710 GHz</td> <td>2.5750 GHz</td> <td>1.000 MHz</td> <td>2.574000000 GHz</td> <td>-45.68 dBm</td> <td>-35.68 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.5750 GHz</td> <td>2.5800 GHz</td> <td>1.000 MHz</td> <td>2.579575000 GHz</td> <td>-44.63 dBm</td> <td>-31.63 dB</td> </tr> <tr> <td>5</td> <td>5</td> <td>2.5800 GHz</td> <td>2.5950 GHz</td> <td>1.000 MHz</td> <td>2.583325000 GHz</td> <td>-49.76 dBm</td> <td>-24.76 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.5600 GHz	2.5700 GHz	100.0 kHz	2.562500000 GHz	-55.45 dBm	-85.45 dB	2	2	2.5700 GHz	2.5710 GHz	200.0 kHz	2.570875000 GHz	-53.84 dBm	-43.84 dB	3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.574000000 GHz	-45.68 dBm	-35.68 dB	4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.579575000 GHz	-44.63 dBm	-31.63 dB	5	5	2.5800 GHz	2.5950 GHz	1.000 MHz	2.583325000 GHz	-49.76 dBm	-24.76 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																																														
1	1	2.5600 GHz	2.5700 GHz	100.0 kHz	2.562500000 GHz	-55.45 dBm	-85.45 dB																																																																																														
2	2	2.5700 GHz	2.5710 GHz	200.0 kHz	2.570875000 GHz	-53.84 dBm	-43.84 dB																																																																																														
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.574000000 GHz	-45.68 dBm	-35.68 dB																																																																																														
4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.579575000 GHz	-44.63 dBm	-31.63 dB																																																																																														
5	5	2.5800 GHz	2.5950 GHz	1.000 MHz	2.583325000 GHz	-49.76 dBm	-24.76 dB																																																																																														
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																																														
1	1	2.5600 GHz	2.5700 GHz	100.0 kHz	2.562500000 GHz	-55.45 dBm	-85.45 dB																																																																																														
2	2	2.5700 GHz	2.5710 GHz	200.0 kHz	2.570875000 GHz	-53.84 dBm	-43.84 dB																																																																																														
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.574000000 GHz	-45.68 dBm	-35.68 dB																																																																																														
4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.579575000 GHz	-44.63 dBm	-31.63 dB																																																																																														
5	5	2.5800 GHz	2.5950 GHz	1.000 MHz	2.583325000 GHz	-49.76 dBm	-24.76 dB																																																																																														




LTE Band 7

Channel Bandwidth: 15MHz



Channel Bandwidth: 15MHz





LTE Band 7

Channel Bandwidth: 20MHz

Channel	20850	1RB	Channel	20850	FULL RB																																																																																																
<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.4750 GHz</td> <td>2.4803 GHz</td> <td>1.000 MHz</td> <td>2.476210167 GHz</td> <td>-43.65 dBm</td> <td>-18.65 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.4803 GHz</td> <td>2.4950 GHz</td> <td>1.000 MHz</td> <td>2.489740000 GHz</td> <td>-44.65 dBm</td> <td>-31.65 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.4950 GHz</td> <td>2.4990 GHz</td> <td>1.000 MHz</td> <td>2.495740000 GHz</td> <td>-44.99 dBm</td> <td>-34.99 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.4990 GHz</td> <td>2.5000 GHz</td> <td>430.0 kHz</td> <td>2.499293333 GHz</td> <td>-49.72 dBm</td> <td>-39.72 dB</td> </tr> <tr> <td>5</td> <td>5</td> <td>2.5000 GHz</td> <td>2.5200 GHz</td> <td>100.0 kHz</td> <td>2.505700000 GHz</td> <td>-55.49 dBm</td> <td>-85.49 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.4750 GHz	2.4803 GHz	1.000 MHz	2.476210167 GHz	-43.65 dBm	-18.65 dB	2	2	2.4803 GHz	2.4950 GHz	1.000 MHz	2.489740000 GHz	-44.65 dBm	-31.65 dB	3	3	2.4950 GHz	2.4990 GHz	1.000 MHz	2.495740000 GHz	-44.99 dBm	-34.99 dB	4	4	2.4990 GHz	2.5000 GHz	430.0 kHz	2.499293333 GHz	-49.72 dBm	-39.72 dB	5	5	2.5000 GHz	2.5200 GHz	100.0 kHz	2.505700000 GHz	-55.49 dBm	-85.49 dB	<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.4750 GHz</td> <td>2.4803 GHz</td> <td>1.000 MHz</td> <td>2.476210167 GHz</td> <td>-43.65 dBm</td> <td>-18.65 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.4803 GHz</td> <td>2.4950 GHz</td> <td>1.000 MHz</td> <td>2.489740000 GHz</td> <td>-44.65 dBm</td> <td>-31.65 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.4950 GHz</td> <td>2.4990 GHz</td> <td>1.000 MHz</td> <td>2.495740000 GHz</td> <td>-44.99 dBm</td> <td>-34.99 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.4990 GHz</td> <td>2.5000 GHz</td> <td>430.0 kHz</td> <td>2.499293333 GHz</td> <td>-49.72 dBm</td> <td>-39.72 dB</td> </tr> <tr> <td>5</td> <td>5</td> <td>2.5000 GHz</td> <td>2.5200 GHz</td> <td>100.0 kHz</td> <td>2.505700000 GHz</td> <td>-55.49 dBm</td> <td>-85.49 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.4750 GHz	2.4803 GHz	1.000 MHz	2.476210167 GHz	-43.65 dBm	-18.65 dB	2	2	2.4803 GHz	2.4950 GHz	1.000 MHz	2.489740000 GHz	-44.65 dBm	-31.65 dB	3	3	2.4950 GHz	2.4990 GHz	1.000 MHz	2.495740000 GHz	-44.99 dBm	-34.99 dB	4	4	2.4990 GHz	2.5000 GHz	430.0 kHz	2.499293333 GHz	-49.72 dBm	-39.72 dB	5	5	2.5000 GHz	2.5200 GHz	100.0 kHz	2.505700000 GHz	-55.49 dBm	-85.49 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																																														
1	1	2.4750 GHz	2.4803 GHz	1.000 MHz	2.476210167 GHz	-43.65 dBm	-18.65 dB																																																																																														
2	2	2.4803 GHz	2.4950 GHz	1.000 MHz	2.489740000 GHz	-44.65 dBm	-31.65 dB																																																																																														
3	3	2.4950 GHz	2.4990 GHz	1.000 MHz	2.495740000 GHz	-44.99 dBm	-34.99 dB																																																																																														
4	4	2.4990 GHz	2.5000 GHz	430.0 kHz	2.499293333 GHz	-49.72 dBm	-39.72 dB																																																																																														
5	5	2.5000 GHz	2.5200 GHz	100.0 kHz	2.505700000 GHz	-55.49 dBm	-85.49 dB																																																																																														
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																																														
1	1	2.4750 GHz	2.4803 GHz	1.000 MHz	2.476210167 GHz	-43.65 dBm	-18.65 dB																																																																																														
2	2	2.4803 GHz	2.4950 GHz	1.000 MHz	2.489740000 GHz	-44.65 dBm	-31.65 dB																																																																																														
3	3	2.4950 GHz	2.4990 GHz	1.000 MHz	2.495740000 GHz	-44.99 dBm	-34.99 dB																																																																																														
4	4	2.4990 GHz	2.5000 GHz	430.0 kHz	2.499293333 GHz	-49.72 dBm	-39.72 dB																																																																																														
5	5	2.5000 GHz	2.5200 GHz	100.0 kHz	2.505700000 GHz	-55.49 dBm	-85.49 dB																																																																																														

Channel Bandwidth: 20MHz

Channel	21350	1RB	Channel	21350	FULL RB																																																																																																
<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.5550 GHz</td> <td>2.5700 GHz</td> <td>100.0 kHz</td> <td>2.560000000 GHz</td> <td>-23.08 dBm</td> <td>-53.08 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.5700 GHz</td> <td>2.5710 GHz</td> <td>430.0 kHz</td> <td>2.570241667 GHz</td> <td>-46.20 dBm</td> <td>-36.20 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.5710 GHz</td> <td>2.5750 GHz</td> <td>1.000 MHz</td> <td>2.572833333 GHz</td> <td>-42.81 dBm</td> <td>-32.81 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.5750 GHz</td> <td>2.5800 GHz</td> <td>1.000 MHz</td> <td>2.577333333 GHz</td> <td>-41.55 dBm</td> <td>-28.55 dB</td> </tr> <tr> <td>5</td> <td>5</td> <td>2.5800 GHz</td> <td>2.5950 GHz</td> <td>1.000 MHz</td> <td>2.586875000 GHz</td> <td>-47.92 dBm</td> <td>-22.92 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.5550 GHz	2.5700 GHz	100.0 kHz	2.560000000 GHz	-23.08 dBm	-53.08 dB	2	2	2.5700 GHz	2.5710 GHz	430.0 kHz	2.570241667 GHz	-46.20 dBm	-36.20 dB	3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.572833333 GHz	-42.81 dBm	-32.81 dB	4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.577333333 GHz	-41.55 dBm	-28.55 dB	5	5	2.5800 GHz	2.5950 GHz	1.000 MHz	2.586875000 GHz	-47.92 dBm	-22.92 dB	<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.5550 GHz</td> <td>2.5700 GHz</td> <td>100.0 kHz</td> <td>2.560000000 GHz</td> <td>-23.08 dBm</td> <td>-53.08 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.5700 GHz</td> <td>2.5710 GHz</td> <td>430.0 kHz</td> <td>2.570241667 GHz</td> <td>-46.20 dBm</td> <td>-36.20 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.5710 GHz</td> <td>2.5750 GHz</td> <td>1.000 MHz</td> <td>2.572833333 GHz</td> <td>-42.81 dBm</td> <td>-32.81 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.5750 GHz</td> <td>2.5800 GHz</td> <td>1.000 MHz</td> <td>2.577333333 GHz</td> <td>-41.55 dBm</td> <td>-28.55 dB</td> </tr> <tr> <td>5</td> <td>5</td> <td>2.5800 GHz</td> <td>2.5950 GHz</td> <td>1.000 MHz</td> <td>2.586875000 GHz</td> <td>-47.92 dBm</td> <td>-22.92 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.5550 GHz	2.5700 GHz	100.0 kHz	2.560000000 GHz	-23.08 dBm	-53.08 dB	2	2	2.5700 GHz	2.5710 GHz	430.0 kHz	2.570241667 GHz	-46.20 dBm	-36.20 dB	3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.572833333 GHz	-42.81 dBm	-32.81 dB	4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.577333333 GHz	-41.55 dBm	-28.55 dB	5	5	2.5800 GHz	2.5950 GHz	1.000 MHz	2.586875000 GHz	-47.92 dBm	-22.92 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																																														
1	1	2.5550 GHz	2.5700 GHz	100.0 kHz	2.560000000 GHz	-23.08 dBm	-53.08 dB																																																																																														
2	2	2.5700 GHz	2.5710 GHz	430.0 kHz	2.570241667 GHz	-46.20 dBm	-36.20 dB																																																																																														
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.572833333 GHz	-42.81 dBm	-32.81 dB																																																																																														
4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.577333333 GHz	-41.55 dBm	-28.55 dB																																																																																														
5	5	2.5800 GHz	2.5950 GHz	1.000 MHz	2.586875000 GHz	-47.92 dBm	-22.92 dB																																																																																														
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																																														
1	1	2.5550 GHz	2.5700 GHz	100.0 kHz	2.560000000 GHz	-23.08 dBm	-53.08 dB																																																																																														
2	2	2.5700 GHz	2.5710 GHz	430.0 kHz	2.570241667 GHz	-46.20 dBm	-36.20 dB																																																																																														
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.572833333 GHz	-42.81 dBm	-32.81 dB																																																																																														
4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.577333333 GHz	-41.55 dBm	-28.55 dB																																																																																														
5	5	2.5800 GHz	2.5950 GHz	1.000 MHz	2.586875000 GHz	-47.92 dBm	-22.92 dB																																																																																														



LTE Band 38

Channel Bandwidth: 5MHz

Channel	37775	1RB	Channel	37775	FULL RB																																																																																
<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.5450 GHz</td> <td>2.5500 GHz</td> <td>1.000 MHz</td> <td>2.548750000 GHz</td> <td>-47.99 dBm</td> <td>-22.99 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.5500 GHz</td> <td>2.5650 GHz</td> <td>1.000 MHz</td> <td>2.562950000 GHz</td> <td>-49.30 dBm</td> <td>-36.30 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.5650 GHz</td> <td>2.5700 GHz</td> <td>100.0 kHz</td> <td>2.568100000 GHz</td> <td>-42.31 dBm</td> <td>-32.31 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.5700 GHz</td> <td>2.5900 GHz</td> <td>1.000 MHz</td> <td>2.570166667 GHz</td> <td>25.19 dBm</td> <td>-4.808 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.5450 GHz	2.5500 GHz	1.000 MHz	2.548750000 GHz	-47.99 dBm	-22.99 dB	2	2	2.5500 GHz	2.5650 GHz	1.000 MHz	2.562950000 GHz	-49.30 dBm	-36.30 dB	3	3	2.5650 GHz	2.5700 GHz	100.0 kHz	2.568100000 GHz	-42.31 dBm	-32.31 dB	4	4	2.5700 GHz	2.5900 GHz	1.000 MHz	2.570166667 GHz	25.19 dBm	-4.808 dB	<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.5450 GHz</td> <td>2.5500 GHz</td> <td>1.000 MHz</td> <td>2.549408333 GHz</td> <td>-45.60 dBm</td> <td>-20.60 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.5500 GHz</td> <td>2.5650 GHz</td> <td>1.000 MHz</td> <td>2.563720000 GHz</td> <td>-30.13 dBm</td> <td>-17.13 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.5650 GHz</td> <td>2.5700 GHz</td> <td>100.0 kHz</td> <td>2.569775000 GHz</td> <td>-56.44 dBm</td> <td>-46.44 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.5700 GHz</td> <td>2.5900 GHz</td> <td>1.000 MHz</td> <td>2.572900000 GHz</td> <td>15.49 dBm</td> <td>-13.51 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.5450 GHz	2.5500 GHz	1.000 MHz	2.549408333 GHz	-45.60 dBm	-20.60 dB	2	2	2.5500 GHz	2.5650 GHz	1.000 MHz	2.563720000 GHz	-30.13 dBm	-17.13 dB	3	3	2.5650 GHz	2.5700 GHz	100.0 kHz	2.569775000 GHz	-56.44 dBm	-46.44 dB	4	4	2.5700 GHz	2.5900 GHz	1.000 MHz	2.572900000 GHz	15.49 dBm	-13.51 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																														
1	1	2.5450 GHz	2.5500 GHz	1.000 MHz	2.548750000 GHz	-47.99 dBm	-22.99 dB																																																																														
2	2	2.5500 GHz	2.5650 GHz	1.000 MHz	2.562950000 GHz	-49.30 dBm	-36.30 dB																																																																														
3	3	2.5650 GHz	2.5700 GHz	100.0 kHz	2.568100000 GHz	-42.31 dBm	-32.31 dB																																																																														
4	4	2.5700 GHz	2.5900 GHz	1.000 MHz	2.570166667 GHz	25.19 dBm	-4.808 dB																																																																														
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																														
1	1	2.5450 GHz	2.5500 GHz	1.000 MHz	2.549408333 GHz	-45.60 dBm	-20.60 dB																																																																														
2	2	2.5500 GHz	2.5650 GHz	1.000 MHz	2.563720000 GHz	-30.13 dBm	-17.13 dB																																																																														
3	3	2.5650 GHz	2.5700 GHz	100.0 kHz	2.569775000 GHz	-56.44 dBm	-46.44 dB																																																																														
4	4	2.5700 GHz	2.5900 GHz	1.000 MHz	2.572900000 GHz	15.49 dBm	-13.51 dB																																																																														

Channel Bandwidth: 5MHz

Channel	38225	1RB	Channel	38225	FULL RB																																																																																
<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.6000 GHz</td> <td>2.6200 GHz</td> <td>1.000 MHz</td> <td>2.615266667 GHz</td> <td>24.29 dBm</td> <td>-5.709 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.6200 GHz</td> <td>2.6250 GHz</td> <td>100.0 kHz</td> <td>2.620450000 GHz</td> <td>-52.65 dBm</td> <td>-42.65 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.6250 GHz</td> <td>2.6400 GHz</td> <td>1.000 MHz</td> <td>2.629652000 GHz</td> <td>-46.71 dBm</td> <td>-33.71 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.6400 GHz</td> <td>2.6450 GHz</td> <td>1.000 MHz</td> <td>2.644583333 GHz</td> <td>-49.09 dBm</td> <td>-24.09 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.6000 GHz	2.6200 GHz	1.000 MHz	2.615266667 GHz	24.29 dBm	-5.709 dB	2	2	2.6200 GHz	2.6250 GHz	100.0 kHz	2.620450000 GHz	-52.65 dBm	-42.65 dB	3	3	2.6250 GHz	2.6400 GHz	1.000 MHz	2.629652000 GHz	-46.71 dBm	-33.71 dB	4	4	2.6400 GHz	2.6450 GHz	1.000 MHz	2.644583333 GHz	-49.09 dBm	-24.09 dB	<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.6000 GHz</td> <td>2.6200 GHz</td> <td>1.000 MHz</td> <td>2.615233333 GHz</td> <td>18.05 dBm</td> <td>-11.95 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.6200 GHz</td> <td>2.6250 GHz</td> <td>100.0 kHz</td> <td>2.620125000 GHz</td> <td>-56.95 dBm</td> <td>-46.95 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.6250 GHz</td> <td>2.6400 GHz</td> <td>1.000 MHz</td> <td>2.625720000 GHz</td> <td>-32.44 dBm</td> <td>-19.44 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.6400 GHz</td> <td>2.6450 GHz</td> <td>1.000 MHz</td> <td>2.643116667 GHz</td> <td>-47.31 dBm</td> <td>-22.31 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.6000 GHz	2.6200 GHz	1.000 MHz	2.615233333 GHz	18.05 dBm	-11.95 dB	2	2	2.6200 GHz	2.6250 GHz	100.0 kHz	2.620125000 GHz	-56.95 dBm	-46.95 dB	3	3	2.6250 GHz	2.6400 GHz	1.000 MHz	2.625720000 GHz	-32.44 dBm	-19.44 dB	4	4	2.6400 GHz	2.6450 GHz	1.000 MHz	2.643116667 GHz	-47.31 dBm	-22.31 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																														
1	1	2.6000 GHz	2.6200 GHz	1.000 MHz	2.615266667 GHz	24.29 dBm	-5.709 dB																																																																														
2	2	2.6200 GHz	2.6250 GHz	100.0 kHz	2.620450000 GHz	-52.65 dBm	-42.65 dB																																																																														
3	3	2.6250 GHz	2.6400 GHz	1.000 MHz	2.629652000 GHz	-46.71 dBm	-33.71 dB																																																																														
4	4	2.6400 GHz	2.6450 GHz	1.000 MHz	2.644583333 GHz	-49.09 dBm	-24.09 dB																																																																														
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																														
1	1	2.6000 GHz	2.6200 GHz	1.000 MHz	2.615233333 GHz	18.05 dBm	-11.95 dB																																																																														
2	2	2.6200 GHz	2.6250 GHz	100.0 kHz	2.620125000 GHz	-56.95 dBm	-46.95 dB																																																																														
3	3	2.6250 GHz	2.6400 GHz	1.000 MHz	2.625720000 GHz	-32.44 dBm	-19.44 dB																																																																														
4	4	2.6400 GHz	2.6450 GHz	1.000 MHz	2.643116667 GHz	-47.31 dBm	-22.31 dB																																																																														



LTE Band 38

Channel Bandwidth: 10MHz

Channel	37800	1RB	Channel	37800	FULL RB																																																																																
<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.5450 GHz</td> <td>2.5500 GHz</td> <td>1.000 MHz</td> <td>2.545108333 GHz</td> <td>-47.09 dBm</td> <td>-22.09 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.5650 GHz</td> <td>2.5650 GHz</td> <td>1.000 MHz</td> <td>2.562225000 GHz</td> <td>-34.55 dBm</td> <td>-21.55 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.5650 GHz</td> <td>2.5700 GHz</td> <td>200.0 kHz</td> <td>2.565075000 GHz</td> <td>-53.54 dBm</td> <td>-43.54 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.5700 GHz</td> <td>2.5900 GHz</td> <td>1.000 MHz</td> <td>2.570366667 GHz</td> <td>-23.90 dBm</td> <td>-6.103 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.5450 GHz	2.5500 GHz	1.000 MHz	2.545108333 GHz	-47.09 dBm	-22.09 dB	2	2	2.5650 GHz	2.5650 GHz	1.000 MHz	2.562225000 GHz	-34.55 dBm	-21.55 dB	3	3	2.5650 GHz	2.5700 GHz	200.0 kHz	2.565075000 GHz	-53.54 dBm	-43.54 dB	4	4	2.5700 GHz	2.5900 GHz	1.000 MHz	2.570366667 GHz	-23.90 dBm	-6.103 dB	<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.5450 GHz</td> <td>2.5500 GHz</td> <td>1.000 MHz</td> <td>2.545000000 GHz</td> <td>-45.26 dBm</td> <td>-20.26 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.5650 GHz</td> <td>2.5650 GHz</td> <td>1.000 MHz</td> <td>2.564650000 GHz</td> <td>-22.12 dBm</td> <td>-9.119 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.5650 GHz</td> <td>2.5700 GHz</td> <td>200.0 kHz</td> <td>2.566741667 GHz</td> <td>-53.26 dBm</td> <td>-43.26 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.5700 GHz</td> <td>2.5900 GHz</td> <td>1.000 MHz</td> <td>2.576166667 GHz</td> <td>-15.11 dBm</td> <td>-14.89 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.5450 GHz	2.5500 GHz	1.000 MHz	2.545000000 GHz	-45.26 dBm	-20.26 dB	2	2	2.5650 GHz	2.5650 GHz	1.000 MHz	2.564650000 GHz	-22.12 dBm	-9.119 dB	3	3	2.5650 GHz	2.5700 GHz	200.0 kHz	2.566741667 GHz	-53.26 dBm	-43.26 dB	4	4	2.5700 GHz	2.5900 GHz	1.000 MHz	2.576166667 GHz	-15.11 dBm	-14.89 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																														
1	1	2.5450 GHz	2.5500 GHz	1.000 MHz	2.545108333 GHz	-47.09 dBm	-22.09 dB																																																																														
2	2	2.5650 GHz	2.5650 GHz	1.000 MHz	2.562225000 GHz	-34.55 dBm	-21.55 dB																																																																														
3	3	2.5650 GHz	2.5700 GHz	200.0 kHz	2.565075000 GHz	-53.54 dBm	-43.54 dB																																																																														
4	4	2.5700 GHz	2.5900 GHz	1.000 MHz	2.570366667 GHz	-23.90 dBm	-6.103 dB																																																																														
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																														
1	1	2.5450 GHz	2.5500 GHz	1.000 MHz	2.545000000 GHz	-45.26 dBm	-20.26 dB																																																																														
2	2	2.5650 GHz	2.5650 GHz	1.000 MHz	2.564650000 GHz	-22.12 dBm	-9.119 dB																																																																														
3	3	2.5650 GHz	2.5700 GHz	200.0 kHz	2.566741667 GHz	-53.26 dBm	-43.26 dB																																																																														
4	4	2.5700 GHz	2.5900 GHz	1.000 MHz	2.576166667 GHz	-15.11 dBm	-14.89 dB																																																																														


Channel Bandwidth: 10MHz

Channel	38200	1RB	Channel	38200	FULL RB																																																																																
<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.6000 GHz</td> <td>2.6200 GHz</td> <td>1.000 MHz</td> <td>2.610533333 GHz</td> <td>-24.72 dBm</td> <td>-5.265 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.6200 GHz</td> <td>2.6250 GHz</td> <td>200.0 kHz</td> <td>2.624800000 GHz</td> <td>-51.67 dBm</td> <td>-41.67 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.6250 GHz</td> <td>2.6400 GHz</td> <td>1.000 MHz</td> <td>2.630000000 GHz</td> <td>-43.46 dBm</td> <td>-30.46 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.6400 GHz</td> <td>2.6450 GHz</td> <td>1.000 MHz</td> <td>2.640558333 GHz</td> <td>-46.97 dBm</td> <td>-21.97 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.6000 GHz	2.6200 GHz	1.000 MHz	2.610533333 GHz	-24.72 dBm	-5.265 dB	2	2	2.6200 GHz	2.6250 GHz	200.0 kHz	2.624800000 GHz	-51.67 dBm	-41.67 dB	3	3	2.6250 GHz	2.6400 GHz	1.000 MHz	2.630000000 GHz	-43.46 dBm	-30.46 dB	4	4	2.6400 GHz	2.6450 GHz	1.000 MHz	2.640558333 GHz	-46.97 dBm	-21.97 dB	<table border="1"> <thead> <tr> <th>Spur</th> <th>Range</th> <th>Start Freq</th> <th>Stop Freq</th> <th>RBW</th> <th>Frequency</th> <th>Amplitude</th> <th>Δ Limit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1</td> <td>2.6000 GHz</td> <td>2.6200 GHz</td> <td>1.000 MHz</td> <td>2.611866667 GHz</td> <td>-15.73 dBm</td> <td>-14.27 dB</td> </tr> <tr> <td>2</td> <td>2</td> <td>2.6200 GHz</td> <td>2.6250 GHz</td> <td>200.0 kHz</td> <td>2.622308333 GHz</td> <td>-52.58 dBm</td> <td>-42.58 dB</td> </tr> <tr> <td>3</td> <td>3</td> <td>2.6250 GHz</td> <td>2.6400 GHz</td> <td>1.000 MHz</td> <td>2.625800000 GHz</td> <td>-18.95 dBm</td> <td>-5.950 dB</td> </tr> <tr> <td>4</td> <td>4</td> <td>2.6400 GHz</td> <td>2.6450 GHz</td> <td>1.000 MHz</td> <td>2.644933333 GHz</td> <td>-48.30 dBm</td> <td>-23.30 dB</td> </tr> </tbody> </table>			Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.6000 GHz	2.6200 GHz	1.000 MHz	2.611866667 GHz	-15.73 dBm	-14.27 dB	2	2	2.6200 GHz	2.6250 GHz	200.0 kHz	2.622308333 GHz	-52.58 dBm	-42.58 dB	3	3	2.6250 GHz	2.6400 GHz	1.000 MHz	2.625800000 GHz	-18.95 dBm	-5.950 dB	4	4	2.6400 GHz	2.6450 GHz	1.000 MHz	2.644933333 GHz	-48.30 dBm	-23.30 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																														
1	1	2.6000 GHz	2.6200 GHz	1.000 MHz	2.610533333 GHz	-24.72 dBm	-5.265 dB																																																																														
2	2	2.6200 GHz	2.6250 GHz	200.0 kHz	2.624800000 GHz	-51.67 dBm	-41.67 dB																																																																														
3	3	2.6250 GHz	2.6400 GHz	1.000 MHz	2.630000000 GHz	-43.46 dBm	-30.46 dB																																																																														
4	4	2.6400 GHz	2.6450 GHz	1.000 MHz	2.640558333 GHz	-46.97 dBm	-21.97 dB																																																																														
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																														
1	1	2.6000 GHz	2.6200 GHz	1.000 MHz	2.611866667 GHz	-15.73 dBm	-14.27 dB																																																																														
2	2	2.6200 GHz	2.6250 GHz	200.0 kHz	2.622308333 GHz	-52.58 dBm	-42.58 dB																																																																														
3	3	2.6250 GHz	2.6400 GHz	1.000 MHz	2.625800000 GHz	-18.95 dBm	-5.950 dB																																																																														
4	4	2.6400 GHz	2.6450 GHz	1.000 MHz	2.644933333 GHz	-48.30 dBm	-23.30 dB																																																																														



LTE Band 38

Channel Bandwidth: 15MHz



Channel Bandwidth: 15MHz

