


802.11n 20 TEST RESULT TEST PLOT OF SPECTRAL DENSITY FOR LOW CHANNEL

TEST PLOT OF SPECTRAL DENSITY FOR MIDDLE CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





TEST PLOT OF SPECTRAL DENSITY FOR HIGH CHANNEL

802.11n 40 TEST RESULT

TEST PLOT OF SPECTRAL DENSITY FOR LOW CHANNEL




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





TEST PLOT OF SPECTRAL DENSITY FOR MIDDLE CHANNEL

TEST PLOT OF SPECTRAL DENSITY FOR HIGH CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Piertog/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



11. RADIATED EMISSION

11.1. MEASUREMENT PROCEDURE


- 1. The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
- 2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- 3. The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
- 4. For each suspected emissions, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
- 5. Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
- 6. For emissions above 1GHz, use 1MHz RBW and 3MHz VBW for peak reading. Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or reference ground plane.
- 7. When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum values.
- 8. If the emissions level of the EUT in peak mode was 3 dB lower than the average limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method for below 1GHz.
- 9. For testing above 1GHz, the emissions level of the EUT in peak mode was lower than average limit (that means the emissions level in peak mode also complies with the limit in average mode), then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
- 10. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High Low scan is not required in this case.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Besting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.




11.2. TEST SETUP


Radiated Emission Test-Setup Frequency Below 30MHz



RADIATED EMISSION TEST SETUP 30MHz-1000MHz



RADIATED EMISSION TEST SETUP ABOVE 1000MHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE in the test estimates and the test estimates and the test estimates are presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

11.3. LIMITS AND MEASUREMENT RESULT

15.209(a) Limit in the below table has to be followed

Frequencies (MHz)	Field Strength (micorvolts/meter)	Measurement Distance (meters)
0.009~0.490	2400/F(KHz)	300
0.490~1.705	24000/F(KHz)	30
1.705~30.0	30	30
30~88	100	3
88~216	150	3
216~960	200	3
Above 960	500	3

Note: All modes were tested For restricted band radiated emission,

the test records reported below are the worst result compared to other modes.

11.4. TEST RESULT

RADIATED EMISSION BELOW 30MHZ

The amplitude of spurious emissions from 9kHz to 30MHz which are attenuated more than 20 dB below the permissible value need not be reported.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stead of the stand in the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09264210101FE05 Page 53 of 93

RADIATED EMISSION BELOW 1GHZ

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with date rate 1 2412MHZ	Antenna	Horizontal



No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		67.1833	10.40	16.76	27.16	40.00	-12.84	peak
2	İ	138.3166	20.93	19.12	40.05	43.50	-3.45	peak
3	*	162.5666	21.32	18.93	40.25	43.50	-3.25	peak
4		356.5667	15.01	21.46	36.47	46.00	-9.53	peak
5		416.3833	13.42	23.31	36.73	46.00	-9.27	peak
6		466.5000	10.86	24.32	35.18	46.00	-10.82	peak

RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the submitted restriction of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09264210101FE05 Page 54 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with date rate 1 2412MHZ	Antenna	Vertical

66.9 dBuV/m



No. Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over	
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1 *	42.9333	21.81	14.69	36.50	40.00	-3.50	peak
2 !	138.3166	20.64	19.12	39.76	43.50	-3.74	peak
3	230.4667	20.27	17.03	37.30	46.00	-8.70	peak
4	409.9166	12.74	23.18	35.92	46.00	-10.08	peak
5	448.7167	12.03	23.96	35.99	46.00	-10.01	peak
6	932.1000	2.14	31.98	34.12	46.00	-11.88	peak

RESULT: PASS

Note: 1. Factor=Antenna Factor + Cable loss, Margin=Measurement-Limit.

2. The "Factor" value can be calculated automatically by software of measurement system.

3. All test modes had been pre-tested. The 802.11b at low channel is the worst case and recorded in the report. Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by its addicated restriction in the report. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15d vs after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with date rate 1 2412MHZ	Antenna	Horizontal

RADIATED EMISSION ABOVE 1GHZ

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
4824.000	56.97	0.08	57.05	74	-16.95	peak
4824.000	48.13	0.08	48.21	54	-5.79	AVG
7236.000	52.45	2.21	54.66	74	-19.34	peak
7236.000	41.56	2.21	43.77	54	-10.23	AVG
						CC -
Remark:	0			C.	0	
actor = Ante	enna Eactor + C	able Loss – P	re-amplifier			8

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with date rate 1 2412MHZ	Antenna	Vertical

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	
(MHz)	(dBµV)	(dB) 💿	(dBµV/m)	(dBµV/m)	(dB)	 Value Type
4824.000	56.35	0.08	56.43	74	-17.57	peak
4824.000	48.29	0.08	48.37	54	-5.63	AVG
7236.000	51.83	2.21	54.04	74	-19.96	peak
7236.000	42.67	2.21	44.88	54	-9.12	AVG
			0			
			6			
emark:			$G^{\prime} = G$	0		
actor = Ante	enna Factor + Ca	ble Loss –	Pre-amplifier.	- C		

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Report No.: AGC09264210101FE05 Page 56 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with date rate 1 2437MHZ	Antenna	Horizontal

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	Value Type
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	value Type
4874.000	56.84	0.14	56.98	74	-17.02	peak
4874.000	45.85	0.14	45.99	54	-8.01	AVG
7311.000	51.37	2.36	53.73	74	-20.27	peak
7311.000	41.33	2.36	43.69	54	-10.31	AVG
A G				e.C	6	
		e				
emark:						

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with date rate 1 2437MHZ	Antenna	Vertical

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	Value Type
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	value rype
4874.000	54.31	0.14	54.45	74	-19.55	peak
4874.000 💿	46.22	0.14	46.36	54	-7.64	AVG
7311.000	50.95	2.36	53.31	74	-20.69	peak
7311.000	41.39	2.36	43.75	54	-10.25	AVG
		- 61	ß			
8		0		8		
emark:					(2)	
actor = Ante	enna Factor + Ca	ble Loss –	Pre-amplifier.			8

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with date rate 1 2462MHZ	Antenna	Horizontal

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	Value Type
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	value Type
4924.000	56.32	0.22	56.54	74	-17.46	peak
4924.000	45.19	0.22	45.41	54	-8.59	AVG
7386.000	51.84	2.64	54.48	74 💿	-19.52	peak
7386.000	40.92	2.64	43.56	54	-10.44	AVG
	5 - (0		V.CV	-0
Remark:						
actor = Ante	enna Factor + C	able Loss –	Pre-amplifier.		(2)	

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with date rate 1 2462MHZ	Antenna	Vertical

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	Value Type
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	value Type
4924.000	58.15	0.22	58.37	74	-15.63	peak
4924.000	49.16	0.22	49.38	54	-4.62	AVG
7386.000	53.83	2.64	56.47	74	-17.53	peak
7386.000	41.58	2.64	44.22	54	-9.78	AVG
8				C	8	
					C.	8
lemark:		3				6
actor = Ante	enna Factor + Ca	ble Loss –	Pre-amplifier.			

RESULT: PASS

Note:

The amplitude of other spurious emissions from 1G to 25 GHz which are attenuated more than 20 dB below the permissible value need not be reported.

Factor = Antenna Factor + Cable loss - Amplifier gain, Over=Measure-Limit.

The "Factor" value can be calculated automatically by software of measurement system.

All test modes had been pre-tested. The 802.11b mode is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "bedicated festive/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of ACC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



12. BAND EDGE EMISSION

12.1. MEASUREMENT PROCEDURE

Radiated restricted band edge measurements

The radiated restricted band edge measurements are measured with an EMI test receiver connected to the receive antenna while the EUT is transmitting

12.2. TEST SET-UP

same as 11.2

Note:

1. Factor=Antenna Factor + Cable loss - Amplifier gain. Field Strength=Factor + Reading level

2. The factor had been edited in the "Input Correction" of the Spectrum Analyzer. So the Amplitude of test plots

is equal to Reading level plus the Factor in dB. Use the A dB(μ V) to represent the Amplitude. Use the F dB(μ V /m) to represent the Field Strength. So A=F.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated resting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

 Attestation of Global Compliance(Shenzhen)Co., Ltd

 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

 Tel: +86-755 2523 4088
 E-mail: agc@agc-cert.com



Report No.: AGC09264210101FE05 Page 59 of 93


12.3. TEST RESULT

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with data rate 1 2412MHZ	Antenna	Horizontal

PK



AV



RESULT: PASS

Sedicated Fest Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Period g/Inspection he test results Sf the test report.




Report No.: AGC09264210101FE05 Page 60 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with data rate 1 2412MHZ	Antenna	Vertical

PK

Avg Type: Log-Pw Avg|Hold: 100/100 r Freq 2.399500000 GHz Trig: Free Run #Atten: 30 dB Auto Tun Ref 126.99 dBµV/m Center Free 2.399500000 GH Start Fred 2.370000000 GH Stop Freq 2.429000000 GH CF Step 5.900000 MH Stop 2.42900 G 2.37000 GHz BW 1.0 MHz #VBW 3.0 MHz Sweer 2.411 99 GHz 103.591 dBµV/ 2.390 00 GHz 46.639 dBµV/ Freq Offse 0 H Scale Type



RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphroization of AGE the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.




Report No.: AGC09264210101FE05 Page 61 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with data rate 1 2462MHZ	Antenna	Horizontal

PK

Avg Type: Log-Pw Avg|Hold: 100/100 r Freq 2.472500000 GHz Trig: Free Run #Atten: 30 dB Auto Tun Ref 126.99 dBµV/m Center Free 2.472500000 GH: Start Fred 2.445000000 GH m Stop Freq 2.50000000 GH Stop 2.50000 GH CF Step 5.500000 MH 2.44500 GHz BW 1.0 MHz #VBW 3.0 MHz Sween Ma 2.462 01 GHz 105.079 dBµV 2.483 50 GHz 49.640 dBµV Freq Offse 0 H Scale Type



RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphroization of AGE the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.




Report No.: AGC09264210101FE05 Page 62 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with data rate 1 2462MHZ	Antenna	Vertical

PK

Avg Type: Log-Pv Avg|Hold: 100/100 0 GHz Trig: Free Run #Atten: 30 dB Auto Tur Ref 126.99 dBµV/m Center Freq 2.472500000 GHz Start Free 2.445000000 GH "Min Stop Free 2.50000000 GH CF Ste 5.500000 M Stop 2.50 1.066 ms // t 2.44500 GHz s BW 1.0 MHz #VBW 3.0 MHz 2.462 07 GHz 102.238 dBµV/n 2.483 50 GHz 45.925 dBµV/n Freq Offse οн Scale Type



RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.




Report No.: AGC09264210101FE05 Page 63 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11g with data rate 6 2412MHZ	Antenna	Horizontal

PK



AV



RESULT: PASS

*Dedicated Fest Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Solicited Period Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15daySafter the issues of a/Inspection The test results the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09264210101FE05 Page 64 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11g with data rate 6 2412MHZ	Antenna	Vertical

PK



AV



RESULT: PASS

*Dedicated Fest Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Solicited Period Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15daySafter the issues of g/Inspection The test results the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC09264210101FE05 Page 65 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC
Temperature	21.8°C	Relative Humidity	58%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11g with data rate 6 2462MHZ	Antenna	Horizontal

PK



AV



RESULT: PASS

*Dedicated Fest Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Solicited Period Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15daySafter the issues of g/Inspection The test results the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC09264210101FE05 Page 66 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC	
Temperature21.8°C		Relative Humidity	58%	
Pressure	960hPa	Test Voltage	Normal Voltage	
Test Mode	802.11g with data rate 6 2462MHZ	Antenna	Vertical	

PK



AV



RESULT: PASS

Dedicated Fest Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Solicited Period Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15daySafter the issues of g/Inspection The test results the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC09264210101FE05 Page 67 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC		
Temperature	ure 21.8°C Re		58%		
Pressure	960hPa	Test Voltage	Normal Voltage		
Test Mode	802.11n 20 with data rate 6.5 2412MHZ	Antenna	Horizontal		

PK



AV



RESULT: PASS

*Dedicated Fest Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Solicited Period Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15daySafter the issues of g/Inspection The test results the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09264210101FE05 Page 68 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC		
Temperature	21.8°C	Relative Humidity	58%		
Pressure	960hPa	Test Voltage	Normal Voltage		
Test Mode	802.11n 20 with data rate 6.5 2412MHZ	Antenna	Vertical		

PK



AV



RESULT: PASS

*Dedicated Fest Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Sedicated Pestu Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGS presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of g/Inspection The test results Šf the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09264210101FE05 Page 69 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC		
Temperature	perature 21.8°C		58%		
Pressure	960hPa	Test Voltage	Normal Voltage		
Test Mode	802.11n 20 with data rate 6.5 2462MHZ	Antenna	Horizontal		

PK



AV



RESULT: PASS

*Dedicated Fest Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Solicited Period Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15daySafter the issues of g/Inspection The test results the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC09264210101FE05 Page 70 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC	
Temperature21.8°C		Relative Humidity	58%	
Pressure	960hPa Test Voltage		Normal Voltage	
Test Mode	802.11n 20 with data rate 6.5 2462MHZ	Antenna	Vertical	

PK



AV



RESULT: PASS


*Dedicated Fest Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Solicited Period Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15daySafter the issues of g/Inspection The test results the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC09264210101FE05 Page 71 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC		
Temperature	rature 21.8°C		58%		
Pressure	essure 960hPa		Normal Voltage		
Test Mode	802.11n 40 with data rate 13.5 2422MHZ	Antenna	Horizontal		

PK



AV



RESULT: PASS

*Dedicated Fest Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Solicited Period Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15daySafter the issues of g/Inspection The test results the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC09264210101FE05 Page 72 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC		
Temperature	nperature 21.8°C		58%		
Pressure	Pressure 960hPa		Normal Voltage		
Test Mode	802.11n 40 with data rate 13.5 2422MHZ	Antenna	Vertical		

PK



AV



RESULT: PASS


Dedicated Fest Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Solicited Pestre Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15daySaften the issuance of a/Inspection The test results the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC09264210101FE05 Page 73 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC		
Temperature	emperature 21.8°C		58%		
Pressure	960hPa Test Vo		Normal Voltage		
Test Mode	802.11n 40with data rate 13.5 2452MHZ	Antenna	Horizontal		

PK



AV




RESULT: PASS

Dedicated Fest Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Solicited Period Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15daySafter the issues of g/Inspection The test results the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09264210101FE05 Page 74 of 93

EUT	Smart Ambiance Lamp With Alarm Clock	Model Name	SAC	
Temperature	21.8°C	Relative Humidity	58%	
Pressure	960hPa	Test Voltage	Normal Voltage	
Test Mode	802.11n 40 with data rate 13.5 2452MHZ	Antenna	Vertical	







RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

13. FCC LINE CONDUCTED EMISSION TEST

13.1. LIMITS OF LINE CONDUCTED EMISSION TEST


Francisco	Maximum RF	Line Voltage
Frequency	Q.P.(dBuV)	Average(dBuV)
150kHz~500kHz	66-56	56-46
500kHz~5MHz	56	46
5MHz~30MHz	60	50

Note:

1. The lower limit shall apply at the transition frequency.

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

13.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.

 Attestation of Global Compliance(Shenzhen)Co., Ltd

 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

 Tel: +86-755 2523 4088
 E-mail: agc@agc-cert.com



13.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST

- The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
- 2. Support equipment, if needed, was placed as per ANSI C63.10.
- 3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
- 4. All support equipments received AC120V/60Hz power from a LISN, if any.
- 5. The EUT received DC 5V power from adapter which received AC120V/60Hz power from a LISN.
- 6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
- 7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
- 8. During the above scans, the emissions were maximized by cable manipulation.
- 9. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.


13.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST

- 1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
- A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less –2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
- 3. The test data of the worst case condition(s) was reported on the Summary Data page.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approved to AGC within 15day after the issues of the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



13.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST




l ine	Conducted	Emission ⁻	Test Line 1-L	
	Conducted	LIIIISSIUII		

No	Freq. (dBuV) Fac					Limit (dBuV)		Margin (dB)		P/F			
	· (MHz)	Peak	QP	AVG	dB	Peak	QP	AVG	QP	AVG	QP	AVG	
1	0.1860	43.27	33.95	12.98	12.84	56.11	46.79	25.82	64.21	54.21	-17.42	-28.39	Р
2	0.2260	42.75	39.56	28.42	12.91	55.66	52.47	41.33	62.59	52.59	-10.12	-11.26	Р
3	0.3379	39.49	33.81	22.32	13.19	52.68	47.00	35.51	59.25	49.25	-12.25	-13.74	Р
4	0.4620	38.98	35.64	24.29	13.65	52.63	49.29	37.94	56.66	46.66	-7.37	-8.72	Р
5	0.5380	38.05	32.63	19.54	13.77	51.82	46.40	33.31	56.00	46.00	-9.60	-12.69	Р
6	0.6540	35.88	31.21	18.46	13.81	49.69	45.02	32.27	56.00	46.00	-10.98	-13.73	Р

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09264210101FE05 Page 78 of 93



Line Conducted Emission Test Line 2-N

No.	Freq. (MHz)	Reading_Level (dBuV)			Correct Factor	Measurement (dBuV)			Limit (dBuV)		Margin (dB)		P/F
		Peak	QP	AVG	dB	Peak	QP	AVG	QP	AVG	QP	AVG	
1	0.2340	42.51	40.41	29.27	12.92	55.43	53.33	42.19	62.30	52.30	-8.97	-10.11	Р
2	0.2980	40.88	36.03	20.84	13.00	53.88	49.03	33.84	60.30	50.30	-11.27	-16.46	Р
3	0.3500	39.46	35.33	22.47	13.26	52.72	48.59	35.73	58.96	48.96	-10.37	-13.23	Р
4	0.4700	40.24	36.38	23.54	13.67	53.91	50.05	37.21	56.51	46.51	-6.46	-9.30	Р
5	0.5340	37.83	33.52	20.28	13.77	51.60	47.29	34.05	56.00	46.00	-8.71	-11.95	Р
6	0.6700	37.88	32.84	18.94	13.81	51.69	46.65	32.75	56.00	46.00	-9.35	-13.25	Р


RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated for the formation of the stamp. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC09264210101FE05 Page 79 of 93

APPENDIX A: PHOTOGRAPHS OF TEST SETUP FCC RADIATED EMISSION TEST SETUP BELOW 1GHZ



FCC RADIATED EMISSION TEST SETUP ABOVE 1GHZ



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

 Attestation of Global Compliance(Shenzhen)Co., Ltd

 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

 Tel: +86-755 2523 4088
 E-mail: agc@agc-cert.com




Report No.: AGC09264210101FE05 Page 80 of 93



CONDUCTED EMISSION TEST SETUP

CONDUCTED TEST SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

 Attestation of Global Compliance(Shenzhen)Co., Ltd

 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

 Tel: +86-755 2523 4088
 E-mail: agc@agc-cert.com