
# Smart Night Lamp Alarm Clock Manual



Please read this instruction carefully before using the product and keep it safe



Post

norenact



• Excellent design and quality of products

Back

viou

- 4.2 inch large size white LED time display, brightness can be automatically
- adjusted according to the environment brightness, or can completely turn off the unique design of bilateral indirect amber light to the light sensitive, can adjust the brightness between 1-10 levels, provide you with soft and warm lighting
- Two sets of separate alarm clocks, equipped with six kinds of natural sound
- wake-up, and the alarm clock can be adjusted according to the working day and rest day to repeat the cycle of soft lights and professional white noise sleep, the end of sleep can automatically turn off the sound and lights
- Time format supports 12/24 H ,12 H, screen
- e

display AM/PM network time, time zone and

daylight saving time

• Voice and APP control alarm clocks, sleepers and lights

## FCC Statment

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-Consult the dealer or an experienced radio/TV technician for help

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Warning Statements:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment shall be installed and operated with minimum distance 20cm between the radiator & body.

Mode1	SNA006-S						
Size	200×85×97.6 mm						
Weight	About g 405						
Color	Black						
Material	ABS+PC, silica gel, metal						
Control mode	keystroke control, APP control, voice control (link third party smart audio)						
Input	Micro USB adapter 5 V 2A						
Output	USB A output 5 V 1A						
Power	10W (MAX)						
Speaker	Ω3₩4						
Packing List	Smart night light alarm clock, manual, adapter (optional), charging line (optional)						
Product certific ation	F© ( € 🖾 🎽 👶						

Operation

Display icor






Time Display icon

Network time, support time zone and daylight saving time; time format

support 12/24 H system ,12 H system, screen display AM/P M. Boot default time format is 12 H system. (Can long press the setting key to set the common time system, but also support APP switching time system)

#### Indicator light



1/2 alarm clock 1/2 indicator

- Check the alarm clock time, the indicator lights when flashing
- Turn on the alarm
- clock,
   the
- indicator lights always turn off the alarm clock, the indicator lights flicker during the sound
- Stop the noise (during the
- noise), and the indicator lights flicker during the nap
- When the alarm clock is
- set, the indicator lights flicker

3 Sleepy/Light Indicator Turn on sleepiness (during noise), indicator lights flicker off sleepiness, indicator lights go out 4. Setting indicator light During setting, the indicator lights flicker out and the indicator lights go out

5 sleeping indicator Turn on the sleeping companion, the indicator light is always on During the sleep setting, the indicator lights flicker; turn off the sleep and the indicator lights go out

(©Wi-Fiindicator No distribution network, icon slow flash; Distribution network icon flash; distribution network success, icon always bright; broken network status, icon extinguished

### ①/② Alarm Clock 1/2 Click

- You can view the set alarm clock time;
- Can turn on
- alarm clock; can turn off
  - alarm clock;
- During the noise, click once to stop the noise; click again to turn off the alarm clock;
- During sleep opening, click the clock button to turn off sleep; click the clock button again to turn off the alarm clock.

Long press

• Enter alarm clock settings. Set H H (hours), M M (minutes), alarm clock sound effects (six) in sequence by clicking the alarm key Optional), alarm clock volume (level 10 adjustable), with the use of +/-key adjustment options, after completion, click the alarm clock key to end the setting, while the alarm clock on.

#### 3/5+/- key, Wi-Fi network key

- During setting the alarm clock and sleeping, use the +/- key adjustment option;
- After turning on the night light, you can use the +/-key to adjust the brightness of the night light (level 10 adjustable);
- Press "+"-" at the same time to reset the Wi-Fi distribution network.

#### 6 Settings

click Set screen brightness (day, night, auto, off)

Long press

Entry time, time format (12/24 H); By clicking the Settings key, you can set H H (hours sequentially ), M M (minutes), 12 H/24H, with the use of the +/-key adjustment option, after completion, click the settings key to end the settings, return to the time display interface. with six natural sound effects, wake up your body.

You can set:

Alarm clock time, name, alarm clock repetition, alarm sound effect, noise sound effect, volume, noise time, sleep switch, sleep mode, sleep time. (\* See alarm key operation for details, support APP operation)

#### S1eepy

When the alarm clock rings, you can gently press the top of the device "Key, take a nap.During sleep, amber lights on both sides, but the alarm will ring again after 9 minutes.

You can set:

Sleepy interval, sleepiness, whether to turn off lights and alarm music

Function explanation

#### Time display

- 4.2 inch large white LED time display time is clear
- Brightness can be adjusted to high during the day, low at night, or can be completely closed to light sensitive (\* see setting key operation for details)
- Time format supports 12/24 H and 12 H. Screen display AM/P M (\* see setup key operation for details)
- Automatically supports time zones and daylight saving time

#### Wake up alarm clock

Two sets of separate alarm clocks,

#### Sleepy/lighting Key

Alarm clock ringing period: click, you can enter sleep mode; non-ring period: click, you can turn on the night light, you can click the +/-key to adjust the brightness of the night light.

#### 7 Sleep with

key click

Turn on the default sleep mode, the key indicator lights up, Amber night lights on both sides, accompanied by professional white noise.Turn off sleep mode

#### Long press

Enter the sleep setting. By clicking the sleep companion button, press Set the duration of sleep (5-120 minutes), sound effects (four optional or off), sound volume (level 10 adjustable), night light brightness (level 10 adjustable) After you have finished, click the + key to finish setting and start with the sleep. :: Setting up automatic exit settings for more than 15 S, per item to sleep with clock as a bedside lamp. Gently press the device button, turn

- on the bedside lamp, and can be
- at level 1-10

Adjust the brightness between. (\* See key operation of light switch for details)

#### Sleep

You can gently pres@the device top "key to open the sleep companion. With the gradual reduction of light brightness during sleep, with the gradual reduction of sound sound, until completely closed, with you to sleep at ease.

You can set:

Name, initial light intensity, sleep duration, sleep sound and initial volume, music effect, whether the end of sleep is automatically closed. (\* For more details, see Sleep key operation, support APP operation)

#### Nightlight

If you wake up at night, press the "button on the top of the device to turn on the night light. The faint amber light The soft light intensity just allows you to see the road in the dark. (\* See key operation of light switch for details)

#### Bedside lamp

You can use the night light alarm

# ©/☆

## APP

Detailed setting of alarm clock, sleep companion and light is supported APP controlled.Distribution Network

#### Download client

A QR code download installation App. for searching "Smart Life" or scanning instructions in the app storeAndroid user: can search "Smart Li f e" download "in Google Play; IOS users: can search the IOS APP S t o r e "Smart Li f e" download,; For the first download, please click the "Registration" button to register the account; if there is an account, click the "login" button.



Distribution network requirements

The binding device distribution network needs to open the phone location, Bluetooth and Wi-F (I only support 2.4 G), allowing the phone to access APP location permissions.

Distribution Network Mode [1 Automatic Discovery /2 Manual Add (Wi-Fi Fast Link, Hot Point Distribution Network, Bluetooth Distribution Network)] Take "Automatic Discovery" as an example

 Electrify the equipment, confirm to top of the equipment Wi-Fi icon "flash, into the distribution network state;

(If there is no flash, press the device Wi-Fi key until the Wi-Fi icon flashes)

- Confirm that mobile phones and devices are in the same network environment (2.4 G only);
- 3. Open APP display "My Home" page and click "+" in the upper right corner;
- Find the device to be added, click "to add ", select the night light alarm clock to add;



- 5. Choose 2.4 GHz Wi-Fi network and enter password, click next;
- 6. Display is adding page, after the connection is successful, display add device success page, click complete. The device name can be modified here
- 。Device Top Wi-Fi 🖚n " "Chang Liang.



#### Voice

The device is connected to the Alexa/Google smart home system, and the user can control the product through dialogue with the Alexa/Google speaker. You can use voice control:

- Turn on and off
- the alarm clock
- and turn on and off the night light

#### Third party smart device link

Supports pairing links with Amazon Alexa/Google Assistant/ Tmall elves.

. F	■ 中国移动 零	11:58		▲I中国移动 🗢		1 10 99% 🔲 1	<ul> <li>++</li> <li>+</li> <li>+</li></ul>	÷	10:44	@ <b>7 0</b> 99% 💼 +	
Go	to the	ma被时间的ag	e, cl 💁	on the top	right c	orner,	selec	t your	corr	esponding	device
	44		АМ	📖 夜灯闹钟		∠>		🔿 am	azon	alexa	
	11	:58	РМ	设备信息		>					
				"一键执行"和"自动们	K"	>					
	角钟1 1-0000510天	07:30 AM	0	支持的第三方控制				<b>U</b>			
					•	4	将你的	App 账号与 Ar	nazon 账号t	ll定后,便可道过 \$Alexa的设备。	
	<b>闹钟2</b> 1-间钟音乐1每天	08:30 AM		Alexa Goo	gle Tmail C	Penie	例如"AJ	ska, turn on lig	ht."	overended size in y	
			$\rightarrow$	设备高线提醒							
	睡眠闹钟 伴地音乐3周報	12:05 AM	0	离线提醒		$\bigcirc$					
				其他							
	<del>-</del> 0-		15	共享设备		>		co = ,	.mazon/#	_	
				常见问题与反馈				豆束/	mazonyg	2	
								宣看更多诗	接方式与语	音功能	
				添加到主屏幕		>					

name, and add the device according to the prompt steps.





Time Display Settings

Clock 1

Setting

Clock 2

Setting

Set up

night

light

setting

Take "alarm clock 1" as an example:

1. can switch all alarm clocks directly on

the main page.

2. Click on the "alarm clock 1" area to enter the" alarm clock 1 settings "page, you can set the alarm clock" alarm clock time "," name "," repeat "," alarm sound effect "," noise sound effect "," noise time "," volume "," sleep "and other alarm clock function parameters.

3. Click Save in the upper right corner to exit the current settings page and keep

中国移动 🗢	11:58	@ <b>1 0</b> 77% 🔳	■11中国移动 令	12:15 💿 🕈 🖉 74% 🗖
<	夜灯闹钟	∠	<	闹钟1设置 保存
11:	58	AM PM	04. 05	27 28
		РМ	06	29
			07	30
倒钟1	07:30 AM		08	31
14日9971 1-间钟音乐1 每天	07:30 AM			32
<b>闲钟2</b> 1-用钟音乐1 每天	08:30 AM	0		
			≡ 名字	间钟1 >
<b>睡眠病钟</b> 伴睡音乐3.渐發	12:05 AM		S ER	每天 >
•0		15	○ 闹钟音效	1-闹钟音乐1 >
			响闹音效	渐强。
			音量	20%
			喻闹时间	30 分钟 >
			24、贪睡开关	0
			贪睡模式	贪睡模式0 >

the current settings.

### FAQs

1. device connection failed?

Please put routers, devices and mobile phones in the same area, as close as possible; Please confirm that the connected Wi-Fi signal is normal ;(support 2.4 GHz Wi-Fi network only) 3 Please press the Wi-Fi button to re-enter the network mode, try again to connect the distribution network.

2. Bluetooth device can not connect? Please make sure the Bluetooth is on; Please confirm that the device is bound to other Bluetooth devices

3. APP suddenly can't control the equipment? Could be a network cause or the device is offline Please confirm that the equipment is energized; Please confirm that the connected Wi-Fi signal is normal ;(only support 2.4 GHz Wi-Fi network) it is recommended that you keep APP open for about 3 minutes to see if the device is still in normal online state; If you are still online, put your phone next to the device and connect to the same Wi-Fi, as the device. Try opening the page to see if it is smooth to determine the network.

Exit the phone's background application, open it again and try again.

4. how to reset Wi-Fi? Press The "Wi-Fi distribution network button until the display area Wi-Fi icon flashes, the reset Wi-Fi is successful; if not, the device is completely powered off and retry.

\* Reset Wi-Fi removes the bound device and clears the previous parameter settings.

5. in the hot distribution network (compatible mode) did not find  ${\tt SmarLife-xxxx}$  how to do?

Turn on mobile location, Bluetooth and Wi-F (i only support 2.4 G); Try to automatically discover or manually add a re-distribution network.

device status can not be synchronized with the display status on the APP?
 Please confirm that the equipment is connected;

When using the APP operating device, check that the device status is synchronized with the display status on the APP.

After the 7. device is connected, it can be controlled in the same place, but the mobile phone can not be remotely controlled by changing another address or other network?

If the device encounters such a situation, it is possible that the device and mobile phone are connected to the same LAN, but not to the network.

Please put the phone next to the device, then connect to the same device Wi-F

i, try to open the web page to see if the process, to determine whether the Wi-Fi signal is normal:

If you can not access the network, it is recommended to restart the router.



Please use this product correctly according to the instructions, it is strictly forbidden to disassemble and collide this product;

please place the product on a stable

horizontal and non-smooth surface; please no

longer use in rooms with temperatures below

 $0^{\circ}$  or above  $40^{\circ}$ ;

Do not use in high temperature, wet, corrosive environment

to avoid leakage caused by circuit damage; please keep it

properly, do not let children use electrical appliances as

toys to avoid accidents;

This product does not prevent fire, do not throw into the fire, do not close to the source of fire;

This product is not waterproof, do not put into the water, lest cause equipment damage.



Please use soft cloth to wipe this product;

Do not use abrasive cleaning agents, rough chemicals, alcohol, acetone

cleaning, acetone cleaning agent, etc., so as not to damage the surface of

the product; store the product in a safe, dry place without being

overstocked, bruised or damaged;

When storing products, do not wrap the power cord around the appliance.