

FCC Test Report

Report No.: AGC09264200902FE03

FCC ID : 2ARPEWTHD

APPLICATION PURPOSE : Original Equipment

PRODUCT DESIGNATION: Wireless Indoor or Outdoor Humidity Aad Temperature

Monitor

BRAND NAME : N/A

MODEL NAME

WTHD, WTHD-01, WTHD-02, WTHD-03, WTHD3,

WTHD3-01, WTHD3-02, WTHD3-03

APPLICANT : Shenzhen Juku Intelligent Technology Co., Ltd.

DATE OF ISSUE : Oct. 13, 2020

STANDARD(S)

TEST PROCEDURE(S)

: FCC Part 15 Subpart C Section 15.231

REPORT VERSION : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated restriction of Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test result presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 2 of 25

Report Revise Record

| Report Version | Revise Time | Issued Date | Valid Version | Notes |
|----------------|-------------|---------------|---------------|-----------------|
| V1.0 | / | Oct. 13, 2020 | Valid | Initial release |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter appropriate the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issued of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



TABLE OF CONTENTS

| 1. VERIFICATION OF CONFORMITY | |
|--------------------------------------------------------------|----------|
| 2. GENERAL INFORMATION | 6 |
| 2.1. PRODUCT DESCRIPTION | 6 |
| 3. MEASUREMENT UNCERTAINTY | |
| 4. DESCRIPTION OF TEST MODES | |
| 5. SYSTEM TEST CONFIGURATION | |
| 5.1. CONFIGURATION OF EUT SYSTEM | 8 |
| 6. TEST FACILITY | |
| 7. TEST EQUIPMENT LIST | |
| 8. PROVISION FOR MOMENTARY OPERATION | |
| 8.1 MEASUREMENT PROCEDURE 8.2 TEST SETUP | 10 |
| 9. DUTY CYCLE CORRECTION FACTOR | |
| 9.1 MEASUREMENT PROCEDURE 9.2 TEST SETUP. 9.3 TEST RESULT. | 12 |
| 10. RADIATED EMISSION | 13 |
| 10.1. MEASUREMENT PROCEDURE | 15 16 |
| 11. BANDWIDTH | 18 |
| 11.1. MEASUREMENT PROCEDURE | 18 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restrict/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written exphorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 4 of 25

| APPENDIX A: PHOTOGRAPHS OF TEST SETUP | 20 |
|---------------------------------------|----|
| | |
| APPENDIX B: PHOTOGRAPHS OF EUT | 2 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the special pedicated fresh dynapection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter appropriation of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



1. VERIFICATION OF CONFORMITY

| Applicant | Shenzhen Juku Intelligent Technology Co., Ltd. | | |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Address | Room 303, Building 12, Jinshun Industrial Zone, No.20 Huancheng South Road, Ma'antang Community, Bantian Street, Longgang District, Shenzhen | | |
| Manufacturer | Shenzhen Juku Intelligent Technology Co., Ltd. | | |
| Address | Room 303, Building 12, Jinshun Industrial Zone, No.20 Huancheng South Road, Ma'antang Community, Bantian Street, Longgang District, Shenzhen | | |
| Factory | Shenzhen Juku Intelligent Technology Co., Ltd. | | |
| Address | Room 303, Building 12, Jinshun Industrial Zone, No.20 Huancheng South Road, Ma'antang Community, Bantian Street, Longgang District, Shenzhen | | |
| Product Designation | Wireless Indoor or Outdoor Humidity Aad Temperature Monitor | | |
| Brand Name | N/A | | |
| Test Model | WTHD | | |
| Series Model | WTHD-01, WTHD-02, WTHD-03, WTHD3, WTHD3-01, WTHD3-02, WTHD3-03 | | |
| Difference description | All the same except for the model name. | | |
| Date of test | Sep. 09, 2020 to Oct. 13, 2020 | | |
| Deviation | No any deviation from the test method | | |
| Condition of Test Sample | Normal | | |
| Test Result | Pass | | |
| Report Template | AGCRT-US-SRD/RF | | |

We hereby certify that:

The above equipment was tested by Attestation of Global Compliance (Shenzhen) Co., Ltd. The test data, the energy emitted by the sample tested as described in this report is in compliance with the requirements of FCC Rules Part 15.231. The test results of this report relate only to the tested sample identified in this report.

| Prepared By | Brok. Tang | |
|-------------|-------------------------------------|---------------|
| | Erik Yang (Project Engineer) | Oct. 13, 2020 |
| Reviewed By | Max 2 hang | |
| | Max Zhang (Reviewer) | Oct. 13, 2020 |
| Approved By | Formatico | |
| | Forrest Lei (Authorized Officer) | Oct. 13, 2020 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Past not/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 6 of 25

2. GENERAL INFORMATION

2.1. PRODUCT DESCRIPTION

A major technical description of EUT is described as following

| 7 major teormical description of Eo Fie described as following | | | | |
|----------------------------------------------------------------|-------------------------------------------------------------------|--|--|--|
| Operation Frequency | 433.924MHz | | | |
| Field Strength(3m) | 59.56dBuV/m(Peak)@3m | | | |
| Modulation | ASK | | | |
| Number of channels | 1 60 6 6 | | | |
| Hardware Version | V2.0 | | | |
| Software Version | V2.0 | | | |
| Antenna Gain | 1dBi | | | |
| Antenna Designation | Integral antenna(Comply with requirements of the FCC part 15.203) | | | |
| Power Supply | DC 3V by battery | | | |

2.2. TEST METHODOLOGY


Both conducted and radiated testing was performed according to the procedures in ANSI C63.10 (2013). Radiated testing was performed at an antenna to EUT distance 3 meters.

2.3. ANTENNA REQUIREMENT

This intentional radiator is designed with a permanently attached antenna of an antenna to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

For more information of the antenna, please refer to the APPENDIX B: PHOTOGRAPHS OF EUT.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pestud/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.





3. MEASUREMENT UNCERTAINTY

The reported uncertainty of measurement y ±U, where expended uncertainty U is based on a standard uncertainty multiplied by a coverage factor of k=2, providing a level of confidence of approximately 95%.

- Uncertainty of Conducted Emission, Uc = ±3.2 dB
- Uncertainty of Radiated Emission below 1GHz, Uc = ±3.9 dB
- Uncertainty of Radiated Emission above 1GHz, Uc = ±4.8 dB
- Uncertainty of Occupied Channel Bandwidth: Uc = ±2 %

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC whe test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 8 of 25

4. DESCRIPTION OF TEST MODES

| NO. | TEST MODE DESCRIPTION | |
|----------------|------------------------------------|--|
| _® 1 | Transmitting mode(Manual operated) | |

Note

- 1. All the test modes can be supply by new battery, and only the data of the worst case recorded in the test report.
- 2. For Radiated Emission, 3axis were chosen for testing for each applicable mode.
- 3. For battery operated equipment, the equipment tests are performed using a new battery.

5. SYSTEM TEST CONFIGURATION

5.1. CONFIGURATION OF EUT SYSTEM

Configure 1:

EUT

5.2. EQUIPMENT USED IN EUT SYSTEM

| Item | Equipment | Mfr/Brand | Model/Type No. | Remark |
|------|-------------------------------------------------------------------|-----------|----------------|--------|
| 1 | Wireless Indoor or Outdoor Humidity Aad Temperature Monitor | | 2ARPEWTHD | EUT |

5.3. SUMMARY OF TEST RESULTS

| FCC RULES | DESCRIPTION OF TEST | RESULT |
|---------------------------|-----------------------------------------------------|-----------|
| §15.203 | Antenna Requirement | Compliant |
| §15.231(a)(2) | Manual operated | Compliant |
| ANSI C63.10 Clause 7.5 | Average Factor | N/A |
| §15.231(b) & §15.209 | Field Strength of Fundamental and Spurious Emission | Compliant |
| §15.231(c) | Bandwidth | Compliant |
| 15.207 | Conducted Emission | N/A |

Note: The conducted emission tests at AC port are not required for devices which only employ battery power for operation.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 9 of 25

6. TEST FACILITY

| Test Site | Attestation of Global Compliance (Shenzhen) Co., Ltd | | |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Location | 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China | | |
| Designation Number | CN1259 | | |
| FCC Test Firm Registration Number | 975832 | | |
| A2LA Cert. No. | 5054.02 | | |
| Description | Attestation of Global Compliance(Shenzhen) Co., Ltd is accredited by A2LA | | |

7. TEST EQUIPMENT LIST

TEST EQUIPMENT OF RADIATED EMISSION TEST

| Equipment | Manufacturer | Model | S/N | Cal. Date | Cal. Due |
|--------------------------------------|--------------|----------------------|------------|---------------|---------------|
| TEST RECEIVER | R&S | ESCI | 10096 | May 15, 2020 | May 14, 2021 |
| EXA Signal Analyzer | Aglient | N9010A | MY53470504 | Dec. 12, 2019 | Dec. 11, 2020 |
| Attenuator | ZHINAN | E-002 | N/A | Sep. 03, 2020 | Sep. 02, 2022 |
| Active loop antenna (9K-30MHz) | ZHINAN | ZN30900C | 18051 | May 22, 2020 | May 21, 2022 |
| Double-Ridged Waveguide Horn | ETS LINDGREN | 3117 | 00034609 | May. 17, 2019 | May. 16, 2021 |
| Broadband Preamplifier | ETS LINDGREN | 3117PA | 00225134 | Oct. 15, 2019 | Oct. 16, 2020 |
| ANTENNA | SCHWARZBECK | VULB9168 | 494 | Sep. 20, 2019 | Sep. 19, 2021 |
| Test software | Tonscend | JS32-RE (Ver.2.5) | N/A | N/A | N/A |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 10 of 25

8. PROVISION FOR MOMENTARY OPERATION

8.1 MEASUREMENT PROCEDURE

1. Set the parameters of SPA as below:

Centre frequency = Operation Frequency


RBW=1MHz, VBW=3MHz

Span: 0Hz

Sweep time: 10S

- 2. Set the EUT to transmit activated automatically. Use the "View" function of SPA to find the transmission time of being released.
- 3. Record the data and Reported.

8.2 TEST SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.




8.3 TEST RESULT

Mode 1(Manual operated):

Test Mode: EUT @ 433.924MHz for RF Transmitter

| The time of stopping transmission | Limit (s) |
|-----------------------------------|-----------|
| 0.254 | 5.00 |



RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 12 of 25

9. DUTY CYCLE CORRECTION FACTOR

9.1 MEASUREMENT PROCEDURE

1. Set the parameters of SPA as below:

Centre frequency = Operation Frequency


RBW=1MHz; VBW=3MHz

Span: 0Hz

Sweep time: more than two pulse trains or more than each type of pulse occupancy time

- 2. Set the EUT to transmit by manually operated. Use the "Delta mark" function of SPA to find the period time between two pulse trains and each type of pulse occupancy time.
- 3. Record the plots and Reported.

9.2 TEST SETUP



9.3 TEST RESULT

Note: The level of the peak emission are less than the average limit, so the average factor need not to be tested

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Page 13 of 25

10. RADIATED EMISSION

10.1. MEASUREMENT PROCEDURE

- The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
- 2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- 3. The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
- 4. For each suspected emissions, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
- Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
- 6. For emissions above 1GHz, use 1MHz VBW and RBW for peak reading. Then 1MHz RBW and 10Hz VBW for average reading in spectrum analyzer. Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or reference ground plane.
- 7. When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum values.
- 8.If the emissions level of the EUT in peak mode was 3 dB lower than the average limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method for below 1GHz.
- 9. For testing above 1GHz, the emissions level of the EUT in peak mode was lower than average limit (that means the emissions level in peak mode also complies with the limit in average mode), then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
- 10. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High Low scan is not required in this case.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pestud/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 14 of 25

The following table is the setting of spectrum analyzer and receiver.

| Spectrum Parameter | Setting | | | |
|-----------------------|-----------------------------------------------------------|--|--|--|
| Start ~Stop Frequency | 9KHz~150KHz/RBW 200Hz for QP | | | |
| Start ~Stop Frequency | 150KHz~30MHz/RBW 9KHz for QP | | | |
| Start ~Stop Frequency | 30MHz~1000MHz/RBW 120KHz for QP | | | |
| Start ~Stop Frequency | 1GHz~26.5GHz 1MHz/1MHz for Peak, 1MHz/10Hz for Average | | | |


| Receiver Parameter | Setting | | | |
|-----------------------|---------------------------------|--|--|--|
| Start ~Stop Frequency | 9KHz~150KHz/RBW 200Hz for QP | | | |
| Start ~Stop Frequency | 150KHz~30MHz/RBW 9KHz for QP | | | |
| Start ~Stop Frequency | 30MHz~1000MHz/RBW 120KHz for QP | | | |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




10.2. TEST SETUP


Radiated Emission Test-Setup Frequency Below 30MHz



RADIATED EMISSION TEST SETUP 30MHz-1000MHz



RADIATED EMISSION TEST SETUP ABOVE 1000MHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the coefficient of stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




10.3. TEST RESULT

Test Mode: EUT @ 433.924MHz for RF Transmitter RADIATED EMISSION BELOW 30MHz

The amplitude of spurious emissions from 9kHz to 30MHz which are attenuated more than 20 dB below the permissible value need not be reported.

RADIATED EMISSION BELOW 1GHZ-Horizontal




| No. | Mk | . Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | |
|-----|----|----------|------------------|-------------------|------------------|--------|--------|----------|
| | | MHz | dBu∀ | dB | dBu∀/m | dBu∀/m | dB | Detector |
| 1 | | 217.5332 | 11.26 | 14.97 | 26.23 | 46.00 | -19.77 | peak |
| 2 | | 325.8500 | 12.33 | 20.38 | 32.71 | 46.00 | -13.29 | peak |
| 3 | * | 433.9240 | 35.89 | 23.67 | 59.56 | 80.83 | -21.27 | peak |
| 4 | İ | 542.4832 | 16.89 | 25.82 | 42.71 | 46.00 | -3.29 | peak |
| 5 | İ | 650.7998 | 15.49 | 26.04 | 41.53 | 46.00 | -4.47 | peak |
| 6 | İ | 760.7332 | 13.30 | 28.34 | 41.64 | 46.00 | -4.36 | peak |
| 7 | Х | 869.0499 | 21.98 | 28.54 | 50.52 | 60.83 | -10.31 | peak |
| 8 | | 977.3667 | 15.18 | 31.46 | 46.64 | 54.00 | -7.36 | peak |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter exphorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



RADIATED EMISSION BELOW 1GHZ-Vertical



| No. | Mk | . Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | |
|-----|----|----------|------------------|-------------------|------------------|--------|--------|----------|
| 9 | | MHz | dBu∀ | dB | dBu∀/m | dBu∀/m | dB | Detector |
| 1 | | 217.5333 | 10.22 | 14.97 | 25.19 | 46.00 | -20.81 | peak |
| 2 | | 325.8500 | 7.05 | 20.38 | 27.43 | 46.00 | -18.57 | peak |
| 3 | * | 433.9240 | 34.08 | 23.67 | 57.75 | 80.83 | -23.08 | peak |
| 4 | | 542.4833 | 13.74 | 25.82 | 39.56 | 46.00 | -6.44 | peak |
| 5 | | 650.8000 | 13.63 | 26.04 | 39.67 | 46.00 | -6.33 | peak |
| 6 | | 760.7333 | 5.49 | 28.34 | 33.83 | 46.00 | -12.17 | peak |
| 7 | Χ | 869.0499 | 23.34 | 28.54 | 51.88 | 60.83 | -8.95 | peak |
| 8 | | 977.3667 | 12.06 | 31.46 | 43.52 | 54.00 | -10.48 | peak |

RESULT: PASS

Note: 1. Factor=Antenna Factor + Cable loss - Amplifier gain, Margin=Limit-Level.

- 2. The "Factor" value can be calculated automatically by software of measurement system.
- 3. Emissions of frequency range from 1GHz to 5GHz have 20dB margin. No recording in the test report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Sedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter perhorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 18 of 25

11. BANDWIDTH

11.1. MEASUREMENT PROCEDURE

1. Set the parameters of SPA as below:

Centre frequency = Operation Frequency

RBW=0.47KHz


VBW=1.5KHz

Span: 50kHz

Sweep time: Auto

- 2. Set the EUT to continue transmitting mode. Allow the trace to stabilize. Use the "N dB down" function of SPA to define the bandwidth.
- 3. Record the plots and Reported.

11.2. TEST SETUP




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Fest no/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



11.3. TEST RESULT

Test Mode: EUT @ 433.924MHz for RF Transmitter

| -20dB bandwidth | LIMIT | RESULT |
|--------------------------------|------------|--------|
| 22.79kHz | 1084.8KHz | Pass |
| Note: Limit= Operation Frequer | ncy ×0.25% | 0 |




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Coedicated Postuagina Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written pathorization of AGC where the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




APPENDIX A: PHOTOGRAPHS OF TEST SETUP

FCC RADIATED EMISSION TEST SETUP-BELOW 1GHz



FCC RADIATED EMISSION TEST SETUP-ABOVE 1GHz




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual




APPENDIX B: PHOTOGRAPHS OF EUT

TOP VIEW OF EUT



BOTTOM VIEW OF EUT




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the coefficient of permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written permitted without the written per



FRONT VIEW OF EUT



BACK VIEW OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated resting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



LEFT VIEW OF EUT




RIGHT VIEW OF EUT




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual



OPEN VIEW OF EUT




INTERNAL VIEW-1 OF EUT




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual Residual



INTERNAL VIEW-2 OF EUT



INTERNAL VIEW-3 OF EUT



----END OF REPORT----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated resting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. The non-CMA report issued by AGC is only permitted to be used by the client as internal reference use and shall not be used for public demonstration purpose.
- 5. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 6. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 7. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 8. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 9. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 10. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the standard restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written explorization of AGE, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.