

## Mianyang Highly-Tech Jingweida Scientific Co., Ltd

Date: 12/25/2018

To: Federal Communications Commission  
7435 Oakland Mills Road  
Columbia, MD

FCC ID: 2ARQU-WXC001

To Whom It May Concern:

This letter is to ascertain that Mianyang Highly-Tech Jingweida Scientific Co., Ltd Product Wireless Charger WXC001-XX , has been the units used for conducting FCC compliance testing, and it meets KDB 680106 Clause 5(2) all 6 conditions as stated below hence PBA is not required.

|   |  |
|---|--|
| 1 | Power transfer frequency is less than 1 MHz.<br><b>Answer:</b> Operation frequency is 110k-205kHz  |
| 2 | Output power from each primary coil is less than or equal to 15 watts.<br><b>Answer:</b> Max output power 10W.   |
| 3 | The transfer system includes only single primary and secondary coils. This includes charging systems that may have multiple primary coils and clients that are able to detect and allow coupling only between individual pairs of coils.<br><b>Answer:</b> The transfer system includes only single primary and secondary coils.                               |
| 4 | Client device is placed directly in contact with the transmitter<br><b>Answer:</b> Yes   |
| 5 | Mobile exposure conditions only (portable exposure conditions are not covered by this exclusion)..<br><b>Answer:</b> Mobile device   |
| 6 | The aggregate H-field strengths at 15 cm surrounding the device and 20 cm above the top surface from all simultaneous transmitting coils are demonstrated to be less than 50% of the MPE limit.<br><b>Answer:</b> The result 0.133A/m at 15 cm surrounding the device and result 0.130A/m 20 cm above the top surface from all simultaneous transmitting coils |

If you have any question or concerns, pls. contact us.

Sincerely,

Name: **Jack Du**

Date: **2018-12-25**

Title: **Manager**

Signature of applicant:

Jack Du