

Carrier frequency (MHz): 5825 MHz

Channel No.:165

Test Mode: 802.11ac(HT20)

Polarity:Horizontal

Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 94.55                  | 46.95                | N/A             | N/A            | 12.9            | 34.7                |
| 2  | 5850            | 41.87                  | -5.73                | -12.13          | 54             | 12.9            | 34.7                |

Carrier frequency (MHz): 5755 MHz

Channel No.:151

Test Mode: 802.11ac(HT40)

Polarity: Vertical

Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5745            | 103.36                 | 55.76                | N/A             | N/A            | 12.9            | 34.7                |
| 2  | 5725            | 54.30                  | 6.70                 | -19.70          | 74             | 12.9            | 34.7                |

Carrier frequency (MHz): 5755 MHz

Channel No.:151

Test Mode: 802.11ac(HT40)

Polarity:Horizontal

Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5745            | 98.50                  | 50.90                | N/A             | N/A            | 12.9            | 34.7                |
| 2  | 5725            | 52.65                  | 5.05                 | -21.35          | 74             | 12.9            | 34.7                |

Carrier frequency (MHz): 5755 MHz

Channel No.:151

Test Mode: 802.11ac(HT40)

Polarity: Vertical

Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5745            | 100.00                 | 52.40                | N/A             | N/A            | 12.9            | 34.7                |
| 2  | 5725            | 42.20                  | -5.40                | -11.80          | 54             | 12.9            | 34.7                |

Carrier frequency (MHz): 5755 MHz  
Channel No.:151  
Test Mode: 802.11ac(HT40)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5745            | 94.62                  | 47.02                | N/A             | N/A            | 12.9            | 34.7                |
| 2  | 5725            | 41.06                  | -6.54                | -12.94          | 54             | 12.9            | 34.7                |

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac(HT40)  
Polarity: Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 101.59                 | 53.99                | N/A             | N/A            | 12.9            | 34.7                |
| 2  | 5850            | 53.43                  | 5.83                 | -20.57          | 74             | 12.9            | 34.7                |

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac(HT40)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 94.49                  | 46.89                | N/A             | N/A            | 12.9            | 34.7                |
| 2  | 5850            | 53.37                  | 5.77                 | -20.63          | 74             | 12.9            | 34.7                |

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac(HT40)  
Polarity: Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 100.99                 | 53.39                | N/A             | N/A            | 12.9            | 34.7                |
| 2  | 5850            | 42.07                  | -5.53                | -11.93          | 78.3           | 12.9            | 34.7                |

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac(HT40)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 93.79                  | 46.19                | N/A             | N/A            | 12.9            | 34.7                |
| 2  | 5850            | 41.79                  | -5.81                | -12.21          | 54             | 12.9            | 34.7                |

Carrier frequency (MHz): 5775 MHz  
Channel No.:155  
Test Mode: 802.11ac(VHT80)  
Polarity: Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 104.42                 | 56.82                | N/A             | N/A            | 12.9            | 34.7                |
| 2  | 5825            | 53.06                  | 5.46                 | -20.94          | 74             | 12.9            | 34.7                |

Carrier frequency (MHz): 5775 MHz  
Channel No.:155  
Test Mode: 802.11ac(VHT80)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 97.09                  | 49.49                | N/A             | N/A            | 12.9            | 34.7                |
| 2  | 5825            | 53.84                  | 6.24                 | -20.16          | 74             | 12.9            | 34.7                |

Carrier frequency (MHz): 5775 MHz  
Channel No.:155  
Test Mode: 802.11ac(VHT80)  
Polarity: Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 102.66                 | 55.06                | N/A             | N/A            | 12.9            | 34.7                |
| 2  | 5825            | 42.62                  | -4.98                | -11.38          | 54             | 12.9            | 34.7                |

Carrier frequency (MHz): 5775 MHz  
Channel No.:155  
Test Mode: 802.11ac(VHT80)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 96.09                  | 48.49                | N/A             | N/A            | 12.9            | 34.7                |
| 2  | 5825            | 41.41                  | -6.19                | -12.59          | 54             | 12.9            | 34.7                |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 101.34                 | 56.14                | N/A             | N/A            | 11.5            | 33.7                |
| 2  | 5470            | 52.54                  | 7.34                 | -21.46          | 74             | 11.5            | 33.7                |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 96.60                  | 51.40                | N/A             | N/A            | 11.5            | 33.7                |
| 2  | 5470            | 52.11                  | 6.91                 | -21.89          | 74             | 11.5            | 33.7                |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 94.55                  | 49.35                | N/A             | N/A            | 11.5            | 33.7                |
| 2  | 5470            | 40.58                  | -4.62                | -13.42          | 54             | 11.5            | 33.7                |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 89.63                  | 44.43                | N/A             | N/A            | 11.5            | 33.7                |
| 2  | 5470            | 40.17                  | -5.03                | -13.83          | 54             | 11.5            | 33.7                |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 98.97                  | 53.77                | N/A             | N/A            | 11.5            | 33.7                |
| 2  | 5470            | 50.35                  | 5.15                 | -23.65          | 74             | 11.5            | 33.7                |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 94.56                  | 49.36                | N/A             | N/A            | 11.5            | 33.7                |
| 2  | 5470            | 49.68                  | 4.48                 | -24.32          | 74             | 11.5            | 33.7                |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 91.50                  | 46.30                | N/A             | N/A            | 11.5            | 33.7                |
| 2  | 5470            | 37.29                  | -7.91                | -16.71          | 54             | 11.5            | 33.7                |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 86.51                  | 41.31                | N/A             | N/A            | 11.5            | 33.7                |
| 2  | 5470            | 36.34                  | -8.86                | -17.66          | 54             | 11.5            | 33.7                |

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 97.36                  | 52.16                | N/A             | N/A            | 11.5            | 33.7                |
| 2  | 5470            | 48.12                  | 2.92                 | -25.88          | 74             | 11.5            | 33.7                |

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 92.45                  | 47.25                | N/A             | N/A            | 11.5            | 33.7                |
| 2  | 5470            | 47.67                  | 2.47                 | -26.33          | 74             | 11.5            | 33.7                |

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 90.76                  | 45.56                | N/A             | N/A            | 11.5            | 33.7                |
| 2  | 5470            | 37.20                  | -8.00                | -16.80          | 54             | 11.5            | 33.7                |

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)

Polarity: Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 86.16                  | 40.96                | N/A             | N/A            | 11.5            | 33.7                |
| 2  | 5470            | 36.92                  | -8.28                | -17.08          | 54             | 11.5            | 33.7                |

Carrier frequency (MHz): 5530 MHz

Channel No.: 106

Test Mode: 802.11ac (VVHT80)

Polarity: Horizontal

Detector: Peak

| No | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Over Limit (dB) | Limit (dBμV) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|--------------|-----------------|---------------------|
| 1  | 5530            | 93.42                  | 48.22                | N/A             | N/A          | 11.5            | 33.7                |
| 2  | 5470            | 47.14                  | 1.94                 | -26.86          | 74           | 11.5            | 33.7                |

Carrier frequency (MHz): 5530 MHz

Channel No.: 106

Test Mode: 802.11ac (VVHT80)

Polarity: Vertical

Detector: Average

| No | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Over Limit (dB) | Limit (dBμV) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|--------------|-----------------|---------------------|
| 1  | 5530            | 90.36                  | 45.16                | N/A             | N/A          | 11.5            | 33.7                |
| 2  | 5470            | 35.95                  | -9.25                | -18.05          | 54           | 11.5            | 33.7                |

Carrier frequency (MHz): 5530 MHz

Channel No.: 106

Test Mode: 802.11ac (VVHT80)

Polarity: Horizontal

Detector: Average

| No | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Over Limit (dB) | Limit (dBμV) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|--------------|-----------------|---------------------|
| 1  | 5530            | 90.73                  | 45.53                | N/A             | N/A          | 11.5            | 33.7                |
| 2  | 5470            | 36.96                  | -8.24                | -17.04          | 54           | 11.5            | 33.7                |

## Spurious Radiated Emission

Test performed with all transmitters working simultaneously, it verified that no additional emissions found during test.

For 802.11a Channel No.:36

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 44.647000      | 24.47          | -20.2     | 44.67         | Vertical | 40.00          |
| 349.954500     | 33.91          | -16.4     | 50.31         | Vertical | 46.00          |
| 491.574500     | 39.93          | -11.9     | 51.83         | Vertical | 46.00          |
| 549.968500     | 26.41          | -10.6     | 37.01         | Vertical | 46.00          |
| 589.059500     | 25.21          | -9.8      | 35.01         | Vertical | 46.00          |
| 849.989500     | 28.13          | -5.0      | 33.13         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:36

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 44.647000      | 24.18          | -20.2     | 44.38         | Vertical | 40.00          |
| 349.954500     | 33.90          | -16.4     | 50.30         | Vertical | 46.00          |
| 441.813500     | 27.55          | -13.5     | 41.05         | Vertical | 46.00          |
| 491.574500     | 39.91          | -11.9     | 51.81         | Vertical | 46.00          |
| 539.977500     | 29.63          | -10.8     | 40.43         | Vertical | 46.00          |
| 849.989500     | 28.13          | -5.0      | 33.13         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:36

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 42.173500      | 19.67          | -18.7     | 38.37         | Vertical | 40.00          |
| 349.954500     | 33.97          | -16.4     | 50.37         | Vertical | 46.00          |
| 441.813500     | 27.63          | -13.5     | 41.13         | Vertical | 46.00          |
| 491.574500     | 39.95          | -11.9     | 51.85         | Vertical | 46.00          |
| 549.968500     | 26.44          | -10.6     | 37.04         | Vertical | 46.00          |
| 849.989500     | 28.14          | -5.0      | 33.14         | Vertical | 46.00          |



For 802.11a Channel No.:40

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 44.647000      | 24.45          | -20.2     | 44.65         | Vertical | 40.00          |
| 299.999500     | 21.06          | -17.9     | 38.96         | Vertical | 46.00          |
| 349.954500     | 33.94          | -16.4     | 50.34         | Vertical | 46.00          |
| 491.574500     | 39.88          | -11.9     | 51.78         | Vertical | 46.00          |
| 549.968500     | 26.40          | -10.6     | 37.00         | Vertical | 46.00          |
| 849.989500     | 28.11          | -5.0      | 33.11         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:40

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 49.060500      | 24.30          | -23.2     | 47.50         | Vertical | 40.00          |
| 349.954500     | 33.94          | -16.4     | 50.34         | Vertical | 46.00          |
| 441.813500     | 27.56          | -13.5     | 41.06         | Vertical | 46.00          |
| 491.574500     | 39.84          | -11.9     | 51.74         | Vertical | 46.00          |
| 549.968500     | 26.41          | -10.6     | 37.01         | Vertical | 46.00          |
| 849.989500     | 28.12          | -5.0      | 33.12         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:40

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 44.647000      | 24.72          | -20.2     | 44.92         | Vertical | 40.00          |
| 349.954500     | 33.97          | -16.4     | 50.37         | Vertical | 46.00          |
| 441.813500     | 27.59          | -13.5     | 41.09         | Vertical | 46.00          |
| 491.574500     | 39.85          | -11.9     | 51.75         | Vertical | 46.00          |
| 539.977500     | 29.66          | -10.8     | 40.46         | Vertical | 46.00          |
| 849.989500     | 28.14          | -5.0      | 33.14         | Vertical | 46.00          |

For 802.11a Channel No.:48

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 45.035000      | 23.48          | -20.5     | 43.98         | Vertical | 40.00          |
| 349.954500     | 33.80          | -16.4     | 50.20         | Vertical | 46.00          |
| 441.813500     | 27.40          | -13.5     | 40.90         | Vertical | 46.00          |
| 491.574500     | 39.67          | -11.9     | 51.57         | Vertical | 46.00          |
| 539.977500     | 29.51          | -10.8     | 40.31         | Vertical | 46.00          |
| 849.989500     | 27.98          | -5.0      | 32.98         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:48

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 44.647000      | 24.60          | -20.2     | 44.80         | Vertical | 40.00          |
| 53.910500      | 14.46          | -24.8     | 39.26         | Vertical | 40.00          |
| 349.954500     | 33.71          | -16.4     | 50.11         | Vertical | 46.00          |
| 491.574500     | 39.56          | -11.9     | 51.46         | Vertical | 46.00          |
| 549.968500     | 26.18          | -10.6     | 36.78         | Vertical | 46.00          |
| 849.989500     | 27.93          | -5.0      | 32.93         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:48

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 49.060500      | 24.43          | -23.2     | 47.63         | Vertical | 40.00          |
| 349.954500     | 33.91          | -16.4     | 50.31         | Vertical | 46.00          |
| 491.574500     | 39.69          | -11.9     | 51.59         | Vertical | 46.00          |
| 549.968500     | 26.33          | -10.6     | 36.93         | Vertical | 46.00          |
| 589.059500     | 25.17          | -9.8      | 34.97         | Vertical | 46.00          |
| 849.989500     | 28.07          | -5.0      | 33.07         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:38

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 44.647000      | 24.54          | -20.2     | 44.74         | Vertical | 40.00          |
| 349.954500     | 33.92          | -16.4     | 50.32         | Vertical | 46.00          |
| 441.813500     | 27.51          | -13.5     | 41.01         | Vertical | 46.00          |
| 491.574500     | 39.72          | -11.9     | 51.62         | Vertical | 46.00          |
| 539.977500     | 29.60          | -10.8     | 40.40         | Vertical | 46.00          |
| 849.989500     | 28.10          | -5.0      | 33.10         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:38

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 45.035000      | 23.21          | -20.5     | 43.71         | Vertical | 40.00          |
| 349.954500     | 33.92          | -16.4     | 50.32         | Vertical | 46.00          |
| 441.813500     | 27.51          | -13.5     | 41.01         | Vertical | 46.00          |
| 491.574500     | 39.71          | -11.9     | 51.61         | Vertical | 46.00          |
| 549.968500     | 26.34          | -10.6     | 36.94         | Vertical | 46.00          |
| 849.989500     | 28.09          | -5.0      | 33.09         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:46

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 49.060500      | 24.38          | -23.2     | 47.58         | Vertical | 40.00          |
| 299.999500     | 21.01          | -17.9     | 38.91         | Vertical | 46.00          |
| 349.954500     | 33.90          | -16.4     | 50.30         | Vertical | 46.00          |
| 491.574500     | 39.67          | -11.9     | 51.57         | Vertical | 46.00          |
| 539.977500     | 29.57          | -10.8     | 40.37         | Vertical | 46.00          |
| 849.989500     | 28.04          | -5.0      | 33.04         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:46

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 45.035000      | 23.50          | -20.5     | 44.00         | Vertical | 40.00          |
| 349.954500     | 33.72          | -16.4     | 50.12         | Vertical | 46.00          |
| 441.813500     | 27.33          | -13.5     | 40.83         | Vertical | 46.00          |
| 491.574500     | 39.50          | -11.9     | 51.40         | Vertical | 46.00          |
| 539.977500     | 29.43          | -10.8     | 40.23         | Vertical | 46.00          |
| 849.989500     | 27.87          | -5.0      | 32.87         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:42

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 49.060500      | 24.15          | -23.2     | 47.35         | Vertical | 40.00          |
| 349.954500     | 33.89          | -16.4     | 50.29         | Vertical | 46.00          |
| 491.574500     | 39.62          | -11.9     | 51.52         | Vertical | 46.00          |
| 539.977500     | 29.56          | -10.8     | 40.36         | Vertical | 46.00          |
| 549.968500     | 26.29          | -10.6     | 36.89         | Vertical | 46.00          |
| 849.989500     | 28.03          | -5.0      | 33.03         | Vertical | 46.00          |

For 802.11a Channel No.:52

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 44.647000      | 24.56          | -20.2     | 44.76         | Vertical | 40.00          |
| 349.954500     | 33.90          | -16.4     | 50.30         | Vertical | 46.00          |
| 441.813500     | 27.48          | -13.5     | 40.98         | Vertical | 46.00          |
| 491.574500     | 39.61          | -11.9     | 51.51         | Vertical | 46.00          |
| 539.977500     | 29.57          | -10.8     | 40.37         | Vertical | 46.00          |
| 849.989500     | 28.04          | -5.0      | 33.04         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:52

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 49.060500      | 24.36          | -23.2     | 47.56         | Vertical | 40.00          |
| 299.951000     | 18.89          | -17.9     | 36.79         | Vertical | 46.00          |
| 349.954500     | 33.93          | -16.4     | 50.33         | Vertical | 46.00          |
| 491.574500     | 39.59          | -11.9     | 51.49         | Vertical | 46.00          |
| 549.968500     | 26.32          | -10.6     | 36.92         | Vertical | 46.00          |
| 799.986000     | 27.04          | -5.8      | 32.84         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:52

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 41.834000      | 20.99          | -18.5     | 39.49         | Vertical | 40.00          |
| 349.954500     | 33.95          | -16.4     | 50.35         | Vertical | 46.00          |
| 441.813500     | 27.52          | -13.5     | 41.02         | Vertical | 46.00          |
| 491.574500     | 39.60          | -11.9     | 51.50         | Vertical | 46.00          |
| 549.968500     | 26.33          | -10.6     | 36.93         | Vertical | 46.00          |
| 849.989500     | 28.07          | -5.0      | 33.07         | Vertical | 46.00          |

For 802.11a Channel No.:60

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 49.060500      | 24.26          | -23.2     | 47.46         | Vertical | 40.00          |
| 349.954500     | 33.89          | -16.4     | 50.29         | Vertical | 46.00          |
| 441.813500     | 27.45          | -13.5     | 40.95         | Vertical | 46.00          |
| 491.574500     | 39.53          | -11.9     | 51.43         | Vertical | 46.00          |
| 539.977500     | 29.56          | -10.8     | 40.36         | Vertical | 46.00          |
| 849.989500     | 28.03          | -5.0      | 33.03         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:60

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 45.035000      | 23.48          | -20.5     | 43.98         | Vertical | 40.00          |
| 349.954500     | 33.92          | -16.4     | 50.32         | Vertical | 46.00          |
| 441.813500     | 27.48          | -13.5     | 40.98         | Vertical | 46.00          |
| 491.574500     | 39.52          | -11.9     | 51.42         | Vertical | 46.00          |
| 539.977500     | 29.57          | -10.8     | 40.37         | Vertical | 46.00          |
| 849.989500     | 28.04          | -5.0      | 33.04         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:60

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 45.035000      | 23.54          | -20.5     | 44.04         | Vertical | 40.00          |
| 349.954500     | 33.96          | -16.4     | 50.36         | Vertical | 46.00          |
| 491.574500     | 39.54          | -11.9     | 51.44         | Vertical | 46.00          |
| 539.977500     | 29.60          | -10.8     | 40.40         | Vertical | 46.00          |
| 549.968500     | 26.32          | -10.6     | 36.92         | Vertical | 46.00          |
| 949.996500     | 27.00          | -3.5      | 30.50         | Vertical | 46.00          |

For 802.11a Channel No.:64

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 44.647000      | 24.22          | -20.2     | 44.42         | Vertical | 40.00          |
| 349.954500     | 33.82          | -16.4     | 50.22         | Vertical | 46.00          |
| 441.813500     | 27.38          | -13.5     | 40.88         | Vertical | 46.00          |
| 491.574500     | 39.40          | -11.9     | 51.30         | Vertical | 46.00          |
| 539.977500     | 29.47          | -10.8     | 40.27         | Vertical | 46.00          |
| 849.989500     | 27.97          | -5.0      | 32.97         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:64

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 45.035000      | 23.35          | -20.5     | 43.85         | Vertical | 40.00          |
| 349.954500     | 33.94          | -16.4     | 50.34         | Vertical | 46.00          |
| 441.813500     | 27.50          | -13.5     | 41.00         | Vertical | 46.00          |
| 491.574500     | 39.50          | -11.9     | 51.40         | Vertical | 46.00          |
| 549.968500     | 26.32          | -10.6     | 36.92         | Vertical | 46.00          |
| 849.989500     | 28.07          | -5.0      | 33.07         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:64

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 44.647000      | 24.18          | -20.2     | 44.38         | Vertical | 40.00          |
| 349.954500     | 33.72          | -16.4     | 50.12         | Vertical | 46.00          |
| 491.574500     | 39.27          | -11.9     | 51.17         | Vertical | 46.00          |
| 539.977500     | 29.36          | -10.8     | 40.16         | Vertical | 46.00          |
| 589.059500     | 24.99          | -9.8      | 34.79         | Vertical | 46.00          |
| 849.989500     | 27.84          | -5.0      | 32.84         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:54

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 45.471500      | 23.82          | -20.8     | 44.62         | Vertical | 40.00          |
| 53.910500      | 14.31          | -24.8     | 39.11         | Vertical | 40.00          |
| 349.954500     | 33.95          | -16.4     | 50.35         | Vertical | 46.00          |
| 491.574500     | 39.48          | -11.9     | 51.38         | Vertical | 46.00          |
| 549.968500     | 26.32          | -10.6     | 36.92         | Vertical | 46.00          |
| 849.989500     | 28.04          | -5.0      | 33.04         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:54

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 45.035000      | 23.80          | -20.5     | 44.30         | Vertical | 40.00          |
| 349.954500     | 33.92          | -16.4     | 50.32         | Vertical | 46.00          |
| 441.813500     | 27.47          | -13.5     | 40.97         | Vertical | 46.00          |
| 491.574500     | 39.44          | -11.9     | 51.34         | Vertical | 46.00          |
| 549.968500     | 26.29          | -10.6     | 36.89         | Vertical | 46.00          |
| 849.989500     | 28.03          | -5.0      | 33.03         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:62

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 49.060500      | 24.25          | -23.2     | 47.45         | Vertical | 40.00          |
| 349.954500     | 33.99          | -16.4     | 50.39         | Vertical | 46.00          |
| 441.813500     | 27.54          | -13.5     | 41.04         | Vertical | 46.00          |
| 491.574500     | 39.49          | -11.9     | 51.39         | Vertical | 46.00          |
| 539.977500     | 29.63          | -10.8     | 40.43         | Vertical | 46.00          |
| 849.989500     | 28.08          | -5.0      | 33.08         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:62

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 45.035000      | 23.53          | -20.5     | 44.03         | Vertical | 40.00          |
| 54.298500      | 13.80          | -24.9     | 38.70         | Vertical | 40.00          |
| 349.954500     | 33.85          | -16.4     | 50.25         | Vertical | 46.00          |
| 491.574500     | 39.36          | -11.9     | 51.26         | Vertical | 46.00          |
| 549.968500     | 26.23          | -10.6     | 36.83         | Vertical | 46.00          |
| 849.989500     | 27.99          | -5.0      | 32.99         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:58

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 49.060500      | 24.10          | -23.2     | 47.30         | Vertical | 40.00          |
| 349.954500     | 33.95          | -16.4     | 50.35         | Vertical | 46.00          |
| 441.813500     | 27.50          | -13.5     | 41.00         | Vertical | 46.00          |
| 491.574500     | 39.44          | -11.9     | 51.34         | Vertical | 46.00          |
| 539.977500     | 29.61          | -10.8     | 40.41         | Vertical | 46.00          |
| 849.989500     | 28.06          | -5.0      | 33.06         | Vertical | 46.00          |

For 802.11a Channel No.:100

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 45.035000      | 23.29          | -20.5     | 43.79         | Vertical | 40.00          |
| 349.954500     | 33.95          | -16.4     | 50.35         | Vertical | 46.00          |
| 441.813500     | 27.50          | -13.5     | 41.00         | Vertical | 46.00          |
| 491.574500     | 39.42          | -11.9     | 51.32         | Vertical | 46.00          |
| 539.977500     | 29.59          | -10.8     | 40.39         | Vertical | 46.00          |
| 849.989500     | 28.05          | -5.0      | 33.05         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:100

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 41.834000      | 21.10          | -18.5     | 39.60         | Vertical | 40.00          |
| 349.954500     | 33.86          | -16.4     | 50.26         | Vertical | 46.00          |
| 441.813500     | 27.39          | -13.5     | 40.89         | Vertical | 46.00          |
| 491.574500     | 39.35          | -11.9     | 51.25         | Vertical | 46.00          |
| 539.977500     | 29.51          | -10.8     | 40.31         | Vertical | 46.00          |
| 849.989500     | 27.97          | -5.0      | 32.97         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:100

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 45.035000      | 23.29          | -20.5     | 43.79         | Vertical | 40.00          |
| 349.954500     | 33.94          | -16.4     | 50.34         | Vertical | 46.00          |
| 441.813500     | 27.49          | -13.5     | 40.99         | Vertical | 46.00          |
| 491.574500     | 39.41          | -11.9     | 51.31         | Vertical | 46.00          |
| 549.968500     | 26.32          | -10.6     | 36.92         | Vertical | 46.00          |
| 849.989500     | 28.03          | -5.0      | 33.03         | Vertical | 46.00          |

For 802.11a Channel No.:120

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 45.035000      | 23.11          | -20.5     | 43.61         | Vertical | 40.00          |
| 299.951000     | 18.96          | -17.9     | 36.86         | Vertical | 46.00          |
| 349.954500     | 33.99          | -16.4     | 50.39         | Vertical | 46.00          |
| 491.574500     | 39.43          | -11.9     | 51.33         | Vertical | 46.00          |
| 539.977500     | 29.62          | -10.8     | 40.42         | Vertical | 46.00          |
| 849.989500     | 28.07          | -5.0      | 33.07         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:120

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 45.423000      | 21.85          | -20.8     | 42.65         | Vertical | 40.00          |
| 349.954500     | 33.91          | -16.4     | 50.31         | Vertical | 46.00          |
| 441.813500     | 27.45          | -13.5     | 40.95         | Vertical | 46.00          |
| 491.574500     | 39.35          | -11.9     | 51.25         | Vertical | 46.00          |
| 539.977500     | 29.56          | -10.8     | 40.36         | Vertical | 46.00          |
| 849.989500     | 28.00          | -5.0      | 33.00         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:120

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 44.647000      | 23.79          | -20.2     | 43.99         | Vertical | 40.00          |
| 349.954500     | 33.99          | -16.4     | 50.39         | Vertical | 46.00          |
| 441.813500     | 27.53          | -13.5     | 41.03         | Vertical | 46.00          |
| 491.574500     | 39.41          | -11.9     | 51.31         | Vertical | 46.00          |
| 549.968500     | 26.34          | -10.6     | 36.94         | Vertical | 46.00          |
| 849.989500     | 28.06          | -5.0      | 33.06         | Vertical | 46.00          |

For 802.11a Channel No.:140

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 45.035000      | 23.52          | -20.5     | 44.02         | Vertical | 40.00          |
| 349.954500     | 33.98          | -16.4     | 50.38         | Vertical | 46.00          |
| 491.574500     | 39.40          | -11.9     | 51.30         | Vertical | 46.00          |
| 539.977500     | 29.62          | -10.8     | 40.42         | Vertical | 46.00          |
| 589.059500     | 25.23          | -9.8      | 35.03         | Vertical | 46.00          |
| 849.989500     | 28.05          | -5.0      | 33.05         | Vertical | 46.00          |



For 802.11n(HT20) Channel No.:140

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 45.423000      | 21.81          | -20.8     | 42.61         | Vertical | 40.00          |
| 299.951000     | 19.00          | -17.9     | 36.90         | Vertical | 46.00          |
| 349.954500     | 33.98          | -16.4     | 50.38         | Vertical | 46.00          |
| 491.574500     | 39.39          | -11.9     | 51.29         | Vertical | 46.00          |
| 549.968500     | 26.34          | -10.6     | 36.94         | Vertical | 46.00          |
| 849.989500     | 28.06          | -5.0      | 33.06         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:140

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.797000      | 23.83          | -17.2     | 41.03         | Vertical | 40.00          |
| 349.954500     | 31.24          | -16.4     | 47.64         | Vertical | 46.00          |
| 491.574500     | 43.38          | -11.9     | 55.28         | Vertical | 46.00          |
| 527.998000     | 29.77          | -11.1     | 40.87         | Vertical | 46.00          |
| 549.968500     | 31.68          | -10.6     | 42.28         | Vertical | 46.00          |
| 899.993000     | 30.79          | -4.3      | 35.09         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:102

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.409000      | 24.83          | -17.0     | 41.83         | Vertical | 40.00          |
| 349.954500     | 31.21          | -16.4     | 47.61         | Vertical | 46.00          |
| 491.574500     | 43.23          | -11.9     | 55.13         | Vertical | 46.00          |
| 527.998000     | 29.69          | -11.1     | 40.79         | Vertical | 46.00          |
| 549.968500     | 31.67          | -10.6     | 42.27         | Vertical | 46.00          |
| 899.993000     | 30.16          | -4.3      | 34.46         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:102

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.797000      | 23.64          | -17.2     | 40.84         | Vertical | 40.00          |
| 349.954500     | 31.04          | -16.4     | 47.44         | Vertical | 46.00          |
| 491.574500     | 43.05          | -11.9     | 54.95         | Vertical | 46.00          |
| 527.998000     | 29.56          | -11.1     | 40.66         | Vertical | 46.00          |
| 549.968500     | 31.53          | -10.6     | 42.13         | Vertical | 46.00          |
| 899.993000     | 29.69          | -4.3      | 33.99         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:118

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.409000      | 24.58          | -17.0     | 41.58         | Vertical | 40.00          |
| 349.954500     | 31.06          | -16.4     | 47.46         | Vertical | 46.00          |
| 491.574500     | 43.05          | -11.9     | 54.95         | Vertical | 46.00          |
| 527.998000     | 29.55          | -11.1     | 40.65         | Vertical | 46.00          |
| 549.968500     | 31.54          | -10.6     | 42.14         | Vertical | 46.00          |
| 899.993000     | 29.41          | -4.3      | 33.71         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:118

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.021000      | 23.59          | -16.8     | 40.39         | Vertical | 40.00          |
| 349.954500     | 30.84          | -16.4     | 47.24         | Vertical | 46.00          |
| 491.574500     | 42.84          | -11.9     | 54.74         | Vertical | 46.00          |
| 527.998000     | 29.39          | -11.1     | 40.49         | Vertical | 46.00          |
| 549.968500     | 31.36          | -10.6     | 41.96         | Vertical | 46.00          |
| 899.993000     | 28.95          | -4.3      | 33.25         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:134

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.409000      | 24.31          | -17.0     | 41.31         | Vertical | 40.00          |
| 349.954500     | 30.98          | -16.4     | 47.38         | Vertical | 46.00          |
| 491.574500     | 42.93          | -11.9     | 54.83         | Vertical | 46.00          |
| 527.998000     | 29.49          | -11.1     | 40.59         | Vertical | 46.00          |
| 549.968500     | 31.42          | -10.6     | 42.02         | Vertical | 46.00          |
| 899.993000     | 28.85          | -4.3      | 33.15         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:134

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.797000      | 23.36          | -17.2     | 40.56         | Vertical | 40.00          |
| 349.954500     | 30.94          | -16.4     | 47.34         | Vertical | 46.00          |
| 441.813500     | 28.89          | -13.5     | 42.39         | Vertical | 46.00          |
| 491.574500     | 42.88          | -11.9     | 54.78         | Vertical | 46.00          |
| 527.998000     | 29.44          | -11.1     | 40.54         | Vertical | 46.00          |
| 549.968500     | 31.35          | -10.6     | 41.95         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:106

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.797000      | 23.01          | -17.2     | 40.21         | Vertical | 40.00          |
| 349.954500     | 30.86          | -16.4     | 47.26         | Vertical | 46.00          |
| 441.813500     | 28.79          | -13.5     | 42.29         | Vertical | 46.00          |
| 491.574500     | 42.78          | -11.9     | 54.68         | Vertical | 46.00          |
| 527.998000     | 29.35          | -11.1     | 40.45         | Vertical | 46.00          |
| 549.968500     | 31.26          | -10.6     | 41.86         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:122

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.409000      | 23.28          | -17.0     | 40.28         | Vertical | 40.00          |
| 349.954500     | 30.57          | -16.4     | 46.97         | Vertical | 46.00          |
| 441.813500     | 28.54          | -13.5     | 42.04         | Vertical | 46.00          |
| 491.574500     | 42.58          | -11.9     | 54.48         | Vertical | 46.00          |
| 527.998000     | 29.15          | -11.1     | 40.25         | Vertical | 46.00          |
| 549.968500     | 31.08          | -10.6     | 41.68         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:138

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.409000      | 23.74          | -17.0     | 40.74         | Vertical | 40.00          |
| 349.954500     | 30.83          | -16.4     | 47.23         | Vertical | 46.00          |
| 441.813500     | 28.73          | -13.5     | 42.23         | Vertical | 46.00          |
| 491.574500     | 42.72          | -11.9     | 54.62         | Vertical | 46.00          |
| 527.998000     | 29.27          | -11.1     | 40.37         | Vertical | 46.00          |
| 549.968500     | 31.16          | -10.6     | 41.76         | Vertical | 46.00          |

For 802.11a Channel No.:149

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.797000      | 23.19          | -17.2     | 40.39         | Vertical | 40.00          |
| 349.954500     | 30.78          | -16.4     | 47.18         | Vertical | 46.00          |
| 441.813500     | 28.65          | -13.5     | 42.15         | Vertical | 46.00          |
| 491.574500     | 42.64          | -11.9     | 54.54         | Vertical | 46.00          |
| 527.998000     | 29.21          | -11.1     | 40.31         | Vertical | 46.00          |
| 549.968500     | 31.10          | -10.6     | 41.70         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:149

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 40.233500      | 24.57          | -17.5     | 42.07         | Vertical | 40.00          |
| 349.954500     | 30.85          | -16.4     | 47.25         | Vertical | 46.00          |
| 441.813500     | 28.68          | -13.5     | 42.18         | Vertical | 46.00          |
| 491.574500     | 42.67          | -11.9     | 54.57         | Vertical | 46.00          |
| 527.998000     | 29.25          | -11.1     | 40.35         | Vertical | 46.00          |
| 549.968500     | 31.10          | -10.6     | 41.70         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:149

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.409000      | 23.66          | -17.0     | 40.66         | Vertical | 40.00          |
| 349.954500     | 30.75          | -16.4     | 47.15         | Vertical | 46.00          |
| 441.813500     | 28.59          | -13.5     | 42.09         | Vertical | 46.00          |
| 491.574500     | 42.57          | -11.9     | 54.47         | Vertical | 46.00          |
| 527.998000     | 29.16          | -11.1     | 40.26         | Vertical | 46.00          |
| 549.968500     | 31.00          | -10.6     | 41.60         | Vertical | 46.00          |

For 802.11a Channel No.:157

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 40.233500      | 24.45          | -17.5     | 41.95         | Vertical | 40.00          |
| 349.954500     | 30.81          | -16.4     | 47.21         | Vertical | 46.00          |
| 491.574500     | 42.62          | -11.9     | 54.52         | Vertical | 46.00          |
| 527.998000     | 29.20          | -11.1     | 40.30         | Vertical | 46.00          |
| 549.968500     | 31.03          | -10.6     | 41.63         | Vertical | 46.00          |
| 819.289000     | 27.69          | -5.5      | 33.19         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:157

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.797000      | 22.91          | -17.2     | 40.11         | Vertical | 40.00          |
| 349.954500     | 30.74          | -16.4     | 47.14         | Vertical | 46.00          |
| 491.574500     | 42.54          | -11.9     | 54.44         | Vertical | 46.00          |
| 527.998000     | 29.10          | -11.1     | 40.20         | Vertical | 46.00          |
| 549.968500     | 30.94          | -10.6     | 41.54         | Vertical | 46.00          |
| 819.289000     | 27.60          | -5.5      | 33.10         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:157

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 40.233500      | 24.27          | -17.5     | 41.77         | Vertical | 40.00          |
| 349.954500     | 30.63          | -16.4     | 47.03         | Vertical | 46.00          |
| 441.813500     | 28.45          | -13.5     | 41.95         | Vertical | 46.00          |
| 491.574500     | 42.43          | -11.9     | 54.33         | Vertical | 46.00          |
| 527.998000     | 28.99          | -11.1     | 40.09         | Vertical | 46.00          |
| 549.968500     | 30.83          | -10.6     | 41.43         | Vertical | 46.00          |

For 802.11a Channel No.:165

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.797000      | 22.24          | -17.2     | 39.44         | Vertical | 40.00          |
| 349.954500     | 30.79          | -16.4     | 47.19         | Vertical | 46.00          |
| 441.813500     | 28.58          | -13.5     | 42.08         | Vertical | 46.00          |
| 491.574500     | 42.54          | -11.9     | 54.44         | Vertical | 46.00          |
| 527.998000     | 29.11          | -11.1     | 40.21         | Vertical | 46.00          |
| 549.968500     | 30.92          | -10.6     | 41.52         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:165

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 40.185000      | 20.82          | -17.4     | 38.22         | Vertical | 40.00          |
| 349.954500     | 30.69          | -16.4     | 47.09         | Vertical | 46.00          |
| 441.813500     | 28.46          | -13.5     | 41.96         | Vertical | 46.00          |
| 491.574500     | 42.44          | -11.9     | 54.34         | Vertical | 46.00          |
| 527.998000     | 29.05          | -11.1     | 40.15         | Vertical | 46.00          |
| 549.968500     | 30.82          | -10.6     | 41.42         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:165

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.797000      | 22.41          | -17.2     | 39.61         | Vertical | 40.00          |
| 349.954500     | 30.78          | -16.4     | 47.18         | Vertical | 46.00          |
| 491.574500     | 42.49          | -11.9     | 54.39         | Vertical | 46.00          |
| 527.998000     | 29.09          | -11.1     | 40.19         | Vertical | 46.00          |
| 549.968500     | 30.85          | -10.6     | 41.45         | Vertical | 46.00          |
| 819.289000     | 27.53          | -5.5      | 33.03         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:151

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.797000      | 22.61          | -17.2     | 39.81         | Vertical | 40.00          |
| 349.954500     | 30.76          | -16.4     | 47.16         | Vertical | 46.00          |
| 491.574500     | 42.46          | -11.9     | 54.36         | Vertical | 46.00          |
| 527.998000     | 29.04          | -11.1     | 40.14         | Vertical | 46.00          |
| 549.968500     | 30.82          | -10.6     | 41.42         | Vertical | 46.00          |
| 819.289000     | 27.50          | -5.5      | 33.00         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:151

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 40.233500      | 23.74          | -17.5     | 41.24         | Vertical | 40.00          |
| 349.954500     | 30.74          | -16.4     | 47.14         | Vertical | 46.00          |
| 441.813500     | 28.45          | -13.5     | 41.95         | Vertical | 46.00          |
| 491.574500     | 42.42          | -11.9     | 54.32         | Vertical | 46.00          |
| 527.998000     | 29.04          | -11.1     | 40.14         | Vertical | 46.00          |
| 549.968500     | 30.76          | -10.6     | 41.36         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:159

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.845500      | 24.98          | -17.2     | 42.18         | Vertical | 40.00          |
| 349.954500     | 30.65          | -16.4     | 47.05         | Vertical | 46.00          |
| 491.574500     | 42.33          | -11.9     | 54.23         | Vertical | 46.00          |
| 527.998000     | 28.95          | -11.1     | 40.05         | Vertical | 46.00          |
| 549.968500     | 30.67          | -10.6     | 41.27         | Vertical | 46.00          |
| 949.996500     | 27.53          | -3.5      | 31.03         | Vertical | 46.00          |


For 802.11ac(VHT40) Channel No.:159

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.797000      | 22.20          | -17.2     | 39.40         | Vertical | 40.00          |
| 349.954500     | 30.59          | -16.4     | 46.99         | Vertical | 46.00          |
| 441.813500     | 28.35          | -13.5     | 41.85         | Vertical | 46.00          |
| 491.574500     | 42.31          | -11.9     | 54.21         | Vertical | 46.00          |
| 527.998000     | 28.91          | -11.1     | 40.01         | Vertical | 46.00          |
| 549.968500     | 30.63          | -10.6     | 41.23         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:155


| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.409000      | 22.62          | -17.0     | 39.62         | Vertical | 40.00          |
| 349.954500     | 30.46          | -16.4     | 46.86         | Vertical | 46.00          |
| 441.813500     | 28.19          | -13.5     | 41.69         | Vertical | 46.00          |
| 491.574500     | 42.18          | -11.9     | 54.08         | Vertical | 46.00          |
| 527.998000     | 28.80          | -11.1     | 39.90         | Vertical | 46.00          |
| 549.968500     | 30.49          | -10.6     | 41.09         | Vertical | 46.00          |

Carrier frequency (MHz): 5180  
Channel No.:36



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a



Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a




Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



- Preview Result 2-AVG  
\* Critical\_Freqs PK+  
◆ Final\_Result PK+
- Preview Result 1-PK+  
— PK.74  
◆ Final\_Result AVG
- \* Critical\_Freqs AVG  
- - - AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- - - Critical\_Freqs AVG AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)




Comment

Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT20)




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AVG
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG
- - - AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5200

Channel No.:40




Comment

**Frequency Range: 30MHz -1GHz**  
**Detector: QP mode**  
**Test Mode: 802.11a**




**Frequency Range: 1GHz -6GHz**  
**Detector: Av mode and PK mode**  
**Modulation type: 802.11a**

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- Critical\_Freqs AVG
- \* AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)


Full Spectrum



Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)




Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AVG
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG
- - - AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AVG
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG
- - - AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5240  
Channel No.:48




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



- ◆ Preview Result 2-AVG
- ◆ Preview Result 1-PK+
- ◆ Final\_Result PK+
- \* Critical\_Freqs PK+
- \* Critical\_Freqs PK+
- \* Final\_Result PK+
- \* Critical\_Freqs AVG
- AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- PK.74
- ◆ Final\_Result AVG
- \* Critical\_Freqs PK+
- ◆ Final\_Result PK+
- \* Critical\_Freqs AVG
- - - AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



Comment

Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT20)


Full Spectrum



Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)




Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




|                      |                      |                    |
|----------------------|----------------------|--------------------|
| Preview Result 2-AVG | Preview Result 1-PK+ | Critical_Freqs AVG |
| Critical_Freqs PK+   | PK.74                | AV54               |
| Final_Result PK+     | Final_Result AVG     |                    |

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5190

Channel No.:38




Comment

Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT40)




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AVG
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG
- - - AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)




Comment

Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT40)




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AVG
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG
- - - AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5230

Channel No.:46




Comment

Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT40)




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- PK.74
- ◆ Final\_Result AVG
- \* Critical\_Freqs PK+
- ◆ Final\_Result PK+
- \* Critical\_Freqs AVG
- - - AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



Comment

Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)