


Data Traffic and Noise Floor Plots



APPENDIX B – TEST DATA OF RADIATED EMISSION

Radiated Emission Band Edge

Note: Channel 138 (5690MHz) of U-NII-2C is just for test, which is not used for actual operation of this device.

The worst case attitude: The EUT lay down.

Peak detector: RBW=1MHz,VBW=3MHz,sweep time=200ms;

Average detector: RBW=1MHz,VBW=3MHz,sweep time=auto;

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11a

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	103.66	56.76	N/A	N/A	12.4	34.5
2	5150	54.35	7.45	-19.65	74	12.4	34.5

Carrier frequency (MHz): 5180

Channel No.:36

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	99.03	52.13	N/A	N/A	12.4	34.5
2	5150	54.35	7.45	-19.65	74	12.4	34.5

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11a

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	98.12	51.22	N/A	N/A	12.4	34.5
2	5150	40.26	-6.64	-13.74	54	12.4	34.5

Carrier frequency (MHz): 5180 MHz
Channel No.: 36
Test Mode: 802.11a
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	94.11	47.21	N/A	N/A	12.4	34.5
2	5150	39.4	-7.51	-14.61	54	12.4	34.5

Carrier frequency (MHz): 5240 MHz
Channel No.:48
Test Mode: 802.11a
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5240	103.14	56.04	N/A	N/A	12.6	34.5
2	5270	54.28	6.30	-19.72	74	12.6	34.5

Carrier frequency (MHz): 5320 MHz
Channel No.: 48
Test Mode: 802.11a
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5240	98.17	51.07	N/A	N/A	12.6	34.5
2	5270	53.44	6.34	-20.56	74	12.6	34.5

Carrier frequency (MHz): 5240 MHz
Channel No.: 48
Test Mode: 802.11a
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5240	96.49	49.39	N/A	N/A	12.6	34.5
2	5270	41.33	-5.48	-12.67	54	12.6	34.5

Carrier frequency (MHz): 5320 MHz
Channel No.: 48
Test Mode: 802.11a
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5240	91.63	44.53	N/A	N/A	12.6	34.5
2	5270	41.11	-5.99	-12.89	54	12.6	34.5

Carrier frequency (MHz): 5180 MHz
Channel No.:36
Test Mode: 802.11n(HT20)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	103.42	56.52	N/A	N/A	12.4	34.5
2	5150	53.77	6.87	-20.23	74	12.4	34.5

Carrier frequency (MHz): 5180 MHz
Channel No.:36
Test Mode: 802.11n(HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	99.13	52.23	N/A	N/A	12.4	34.5
2	5150	53.90	7.00	-20.10	74	12.4	34.5

Carrier frequency (MHz): 5180 MHz
Channel No.:36
Test Mode: 802.11n(HT20)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	97.87	50.97	N/A	N/A	12.4	34.5
2	5150	40.22	-6.68	-13.78	54	12.4	34.5

Carrier frequency (MHz): 5180 MHz
Channel No.:36
Test Mode: 802.11n(HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	93.15	46.25	N/A	N/A	12.4	34.5
2	5150	40.0	-6.95	-14.05	54	12.4	34.5

Carrier frequency (MHz): 5240 MHz
Channel No.: 48
Test Mode: 802.11n(HT20)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5240	102.86	55.76	N/A	N/A	12.6	34.5
2	5270	53.63	6.22	-20.37	74	12.6	34.5

Carrier frequency (MHz): 5240 MHz
Channel No.: 48
Test Mode: 802.11n(HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5240	98.66	51.56	N/A	N/A	12.6	34.5
2	5270	53.14	6.04	-20.86	74	12.6	34.5

Carrier frequency (MHz): 5240 MHz
Channel No.: 48
Test Mode: 802.11n(HT20)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5240	96.31	49.21	N/A	N/A	12.6	34.5
2	5270	41.13	-5.60	-12.87	54	12.6	34.5

Carrier frequency (MHz): 5240 MHz
Channel No.: 48
Test Mode: 802.11n(HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5240	92.02	44.92	N/A	N/A	12.6	34.5
2	5270	41.19	-5.91	-12.81	54	12.6	34.5

Carrier frequency (MHz): 5190
Channel No.:38
Test Mode: 802.11n(HT40)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	103.87	56.97	N/A	N/A	12.4	34.5
2	5150	54.31	7.41	-19.69	74	12.4	34.5

Carrier frequency (MHz): 5190
Channel No.:38
Test Mode: 802.11n(HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	99.19	52.29	N/A	N/A	12.4	34.5
2	5150	53.99	7.09	-20.01	74	12.4	34.5

Carrier frequency (MHz): 5190
Channel No.:38
Test Mode: 802.11n(HT40)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	97.37	50.47	N/A	N/A	12.4	34.5
2	5150	40.70	-6.20	-13.30	54	12.4	34.5

Carrier frequency (MHz): 5190
Channel No.:38
Test Mode: 802.11n(HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBUV/m)	Reading Level (dBUV)	Over Limit (dB)	Limit (dBuv/m)	cable loss (dB)	antenna factor (dB)
1	5190	92.95	46.05	N/A	N/A	12.4	34.5
2	5150	40.4	-6.53	-13.63	54	12.4	34.5

Carrier frequency (MHz): 5230
Channel No.: 46
Test Mode: 802.11n(HT40)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBUV/m)	Reading Level (dBUV)	Over Limit (dB)	Limit (dBuv/m)	cable loss (dB)	antenna factor (dB)
1	5230	102.50	55.40	N/A	N/A	12.6	34.5
2	5270	53.49	5.94	-20.51	74	12.6	34.5

Carrier frequency (MHz): 5230
Channel No.: 46
Test Mode: 802.11n(HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBUV/m)	Reading Level (dBUV)	Over Limit (dB)	Limit (dBuv/m)	cable loss (dB)	antenna factor (dB)
1	5230	97.53	50.43	N/A	N/A	12.6	34.5
2	5270	52.52	5.42	-21.48	74	12.6	34.5

Carrier frequency (MHz): 5230
Channel No.: 46
Test Mode: 802.11n(HT40)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBUV/m)	Reading Level (dBUV)	Over Limit (dB)	Limit (dBuv/m)	cable loss (dB)	antenna factor (dB)
1	5230	96.56	49.46	N/A	N/A	12.6	34.5
2	5270	41.64	-5.37	-12.36	54	12.6	34.5

Carrier frequency (MHz): 5230
Channel No.: 46
Test Mode: 802.11n(HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5230	91.68	44.58	N/A	N/A	12.6	34.5
2	5270	41.64	-5.46	-12.36	54	12.6	34.5

Carrier frequency (MHz): 5180 MHz
Channel No.:36
Test Mode: 802.11ac(HT20)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	103.73	56.83	N/A	N/A	12.4	34.5
2	5150	54.25	7.35	-19.75	74	12.4	34.5

Carrier frequency (MHz): 5180 MHz
Channel No.:36
Test Mode: 802.11ac (HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	99.48	52.58	N/A	N/A	12.4	34.5
2	5150	54.23	7.33	-19.77	74	12.4	34.5

Carrier frequency (MHz): 5180 MHz
Channel No.:36
Test Mode: 802.11ac (HT20)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	97.22	50.32	N/A	N/A	12.4	34.5
2	5150	40.33	-6.57	-13.67	54	12.4	34.5

Carrier frequency (MHz): 5180 MHz
Channel No.:36
Test Mode: 802.11ac (HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	94.05	47.15	N/A	N/A	12.4	34.5
2	5150	39.5	-7.36	-14.46	54	12.4	34.5

Carrier frequency (MHz): 5240 MHz
Channel No.: 48
Test Mode: 802.11ac (HT20)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5240	103.18	56.08	N/A	N/A	12.6	34.5
2	5270	53.92	6.04	-20.08	74	12.6	34.5

Carrier frequency (MHz): 5240 MHz
Channel No.: 48
Test Mode: 802.11ac HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5240	98.95	51.85	N/A	N/A	12.6	34.5
2	5270	53.66	6.56	-20.34	74	12.6	34.5

Carrier frequency (MHz): 5240 MHz
Channel No.: 48
Test Mode: 802.11ac (HT20)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5240	96.60	49.50	N/A	N/A	12.6	34.5
2	5270	40.75	-5.65	-13.25	54	12.6	34.5

Carrier frequency (MHz): 5240 MHz
Channel No.: 48
Test Mode: 802.11ac (HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5240	92.43	45.33	N/A	N/A	12.6	34.5
2	5270	40.50	-6.60	-13.50	54	12.6	34.5

Carrier frequency (MHz): 5190
Channel No.:38
Test Mode: 802.11ac (HT40)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	104.30	57.40	N/A	N/A	12.4	34.5
2	5150	54.49	7.59	-19.51	74	12.4	34.5

Carrier frequency (MHz): 5190
Channel No.:38
Test Mode: 802.11ac (HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	100.17	53.27	N/A	N/A	12.4	34.5
2	5150	54.36	7.46	-19.64	74	12.4	34.5

Carrier frequency (MHz): 5190
Channel No.:38
Test Mode: 802.11ac (HT40)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	97.53	50.63	N/A	N/A	12.4	34.5
2	5150	40.59	-6.31	-13.41	54	12.4	34.5

Carrier frequency (MHz): 5190
Channel No.:38
Test Mode: 802.11ac (HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	92.54	45.64	N/A	N/A	12.4	34.5
2	5150	39.9	-6.99	-14.09	54	12.4	34.5

Carrier frequency (MHz): 5230
Channel No.: 46
Test Mode: 802.11ac (HT40)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5230	102.78	55.68	N/A	N/A	12.6	34.5
2	5270	54.20	6.28	-19.80	74	12.6	34.5

Carrier frequency (MHz): 5230
Channel No.: 46
Test Mode: 802.11ac (HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5230	98.64	51.54	N/A	N/A	12.6	34.5
2	5270	53.42	6.32	-20.58	74	12.6	34.5

Carrier frequency (MHz): 5230
Channel No.: 46
Test Mode: 802.11ac (HT40)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5230	96.14	49.04	N/A	N/A	12.6	34.5
2	5270	41.33	-5.48	-12.67	54	12.6	34.5

Carrier frequency (MHz): 5230
Channel No.: 46
Test Mode: 802.11ac (HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5230	91.36	44.26	N/A	N/A	12.6	34.5
2	5270	41.60	-5.50	-12.40	54	12.6	34.5

Carrier frequency (MHz): 5210
Channel No.: 42
Test Mode: 802.11ac (VHT80)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	102.44	55.34	N/A	N/A	12.6	34.5
2	5270	53.56	6.27	-20.44	74	12.6	34.5

Carrier frequency (MHz): 5210
Channel No.: 42
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	98.38	51.28	N/A	N/A	12.6	34.5
2	5270	53.38	6.28	-20.62	74	12.6	34.5

Carrier frequency (MHz): 5210
Channel No.: 42
Test Mode: 802.11ac (VHT80)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	96.16	49.06	N/A	N/A	12.6	34.5
2	5270	41.65	-5.44	-12.35	54	12.6	34.5

Carrier frequency (MHz): 5210
Channel No.: 42
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	91.58	44.48	N/A	N/A	12.6	34.5
2	5270	41.40	-5.70	-12.60	54	12.6	34.5

Carrier frequency (MHz): 5745 MHz
Channel No.:149
Test Mode: 802.11a
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	cable loss (dB)	antenna factor (dB)
1	5745	103.85	56.25	N/A	N/A	12.9	34.7
2	5725	53.86	6.26	-36.14	74	12.9	34.7

Carrier frequency (MHz): 5745 MHz
Channel No.:149
Test Mode: 802.11a
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	103.37	55.77	N/A	N/A	12.9	34.7
2	5725	53.92	6.32	-20.08	74	12.9	34.7

Carrier frequency (MHz): 5745 MHz
Channel No.:149
Test Mode: 802.11a
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	cable loss (dB)	antenna factor (dB)
1	5745	100.53	52.93	N/A	N/A	12.9	34.7
2	5725	41.97	-5.63	-12.03	54	12.9	34.7

Carrier frequency (MHz): 5745 MHz
Channel No.:149
Test Mode: 802.11a
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	95.16	47.56	N/A	N/A	12.9	34.7
2	5725	40.58	-7.02	-13.42	54	12.9	34.7

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11a
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	103.83	56.23	N/A	N/A	12.6	34.5
2	5350	53.65	6.05	-20.35	74.00	12.6	34.5

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11a
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	99.76	52.16	N/A	N/A	12.6	34.5
2	5350	53.48	5.88	-20.52	74.00	12.6	34.5

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11a
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	100.60	53.00	N/A	N/A	12.6	34.5
2	5350	41.84	-5.76	-12.16	54.00	12.6	34.5

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11a
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	95.80	48.20	N/A	N/A	12.6	34.5
2	5350	41.27	-6.33	-12.73	54.00	12.6	34.5

Carrier frequency (MHz): 5745 MHz
Channel No.:149
Test Mode: 802.11n(HT20)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	103.68	56.08	N/A	N/A	12.9	34.7
2	5725	53.60	6.00	-20.40	74	12.9	34.7

Carrier frequency (MHz): 5745 MHz
Channel No.:149
Test Mode: 802.11n(HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	98.96	51.36	N/A	N/A	12.9	34.7
2	5725	53.23	5.63	-20.77	74	12.9	34.7

Carrier frequency (MHz): 5745 MHz
Channel No.:149
Test Mode: 802.11n(HT20)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	100.64	53.04	N/A	N/A	12.9	34.7
2	5725	41.61	-5.99	-12.39	54	12.9	34.7

Carrier frequency (MHz): 5745 MHz
Channel No.:149
Test Mode: 802.11n(HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuv/m)	cable loss (dB)	antenna factor (dB)
1	5745	95.90	48.30	N/A	N/A	12.9	34.7
2	5725	40.57	-7.03	-13.43	54	12.9	34.7

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11n(HT20)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuv/m)	cable loss (dB)	antenna factor (dB)
1	5825	100.96	53.36	N/A	N/A	12.9	34.7
2	5850	53.86	6.26	-20.14	74	12.9	34.7

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11n(HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuv/m)	cable loss (dB)	antenna factor (dB)
1	5825	94.01	46.41	N/A	N/A	12.9	34.7
2	5850	53.18	5.58	-20.82	74	12.9	34.7

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11n(HT20)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuv/m)	cable loss (dB)	antenna factor (dB)
1	5825	100.84	53.24	N/A	N/A	12.9	34.7
2	5850	42.99	-4.61	-11.01	54	12.9	34.7

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11n(HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	94.23	46.63	N/A	N/A	12.9	34.7
2	5850	41.05	-6.55	-12.95	54	12.9	34.7

Carrier frequency (MHz): 5755 MHz
Channel No.:151
Test Mode: 802.11n(HT40)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	101.13	53.53	N/A	N/A	12.9	34.7
2	5725	53.68	6.08	-20.32	74	12.9	34.7

Carrier frequency (MHz): 5755 MHz
Channel No.:151
Test Mode: 802.11n(HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	94.58	46.98	N/A	N/A	12.9	34.7
2	5725	53.08	5.48	-20.92	74	12.9	34.7

Carrier frequency (MHz): 5755 MHz
Channel No.:151
Test Mode: 802.11n(HT40)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	101.56	53.96	N/A	N/A	12.9	34.7
2	5725	42.15	-5.45	-11.85	54	12.9	34.7

Carrier frequency (MHz): 5755 MHz
Channel No.:151
Test Mode: 802.11n(HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	94.53	46.93	N/A	N/A	12.9	34.7
2	5725	41.26	-6.34	-12.74	54	12.9	34.7

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11n(HT40)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	100.98	53.38	N/A	N/A	12.9	34.7
2	5850	53.60	6.00	-20.40	74	12.9	34.7

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11n(HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	93.74	46.14	N/A	N/A	12.9	34.7
2	5850	53.01	5.41	-20.99	74	12.9	34.7

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11n(HT40)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	101.81	54.21	N/A	N/A	12.9	34.7
2	5850	42.99	-4.61	-11.01	78.3	12.9	34.7

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11n(HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	95.13	47.53	N/A	N/A	12.9	34.7
2	5850	41.90	-5.70	-12.10	54	12.9	34.7

Carrier frequency (MHz): 5745 MHz
Channel No.:149
Test Mode: 802.11ac(HT20)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	101.79	54.19	N/A	N/A	12.9	34.7
2	5725	53.65	6.05	-20.35	74	12.9	34.7

Carrier frequency (MHz): 5745 MHz
Channel No.:149
Test Mode: 802.11ac(HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	95.32	47.72	N/A	N/A	12.9	34.7
2	5725	40.61	-6.99	-13.39	74	12.9	34.7

Carrier frequency (MHz): 5745 MHz
Channel No.:149
Test Mode: 802.11ac(HT20)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	100.88	53.28	N/A	N/A	12.9	34.7
2	5725	53.50	5.90	-20.50	54	12.9	34.7

Carrier frequency (MHz): 5745 MHz
Channel No.:149
Test Mode: 802.11ac(HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	95.07	47.47	N/A	N/A	12.9	34.7
2	5725	40.92	-6.68	-13.08	54	12.9	34.7

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11ac(HT20)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	101.70	54.10	N/A	N/A	12.9	34.7
2	5850	53.63	6.03	-20.37	74	12.9	34.7

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11ac(HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	94.81	47.21	N/A	N/A	12.9	34.7
2	5850	53.49	5.89	-20.51	74	12.9	34.7

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11ac(HT20)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	101.11	53.51	N/A	N/A	12.9	34.7
2	5850	42.41	-5.19	-11.59	54	12.9	34.7

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11ac(HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	94.55	46.95	N/A	N/A	12.9	34.7
2	5850	41.87	-5.73	-12.13	54	12.9	34.7

Carrier frequency (MHz): 5755 MHz
Channel No.:151
Test Mode: 802.11ac(HT40)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	103.36	55.76	N/A	N/A	12.9	34.7
2	5725	54.30	6.70	-19.70	74	12.9	34.7

Carrier frequency (MHz): 5755 MHz
Channel No.:151
Test Mode: 802.11ac(HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	98.50	50.90	N/A	N/A	12.9	34.7
2	5725	52.65	5.05	-21.35	74	12.9	34.7

Carrier frequency (MHz): 5755 MHz
Channel No.:151
Test Mode: 802.11ac(HT40)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	100.00	52.40	N/A	N/A	12.9	34.7
2	5725	42.20	-5.40	-11.80	54	12.9	34.7

Carrier frequency (MHz): 5755 MHz
Channel No.:151
Test Mode: 802.11ac(HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5745	94.62	47.02	N/A	N/A	12.9	34.7
2	5725	41.06	-6.54	-12.94	54	12.9	34.7

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11ac(HT40)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	101.59	53.99	N/A	N/A	12.9	34.7
2	5850	53.43	5.83	-20.57	74	12.9	34.7

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11ac(HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	94.49	46.89	N/A	N/A	12.9	34.7
2	5850	53.37	5.77	-20.63	74	12.9	34.7

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11ac(HT40)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	100.99	53.39	N/A	N/A	12.9	34.7
2	5850	42.07	-5.53	-11.93	78.3	12.9	34.7

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11ac(HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuv/m)	cable loss (dB)	antenna factor (dB)
1	5825	93.79	46.19	N/A	N/A	12.9	34.7
2	5850	41.79	-5.81	-12.21	54	12.9	34.7

Carrier frequency (MHz): 5775 MHz
Channel No.:155
Test Mode: 802.11ac(VHT80)
Polarity: Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuv/m)	cable loss (dB)	antenna factor (dB)
1	5775	104.42	56.82	N/A	N/A	12.9	34.7
2	5825	53.06	5.46	-20.94	74	12.9	34.7

Carrier frequency (MHz): 5775 MHz
Channel No.:155
Test Mode: 802.11ac(VHT80)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuv/m)	cable loss (dB)	antenna factor (dB)
1	5775	97.09	49.49	N/A	N/A	12.9	34.7
2	5825	53.84	6.24	-20.16	74	12.9	34.7

Carrier frequency (MHz): 5775 MHz
Channel No.:155
Test Mode: 802.11ac(VHT80)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuv/m)	cable loss (dB)	antenna factor (dB)
1	5775	102.66	55.06	N/A	N/A	12.9	34.7
2	5825	42.62	-4.98	-11.38	54	12.9	34.7

Carrier frequency (MHz): 5775 MHz
Channel No.:155
Test Mode: 802.11ac(VHT80)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	96.09	48.49	N/A	N/A	12.9	34.7
2	5825	41.41	-6.19	-12.59	54	12.9	34.7

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11a
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	101.34	56.14	N/A	N/A	11.5	33.7
2	5470	52.54	7.34	-21.46	74	11.5	33.7

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11a
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	96.60	51.40	N/A	N/A	11.5	33.7
2	5470	52.11	6.91	-21.89	74	11.5	33.7

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11a
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	94.55	49.35	N/A	N/A	11.5	33.7
2	5470	40.58	-4.62	-13.42	54	11.5	33.7

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11a
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	89.63	44.43	N/A	N/A	11.5	33.7
2	5470	40.17	-5.03	-13.83	54	11.5	33.7

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	98.97	53.77	N/A	N/A	11.5	33.7
2	5470	50.35	5.15	-23.65	74	11.5	33.7

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	94.56	49.36	N/A	N/A	11.5	33.7
2	5470	49.68	4.48	-24.32	74	11.5	33.7

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	91.50	46.30	N/A	N/A	11.5	33.7
2	5470	37.29	-7.91	-16.71	54	11.5	33.7

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	86.51	41.31	N/A	N/A	11.5	33.7
2	5470	36.34	-8.86	-17.66	54	11.5	33.7

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	97.36	52.16	N/A	N/A	11.5	33.7
2	5470	48.12	2.92	-25.88	74	11.5	33.7

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	92.45	47.25	N/A	N/A	11.5	33.7
2	5470	47.67	2.47	-26.33	74	11.5	33.7

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	90.76	45.56	N/A	N/A	11.5	33.7
2	5470	37.20	-8.00	-16.80	54	11.5	33.7

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	86.16	40.96	N/A	N/A	11.5	33.7
2	5470	36.92	-8.28	-17.08	54	11.5	33.7

Carrier frequency (MHz): 5530 MHz
Channel No.:106
Test Mode: 802.11ac (VVHT80)
Polarity: Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Over Limit (dB)	Limit (dBμV)	cable loss (dB)	antenna factor (dB)
1	5530	93.42	48.22	N/A	N/A	11.5	33.7
2	5470	47.14	1.94	-26.86	74	11.5	33.7

Carrier frequency (MHz): 5530 MHz
Channel No.:106
Test Mode: 802.11ac (VVHT80)
Polarity: Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Over Limit (dB)	Limit (dBμV)	cable loss (dB)	antenna factor (dB)
1	5530	90.36	45.16	N/A	N/A	11.5	33.7
2	5470	35.95	-9.25	-18.05	54	11.5	33.7

Carrier frequency (MHz): 5530 MHz
Channel No.:106
Test Mode: 802.11ac (VVHT80)
Polarity: Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Over Limit (dB)	Limit (dBμV)	cable loss (dB)	antenna factor (dB)
1	5530	90.73	45.53	N/A	N/A	11.5	33.7
2	5470	36.96	-8.24	-17.04	54	11.5	33.7

APPENDIX B – TEST DATA OF RADIATED EMISSION

5150 MHz -5250 MHz

For 802.11a

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.565833	33.28	12.1	21.18	Vertical	40.00
31.374167	32.95	12.1	20.85	Vertical	40.00
32.586667	32.77	12.1	20.67	Vertical	40.00
34.567083	31.09	10.8	20.29	Horizontal	40.00
35.335000	33.39	10.8	22.59	Vertical	40.00
501.298750	33.72	17.30	16.42	Vertical	46.00

For 802.11n(HT20)

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.565833	33.73	12.1	21.63	Vertical	40.00
31.374167	32.15	12.1	20.05	Horizontal	40.00
31.980417	31.41	12.1	19.31	Vertical	40.00
32.546250	32.93	10.8	22.13	Horizontal	40.00
34.647917	30.56	10.8	19.76	Vertical	40.00
35.294583	32.50	10.8	21.70	Vertical	40.00

For 802.11n(HT40)

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.000000	29.84	12.1	17.74	Vertical	40.00
30.606250	33.46	12.1	21.36	Vertical	40.00
32.546250	30.90	12.1	18.80	Vertical	40.00
33.152500	30.01	10.8	19.21	Vertical	40.00
34.607500	30.61	10.8	19.81	Vertical	40.00
35.456250	31.99	10.8	21.19	Vertical	40.00

For 802.11ac(HT20)

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.375417	29.03	12.1	16.93	Vertical	40.00
47.298333	26.39	13.6	12.79	Vertical	40.00
48.025833	29.04	13.6	15.44	Vertical	40.00
48.632083	27.51	13.6	13.91	Horizontal	40.00
53.401250	27.19	13.5	13.69	Horizontal	40.00
54.411667	32.69	14.2	18.49	Vertical	40.00


For 802.11ac(HT40)

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.606250	25.65	12.1	13.55	Vertical	40.00
34.324583	27.33	12.1	15.23	Horizontal	40.00
49.965833	25.44	13.6	11.84	Horizontal	40.00
499.318333	32.49	16.7	15.79	Vertical	46.00
501.258333	32.70	15.7	17.00	Vertical	46.00
505.582917	32.98	16.2	16.78	Vertical	46.00


For 802.11ac(HT80)

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.000000	25.66	12.1	13.56	Vertical	40.00
35.132917	26.79	12.1	14.69	Vertical	40.00
49.965833	25.77	13.8	11.97	Vertical	40.00
60.231667	26.17	13.5	12.67	Horizontal	40.00
499.439583	31.67	16.7	14.97	Horizontal	46.00
501.177500	33.30	17.30	16.00	Horizontal	46.00


Carrier frequency (MHz): 5200
Channel No.:40




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a




Frequency Range: 1GHz - 7GHz
Detector: Av mode and PK mode
Modulation type: 802.11a



Frequency Range: 7GHz - 18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a



Frequency Range: 18GHz -26.5GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a




Frequency Range: 26.5GHz -40GHz

Detector: Av mode and PK mode

Modulation type: 802.11a


Carrier frequency (MHz): 5200
 Channel No.:40




Frequency Range: 30MHz -1GHz

Detector: QP mode


Test Mode: 802.11n(HT20)



Frequency Range: 1GHz - 7GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 7GHz - 18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)



Frequency Range: 18GHz -26.5GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)




Frequency Range: 26.5GHz -40GHz


Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)


Carrier frequency (MHz): 5230
 Channel No.:46




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Modulation type: 802.11n(HT40)




Frequency Range: 1GHz - 7GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)



Frequency Range: 7GHz - 18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)




Frequency Range: 18GHz -26.5GHz
 Detector: Av mode and PK mode




Frequency Range: 26.5GHz -40GHz
 Detector: Av mode and PK mode

Carrier frequency (MHz): 5200
 Channel No.:40




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Test Mode: 802.11ac(HT20)



Frequency Range: 1GHz - 7GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ac(HT20)




Frequency Range: 7GHz - 18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ac(HT20)



Frequency Range: 18GHz -26.5GHz

Detector: Av mode and PK mode

Modulation type: 802.11ac(HT20)




Frequency Range: 26.5GHz -40GHz


Detector: Av mode and PK mode

Modulation type: 802.11ac(HT20)


Carrier frequency (MHz): 5230
 Channel No.:46




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Modulation type: 802.11ac(HT40)




Frequency Range: 1GHz - 7GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ac(HT40)



Frequency Range: 7GHz - 18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ac(HT40)




Frequency Range: 18GHz -26.5GHz
 Detector: Av mode and PK mode




Frequency Range: 26.5GHz -40GHz
 Detector: Av mode and PK mode

Carrier frequency (MHz): 5210
 Channel No.:42




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Test Mode: 802.11ac(HT80)



Frequency Range: 1GHz - 7GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ac(HT80)




Frequency Range: 7GHz - 18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ac(HT80)



Frequency Range: 18GHz -26.5GHz

Detector: Av mode and PK mode

Modulation type: 802.11ac(HT80)




Frequency Range: 26.5GHz -40GHz

Detector: Av mode and PK mode

Modulation type: 802.11ac(HT80)

AC Power line Conducted Emission



L +N Line

MEASUREMENT RESULT:

Frequency (MHz)	MaxPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Line	Corr. (dB)
0.207066	52.12	---	63.32	11.21	L1	29.9
0.207066	---	31.46	53.32	21.87	L1	29.9
0.268522	42.41	---	61.16	18.76	N	30.0
0.325588	36.48	---	59.56	23.08	N	30.1
1.005993	---	20.49	46.00	25.51	N	29.9
3.609088	30.57	---	56.00	25.43	L1	29.8
4.188529	30.35	---	56.00	25.65	L1	29.8
4.223647	---	21.99	46.00	24.01	N	29.8
4.781140	30.09	---	56.00	25.91	L1	29.8
4.781140	---	22.40	46.00	23.60	N	29.8
4.930390	---	21.94	46.00	24.06	L1	29.8
6.335096	---	24.13	50.00	25.87	N	29.8

APPENDIX B – TEST DATA OF RADIATED EMISSION

5250 MHz -5350 MHz

For 802.11a

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
34.284167	18.92	12.1	6.82	Vertical	40.00
35.375417	23.95	12.1	11.85	Vertical	40.00
45.924167	30.25	12.1	18.15	Horizontal	40.00
205.287083	22.9	14.2	8.70	Horizontal	43.50
411.937500	22.66	13.7	8.96	Vertical	46.00
955.339583	22.56	14.6	7.96	Vertical	46.00

For 802.11n(HT20)

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.011667	22.89	12.1	10.79	Vertical	40.00
35.375417	27.45	12.1	15.35	Horizontal	40.00
35.537083	24.41	12.1	12.31	Horizontal	40.00
35.941250	21.58	13.4	8.18	Horizontal	40.00
46.490000	30.25	15.6	14.65	Vertical	40.00
207.671667	22.74	15.6	7.14	Vertical	43.50

For 802.11n(HT40)

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
34.971250	21.86	12.1	9.76	Vertical	40.00
35.496667	22.41	12.1	10.31	Vertical	40.00
36.022083	19.74	12.1	7.64	Horizontal	40.00
39.336250	16.94	13.4	3.54	Horizontal	40.00
45.762500	28.21	15.6	12.61	Vertical	40.00
204.559583	23.64	15.6	8.04	Vertical	43.50

For 802.11ac(HT20)

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
34.243750	19.63	12.1	7.53	Vertical	40.00
35.011667	21.45	13.6	7.85	Vertical	40.00
35.294583	22.28	13.6	8.68	Vertical	40.00
46.166667	29.73	13.6	16.13	Horizontal	40.00
206.459167	23.17	13.5	9.67	Horizontal	43.50
411.290833	22.97	14.2	8.77	Vertical	46.00


For 802.11ac(HT40)

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
34.203333	18.97	12.1	6.87	Vertical	40.00
35.335000	23.02	12.1	10.92	Vertical	40.00
35.981667	21.87	13.6	8.27	Vertical	40.00
44.550000	18.66	14.2	4.46	Vertical	40.00
45.924167	29	15.4	13.60	Vertical	40.00
203.266250	22.58	16.1	6.48	Vertical	43.50


For 802.11ac(HT80)

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
34.243750	19.39	12.1	7.29	Vertical	40.00
35.011667	23.22	12.5	10.72	Vertical	40.00
35.335000	23.51	13.6	9.91	Vertical	40.00
35.698750	23.32	14.2	9.12	Vertical	40.00
46.570833	30.05	15.4	14.65	Vertical	40.00
203.630000	22.78	16.1	6.68	Horizontal	43.50


Carrier frequency (MHz): 5260
 Channel No.:52




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11a




Frequency Range: 1GHz - 7GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a



Frequency Range: 7GHz - 18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a



Frequency Range: 18GHz -26.5GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a




Frequency Range: 26.5GHz -40GHz

Detector: Av mode and PK mode

Modulation type: 802.11a


Carrier frequency (MHz): 5260
 Channel No.:52




Frequency Range: 30MHz -1GHz

Detector: QP mode


Test Mode: 802.11n(HT20)



Frequency Range: 1GHz - 7GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)




Frequency Range: 7GHz - 18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)



Frequency Range: 18GHz -26.5GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)




Frequency Range: 26.5GHz -40GHz


Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)


Carrier frequency (MHz): 5280
Channel No.:56




Frequency Range: 30MHz -1GHz
Detector: QP mode
Modulation type: 802.11n(HT40)




Frequency Range: 1GHz - 7GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)



Frequency Range: 7GHz - 18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)




Frequency Range: 18GHz -26.5GHz
 Detector: Av mode and PK mode




Frequency Range: 26.5GHz -40GHz
 Detector: Av mode and PK mode

Carrier frequency (MHz): 5280
 Channel No.:60




Frequency Range: 30MHz -1GHz
 Detector: QP mode


Test Mode: 802.11ac(HT20)



Frequency Range: 1GHz - 7GHz
Detector: Av mode and PK mode
Modulation type: 802.11ac(HT20)




Frequency Range: 7GHz - 18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ac(HT20)



Frequency Range: 18GHz -26.5GHz

Detector: Av mode and PK mode

Modulation type: 802.11ac(HT20)




Frequency Range: 26.5GHz -40GHz


Detector: Av mode and PK mode

Modulation type: 802.11ac(HT20)


Carrier frequency (MHz): 5300
 Channel No.:60




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Modulation type: 802.11ac(HT40)




Frequency Range: 1GHz - 7GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ac(HT40)



Frequency Range: 7GHz - 18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ac(HT40)




Frequency Range: 18GHz -26.5GHz
 Detector: Av mode and PK mode




Frequency Range: 26.5GHz -40GHz
 Detector: Av mode and PK mode

Carrier frequency (MHz): 5320
 Channel No.:64




Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(HT80)



Frequency Range: 1GHz - 7GHz

Detector: Av mode and PK mode


Modulation type: 802.11ac(HT80)



Frequency Range: 7GHz - 18GHz

Detector: Av mode and PK mode


Modulation type: 802.11ac(HT80)



Frequency Range: 18GHz -26.5GHz

Detector: Av mode and PK mode

Modulation type: 802.11ac(HT80)




Frequency Range: 26.5GHz -40GHz

Detector: Av mode and PK mode

Modulation type: 802.11ac(HT80)

AC Power line Conducted Emission



L +N Line

MEASUREMENT RESULT:

Frequency (MHz)	MaxPeak (dBuV)	Average (dBuV)	Limit (dBuV)	Margin (dB)	Line	Corr. (dB)
0.150000	61.39	---	66.00	4.61	L1	29.8
0.150000	---	39.82	56.00	16.18	L1	29.8
0.211456	50.54	---	63.15	12.61	N	29.9
0.211456	---	29.70	53.15	23.45	L1	29.9
0.268522	40.08	---	61.16	21.09	L1	30.0
0.329978	33.11	---	59.45	26.34	N	30.1
0.641647	---	21.46	46.00	24.54	L1	30.1
2.472154	30.06	---	56.00	25.94	N	29.9
2.985750	30.82	---	56.00	25.18	N	29.9
2.985750	---	22.38	46.00	23.62	L1	29.9
4.065618	---	22.23	46.00	23.77	L1	29.8
4.983066	---	21.92	46.00	24.08	L1	29.8

APPENDIX B – TEST DATA OF RADIATED EMISSION

5475 MHz -5725 MHz

For 802.11a

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.011667	23.48	12.1	11.38	Vertical	40.00
35.294583	24.68	12.1	12.58	Vertical	40.00
35.698750	24.65	12.1	12.55	Horizontal	40.00
35.941250	21.25	14.2	7.05	Horizontal	40.00
46.045417	29.11	12.7	16.41	Vertical	40.00
204.357500	22.7	17.3	5.40	Vertical	43.50

For 802.11n(HT20)

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.375417	23.21	12.1	11.11	Horizontal	40.00
35.820000	23.88	12.1	11.78	Horizontal	40.00
36.345417	19.7	13.2	6.50	Vertical	40.00
46.005000	30.73	14.2	16.53	Horizontal	40.00
206.337917	22.91	12.7	10.21	Vertical	43.50
207.348333	23.14	16.2	6.94	Vertical	43.50

For 802.11n(HT40)

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.011667	23.29	12.1	11.19	Vertical	40.00
35.375417	22.56	13.6	8.96	Vertical	40.00
35.658333	22.35	13.2	9.15	Horizontal	40.00
36.466667	21.65	14.2	7.45	Vertical	40.00
46.126250	29.18	12.7	16.48	Vertical	40.00
206.378333	22.76	17.3	5.46	Vertical	43.50

For 802.11ac(HT20)

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
34.203333	19.1	12.1	7.00	Vertical	40.00
35.011667	20.69	12.1	8.59	Horizontal	40.00
35.375417	22.39	13.2	9.19	Vertical	40.00
46.490000	29.1	14.2	14.90	Horizontal	40.00
206.297500	22.74	12.7	10.04	Horizontal	43.50
207.631250	22.48	16.2	6.28	Vertical	43.50


For 802.11ac(HT40)

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.011667	25.98	12.1	13.88	Vertical	40.00
35.415833	26.53	13.6	12.93	Horizontal	40.00
35.739167	25.54	13.2	12.34	Horizontal	40.00
46.045417	31.39	14.2	17.19	Vertical	40.00
47.904583	20.7	12.7	8.00	Horizontal	40.00
206.337917	22.9	17.3	5.60	Vertical	43.50


For 802.11ac(HT80)

Frequency (MHz)	Result (dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
34.284167	18.97	12.1	6.87	Vertical	40.00
35.375417	23.17	13.6	9.57	Vertical	40.00
35.698750	20.68	13.2	7.48	Vertical	40.00
36.830417	16.66	14.2	2.46	Vertical	40.00
46.490000	29.45	12.7	16.75	Horizontal	40.00
206.661250	22.32	17.3	5.02	Horizontal	43.50


Carrier frequency (MHz): 5500
Channel No.:100




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a




Frequency Range: 1GHz - 7GHz
Detector: Av mode and PK mode
Modulation type: 802.11a



Frequency Range: 7GHz - 18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a



Frequency Range: 18GHz -26.5GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a




Frequency Range: 26.5GHz -40GHz

Detector: Av mode and PK mode

Modulation type: 802.11a


Carrier frequency (MHz): 5520
 Channel No.:104




Frequency Range: 30MHz -1GHz

Detector: QP mode


Test Mode: 802.11n(HT20)



Frequency Range: 1GHz - 7GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 7GHz - 18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)



Frequency Range: 18GHz -26.5GHz

Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)




Frequency Range: 26.5GHz -40GHz


Detector: Av mode and PK mode

Modulation type: 802.11n(HT20)


Carrier frequency (MHz): 5540
Channel No.:108




Frequency Range: 30MHz -1GHz
Detector: QP mode
Modulation type: 802.11n(HT40)




Frequency Range: 1GHz - 7GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)



Frequency Range: 7GHz - 18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)




Frequency Range: 18GHz -26.5GHz
 Detector: Av mode and PK mode



Frequency Range: 26.5GHz -40GHz
 Detector: Av mode and PK mode

Carrier frequency (MHz): 5560
 Channel No.:112



Frequency Range: 30MHz -1GHz
 Detector: QP mode

Test Mode: 802.11ac(HT20)