

APPENDIX REPORT

Project No.	SHT2202009001EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT22020090019	Model No.	Z3
Start test date	2022-04-20	Finish date	2022-04-20
Temperature	24.4℃	Humidity	35%
Test Engineer	Xiaoqin Li	Auditor	Xiaodong Zheo




Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS




Appendix A: Conducted Peak Output Power

Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	13.24	11.04	≤ 30.00	Pass
	06	13.78	11.63		
	11	13.38	11.15		
802.11g	01	16.38	13.02	≤ 30.00	Pass
	06	16.84	13.44		
	11	16.35	13.06		
802.11n (HT20)	01	16.13	12.76	≤ 30.00	Pass
	06	16.57	13.12		
	11	16.13	12.84		
802.11n(HT40)	03	16.69	13.30	≤ 30.00	Pass
	06	16.82	13.50		
	09	16.47	13.16		

Appendix B: Power Spectral Density

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	-1.34	≤8.00	Pass
	06	-0.43		
	11	-2.19		
802.11g	01	-7.29	≤8.00	Pass
	06	-6.01		
	11	-6.48		
802.11n(HT20)	01	-7.45	≤8.00	Pass
	06	-5.89		
	11	-6.68		
802.11n(HT40)	03	-9.25	≤8.00	Pass
	06	-8.94		
	09	-10.00		

Type:		802.11 b
CH01	 <p>Date: 20 APR 2022 08:57:11</p>	
CH06	 <p>Date: 20 APR 2022 08:58:53</p>	
CH11	 <p>Date: 20 APR 2022 08:55:39</p>	

Type:		802.11 g
CH01	 <p>Date: 20 APR. 2022 09:06:50</p>	
CH06	 <p>Date: 20 APR. 2022 09:09:28</p>	
CH11	 <p>Date: 20 APR. 2022 09:04:47</p>	




Type:		802.11n(HT20)
CH01		
CH06		
CH11		

Type:		802.11n(HT40)
CH03	<p>Date: 20 APR. 2022 09:28:38</p>	
CH06	<p>Date: 20 APR. 2022 09:32:01</p>	
CH09	<p>Date: 20 APR. 2022 09:26:52</p>	




Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	8.10	≥0.5	Pass
	06	8.10		
	11	8.10		
802.11g	01	15.75	≥0.5	Pass
	06	15.09		
	11	15.15		
802.11n(HT20)	01	15.69	≥0.5	Pass
	06	14.28		
	11	15.69		
802.11n(HT40)	03	29.04	≥0.5	Pass
	06	35.16		
	09	35.64		

Type:	802.11 b																												
CH01	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>1PK View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>D1 -3.810 dBm</p> <p>M1[1] -4.77 dBm 2.4079500 GHz M2[1] 2.19 dBm 2.4114900 GHz</p> <p>CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40795 GHz</td> <td>-4.77 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.41149 GHz</td> <td>2.19 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>8.1 MHz</td> <td>0.38 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR 2022 08:56:58</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40795 GHz	-4.77 dBm			M2		1	2.41149 GHz	2.19 dBm			D3	M1	1	8.1 MHz	0.38 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.40795 GHz	-4.77 dBm																									
M2		1	2.41149 GHz	2.19 dBm																									
D3	M1	1	8.1 MHz	0.38 dB																									
CH06	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>1PK View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>D1 -3.422 dBm</p> <p>M1[1] -3.67 dBm 2.4329500 GHz M2[1] 2.58 dBm 2.4360100 GHz</p> <p>CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.43295 GHz</td> <td>-3.67 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.43601 GHz</td> <td>2.58 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>8.1 MHz</td> <td>-0.78 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR 2022 08:58:11</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.43295 GHz	-3.67 dBm			M2		1	2.43601 GHz	2.58 dBm			D3	M1	1	8.1 MHz	-0.78 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.43295 GHz	-3.67 dBm																									
M2		1	2.43601 GHz	2.58 dBm																									
D3	M1	1	8.1 MHz	-0.78 dB																									
CH11	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>1PK View</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>D1 -3.522 dBm</p> <p>M1[1] -3.83 dBm 2.4579500 GHz M2[1] 2.48 dBm 2.4614900 GHz</p> <p>CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.45795 GHz</td> <td>-3.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.46149 GHz</td> <td>2.48 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>8.1 MHz</td> <td>-0.23 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR 2022 08:55:27</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.45795 GHz	-3.83 dBm			M2		1	2.46149 GHz	2.48 dBm			D3	M1	1	8.1 MHz	-0.23 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.45795 GHz	-3.83 dBm																									
M2		1	2.46149 GHz	2.48 dBm																									
D3	M1	1	8.1 MHz	-0.23 dB																									

Type:	802.11 g																												
CH01	 <p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>1PK View</p> <p>CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.40444 GHz</td> <td>-8.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.41074 GHz</td> <td>-2.58 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>15.75 MHz</td> <td>-1.05 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR. 2022 09:06:37</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.40444 GHz	-8.75 dBm			M2		1	2.41074 GHz	-2.58 dBm			D3	M1	1	15.75 MHz	-1.05 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.40444 GHz	-8.75 dBm																									
M2		1	2.41074 GHz	-2.58 dBm																									
D3	M1	1	15.75 MHz	-1.05 dB																									
CH06	 <p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>1PK View</p> <p>CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.42944 GHz</td> <td>-8.07 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.43574 GHz</td> <td>-2.05 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>15.09 MHz</td> <td>-0.40 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR. 2022 09:09:15</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.42944 GHz	-8.07 dBm			M2		1	2.43574 GHz	-2.05 dBm			D3	M1	1	15.09 MHz	-0.40 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.42944 GHz	-8.07 dBm																									
M2		1	2.43574 GHz	-2.05 dBm																									
D3	M1	1	15.09 MHz	-0.40 dB																									
CH11	 <p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>1PK View</p> <p>CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.45441 GHz</td> <td>-9.78 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.46449 GHz</td> <td>-2.29 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>15.15 MHz</td> <td>0.31 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR. 2022 09:04:34</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.45441 GHz	-9.78 dBm			M2		1	2.46449 GHz	-2.29 dBm			D3	M1	1	15.15 MHz	0.31 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.45441 GHz	-9.78 dBm																									
M2		1	2.46449 GHz	-2.29 dBm																									
D3	M1	1	15.15 MHz	0.31 dB																									

Type:	802.11n(HT20)																												
CH01	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>CF 2.412 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.4051 GHz</td> <td>-8.98 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.41449 GHz</td> <td>-2.94 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>15.69 MHz</td> <td>-0.40 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR 2022 09:19:26</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.4051 GHz	-8.98 dBm			M2		1	2.41449 GHz	-2.94 dBm			D3	M1	1	15.69 MHz	-0.40 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.4051 GHz	-8.98 dBm																									
M2		1	2.41449 GHz	-2.94 dBm																									
D3	M1	1	15.69 MHz	-0.40 dB																									
CH06	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>CF 2.437 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.42941 GHz</td> <td>-10.02 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.43826 GHz</td> <td>-1.91 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>14.28 MHz</td> <td>0.72 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR 2022 09:22:16</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.42941 GHz	-10.02 dBm			M2		1	2.43826 GHz	-1.91 dBm			D3	M1	1	14.28 MHz	0.72 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.42941 GHz	-10.02 dBm																									
M2		1	2.43826 GHz	-1.91 dBm																									
D3	M1	1	14.28 MHz	0.72 dB																									
CH11	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>CF 2.462 GHz 1001 pts Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.45447 GHz</td> <td>-8.34 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.46326 GHz</td> <td>-2.14 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>15.69 MHz</td> <td>-0.58 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR 2022 09:13:09</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.45447 GHz	-8.34 dBm			M2		1	2.46326 GHz	-2.14 dBm			D3	M1	1	15.69 MHz	-0.58 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.45447 GHz	-8.34 dBm																									
M2		1	2.46326 GHz	-2.14 dBm																									
D3	M1	1	15.69 MHz	-0.58 dB																									

Type:	802.11n(HT40)																												
CH03	 <p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>CF 2.422 GHz 1001 pts Span 60.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.4105 GHz</td> <td>-13.41 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.42698 GHz</td> <td>-3.84 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>29.04 MHz</td> <td>1.17 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR 2022 09:28:25</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.4105 GHz	-13.41 dBm			M2		1	2.42698 GHz	-3.84 dBm			D3	M1	1	29.04 MHz	1.17 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.4105 GHz	-13.41 dBm																									
M2		1	2.42698 GHz	-3.84 dBm																									
D3	M1	1	29.04 MHz	1.17 dB																									
CH06	 <p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>CF 2.437 GHz 1001 pts Span 60.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.41942 GHz</td> <td>-10.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.43448 GHz</td> <td>-4.00 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>35.16 MHz</td> <td>-0.56 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR 2022 09:31:48</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.41942 GHz	-10.45 dBm			M2		1	2.43448 GHz	-4.00 dBm			D3	M1	1	35.16 MHz	-0.56 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.41942 GHz	-10.45 dBm																									
M2		1	2.43448 GHz	-4.00 dBm																									
D3	M1	1	35.16 MHz	-0.56 dB																									
CH09	 <p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 500/500</p> <p>CF 2.452 GHz 1001 pts Span 60.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td></td> <td>1</td> <td>2.434 GHz</td> <td>-12.39 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td></td> <td>1</td> <td>2.44948 GHz</td> <td>-4.61 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>35.64 MHz</td> <td>-1.60 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR 2022 09:26:39</p>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1		1	2.434 GHz	-12.39 dBm			M2		1	2.44948 GHz	-4.61 dBm			D3	M1	1	35.64 MHz	-1.60 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1		1	2.434 GHz	-12.39 dBm																									
M2		1	2.44948 GHz	-4.61 dBm																									
D3	M1	1	35.64 MHz	-1.60 dB																									




Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)	Limit (kHz)	Result
802.11b	01	12.80	-	Pass
	06	12.65		
	11	12.86		
802.11g	01	16.69	-	Pass
	06	16.72		
	11	16.54		
802.11n(HT20)	01	17.89	-	Pass
	06	17.56		
	11	17.77		
802.11n(HT40)	03	35.90	-	Pass
	06	35.84		
	09	36.38		

Type:		802.11 b
CH01	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count: 500/500 1PK View M1[1] 2.50 dBm 2.4125090 GHz 12.797202797 MHz Occ Bw T1 T2 CF 2.412 GHz 1001 pts Span 30.0 MHz Date: 20 APR. 2022 08:57:05</p>	
CH06	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count: 500/500 1PK View M1[1] 3.04 dBm 2.4364910 GHz 12.647352647 MHz Occ Bw T1 T2 CF 2.437 GHz 1001 pts Span 30.0 MHz Date: 20 APR. 2022 08:58:48</p>	
CH11	<p>Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWT 25.3 μs VBW 1 MHz Mode Auto FFT Count: 500/500 1PK View M1[1] 2.64 dBm 2.4625090 GHz 12.857142857 MHz Occ Bw T1 T2 CF 2.462 GHz 1001 pts Span 30.0 MHz Date: 20 APR. 2022 08:55:34</p>	


Type:		802.11 g
CH01	<p style="font-size: small;">Date: 20 APR 2022 09:06:44</p>	
CH06	<p style="font-size: small;">Date: 20 APR 2022 09:09:22</p>	
CH11	<p style="font-size: small;">Date: 20 APR 2022 09:04:41</p>	

Type:		802.11n(HT20)
CH01		<p>Date: 20 APR. 2022 09:19:33</p>
CH06		<p>Date: 20 APR. 2022 09:22:23</p>
CH11		<p>Date: 20 APR. 2022 09:13:16</p>


Type:		802.11n(HT40)
CH03	 <p>Spectrum plot for CH03. The plot shows a signal centered at 2.4236780 GHz with a peak level of 0.91 dBm. The plot includes parameters: Ref Level 20.50 dBm, Att 30 dB, Offset 1.00 dB, RBW 500 kHz, Count 500/500, Mode Auto Sweep, Span 60.0 MHz, and CF 2.422 GHz. The plot also shows a noise floor around -40 dBm and a bandwidth of 40 MHz.</p>	
CH06	 <p>Spectrum plot for CH06. The plot shows a signal centered at 2.4397570 GHz with a peak level of 0.62 dBm. The plot includes parameters: Ref Level 20.50 dBm, Att 30 dB, Offset 1.00 dB, RBW 500 kHz, Count 500/500, Mode Auto Sweep, Span 60.0 MHz, and CF 2.437 GHz. The plot also shows a noise floor around -40 dBm and a bandwidth of 40 MHz.</p>	
CH09	 <p>Spectrum plot for CH09. The plot shows a signal centered at 2.4466050 GHz with a peak level of -0.25 dBm. The plot includes parameters: Ref Level 20.50 dBm, Att 30 dB, Offset 1.00 dB, RBW 500 kHz, Count 500/500, Mode Auto Sweep, Span 60.0 MHz, and CF 2.452 GHz. The plot also shows a noise floor around -40 dBm and a bandwidth of 40 MHz.</p>	

Appendix E: Duty Cycle

Modulation Type	Test Frequency (MHz)	T _{on} time for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on} time (kHz)
11b	2437	8.36	8.40	99.5%	0.1
11g	2437	1.38	1.43	96.5%	0.7
11n20	2437	1.29	1.34	96.3%	0.8
11n40	2437	0.64	0.69	92.8%	1.6




11n20





Date: 20 APR 2022 09:21:19



11n40





Date: 20 APR 2022 09:31:16




Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Bandedge	Type:	802.11 b																																										
CH01	 <p>Marker Data for CH01:</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41252 GHz</td> <td>1.80 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-49.93 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-58.50 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-59.70 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.398139 GHz</td> <td>-50.85 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR 2022 08:57:20</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.41252 GHz	1.80 dBm			M2	1		2.4 GHz	-49.93 dBm			M3	1		2.39 GHz	-58.50 dBm			M4	1		2.31 GHz	-59.70 dBm			M5	1		2.398139 GHz	-50.85 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.41252 GHz	1.80 dBm																																									
M2	1		2.4 GHz	-49.93 dBm																																									
M3	1		2.39 GHz	-58.50 dBm																																									
M4	1		2.31 GHz	-59.70 dBm																																									
M5	1		2.398139 GHz	-50.85 dBm																																									
CH11	 <p>Marker Data for CH11:</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.461482 GHz</td> <td>1.97 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-58.71 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-58.41 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4850435 GHz</td> <td>-56.43 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR 2022 08:55:48</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.461482 GHz	1.97 dBm			M2	1		2.4835 GHz	-58.71 dBm			M3	1		2.5 GHz	-58.41 dBm			M4	1		2.4850435 GHz	-56.43 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.461482 GHz	1.97 dBm																																									
M2	1		2.4835 GHz	-58.71 dBm																																									
M3	1		2.5 GHz	-58.41 dBm																																									
M4	1		2.4850435 GHz	-56.43 dBm																																									


Test Item:	Bandedge	Type:	802.11 g																																										
CH01	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>1PK Max</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>M1[1] -2.53 dBm 2.414460 GHz M2[1] -44.68 dBm 2.400000 GHz D1 -22.530 dBm M3 M4 M5</p> <p>Start 2.31 GHz 691 pts Stop 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td>2.41446 GHz</td> <td>-2.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td>2.4 GHz</td> <td>-44.68 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td>2.39 GHz</td> <td>-57.25 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td>2.31 GHz</td> <td>-58.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td>1</td> <td>2.399925 GHz</td> <td>-43.46 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR 2022 09:06:59</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.41446 GHz	-2.53 dBm			M2	1	1	2.4 GHz	-44.68 dBm			M3	1	1	2.39 GHz	-57.25 dBm			M4	1	1	2.31 GHz	-58.53 dBm			M5	1	1	2.399925 GHz	-43.46 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.41446 GHz	-2.53 dBm																																									
M2	1	1	2.4 GHz	-44.68 dBm																																									
M3	1	1	2.39 GHz	-57.25 dBm																																									
M4	1	1	2.31 GHz	-58.53 dBm																																									
M5	1	1	2.399925 GHz	-43.46 dBm																																									
CH11	 <p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>1PK Max</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>M1[1] -2.41 dBm 2.460718 GHz M2[1] -56.67 dBm 2.4835000 GHz D1 -22.410 dBm M3 M4</p> <p>Start 2.452 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td>2.460718 GHz</td> <td>-2.41 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td>2.4835 GHz</td> <td>-56.67 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td>2.5 GHz</td> <td>-58.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td>2.4869913 GHz</td> <td>-55.45 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR 2022 09:04:56</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.460718 GHz	-2.41 dBm			M2	1	1	2.4835 GHz	-56.67 dBm			M3	1	1	2.5 GHz	-58.75 dBm			M4	1	1	2.4869913 GHz	-55.45 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.460718 GHz	-2.41 dBm																																									
M2	1	1	2.4835 GHz	-56.67 dBm																																									
M3	1	1	2.5 GHz	-58.75 dBm																																									
M4	1	1	2.4869913 GHz	-55.45 dBm																																									

Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01	<p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>1PK Max</p> <p>M1[1] -3.52 dBm 2.414460 GHz M2[1] -45.74 dBm 2.400000 GHz</p> <p>D1 -23.660 dBm</p> <p>Start 2.31 GHz 691 pts Stop 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41446 GHz</td> <td>-3.52 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-45.74 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-56.58 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-60.06 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399762 GHz</td> <td>-43.29 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR. 2022 09:19:48</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.41446 GHz	-3.52 dBm			M2	1		2.4 GHz	-45.74 dBm			M3	1		2.39 GHz	-56.58 dBm			M4	1		2.31 GHz	-60.06 dBm			M5	1		2.399762 GHz	-43.29 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.41446 GHz	-3.52 dBm																																									
M2	1		2.4 GHz	-45.74 dBm																																									
M3	1		2.39 GHz	-56.58 dBm																																									
M4	1		2.31 GHz	-60.06 dBm																																									
M5	1		2.399762 GHz	-43.29 dBm																																									
CH11	<p>Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300</p> <p>1PK Max</p> <p>M1[1] -2.31 dBm 2.460718 GHz M2[1] -55.71 dBm 2.4835000 GHz</p> <p>D1 -22.310 dBm</p> <p>Start 2.452 GHz 691 pts Stop 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.460718 GHz</td> <td>-2.31 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-55.71 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-59.97 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.4835826 GHz</td> <td>-54.56 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 20 APR. 2022 09:13:34</p>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.460718 GHz	-2.31 dBm			M2	1		2.4835 GHz	-55.71 dBm			M3	1		2.5 GHz	-59.97 dBm			M4	1		2.4835826 GHz	-54.56 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.460718 GHz	-2.31 dBm																																									
M2	1		2.4835 GHz	-55.71 dBm																																									
M3	1		2.5 GHz	-59.97 dBm																																									
M4	1		2.4835826 GHz	-54.56 dBm																																									


Test Item:	Bandedge	Type:	802.11 n(HT40)																																										
CH03		 <table border="1" data-bbox="687 589 1331 689"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td>2.427 GHz</td> <td>-4.26 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td>2.4 GHz</td> <td>-48.15 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td>2.39 GHz</td> <td>-54.34 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td>2.31 GHz</td> <td>-57.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td>1</td> <td>2.398191 GHz</td> <td>-47.40 dBm</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.427 GHz	-4.26 dBm			M2	1	1	2.4 GHz	-48.15 dBm			M3	1	1	2.39 GHz	-54.34 dBm			M4	1	1	2.31 GHz	-57.83 dBm			M5	1	1	2.398191 GHz	-47.40 dBm			<p>802.11 n(HT40)</p>
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.427 GHz	-4.26 dBm																																									
M2	1	1	2.4 GHz	-48.15 dBm																																									
M3	1	1	2.39 GHz	-54.34 dBm																																									
M4	1	1	2.31 GHz	-57.83 dBm																																									
M5	1	1	2.398191 GHz	-47.40 dBm																																									
CH09		 <table border="1" data-bbox="687 1126 1331 1227"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td>1</td> <td>2.449467 GHz</td> <td>-4.71 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td>1</td> <td>2.4835 GHz</td> <td>-51.77 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td>1</td> <td>2.5 GHz</td> <td>-53.33 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td>1</td> <td>2.4837391 GHz</td> <td>-48.59 dBm</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1	1	2.449467 GHz	-4.71 dBm			M2	1	1	2.4835 GHz	-51.77 dBm			M3	1	1	2.5 GHz	-53.33 dBm			M4	1	1	2.4837391 GHz	-48.59 dBm			<p>802.11 n(HT40)</p>							
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1	1	2.449467 GHz	-4.71 dBm																																									
M2	1	1	2.4835 GHz	-51.77 dBm																																									
M3	1	1	2.5 GHz	-53.33 dBm																																									
M4	1	1	2.4837391 GHz	-48.59 dBm																																									

Test Item:	SE	Type:	802.11b
<p>CH01 Reference level</p>		 <p>Date: 20 APR. 2022 08:57:26</p>	
<p>CH01 30MHz~1000MHz</p>		 <p>Date: 20 APR. 2022 08:57:41</p>	
<p>CH01 1GHz~26GHz</p>		 <p>Date: 20 APR. 2022 08:57:56</p>	


CH06
Reference level




CH06
30MHz~1000MHz




CH06
1GHz~26GHz




CH11
Reference level






CH11
30MHz~1000MHz




CH11
1GHz~26GHz




Test Item:	SE	Type:	802.11g
<p>CH01 Reference level</p>		 <p>Date: 20 APR. 2022 09:08:01</p>	
<p>CH01 30MHz~1000MHz</p>		 <p>Date: 20 APR. 2022 09:08:16</p>	
<p>CH01 1GHz~26GHz</p>		 <p>Date: 20 APR. 2022 09:08:31</p>	


CH06
Reference level




CH06
30MHz~1000MHz




CH06
1GHz~26GHz




CH11
Reference level






CH11
30MHz~1000MHz




CH11
1GHz~26GHz




Test Item:	SE	Type:	802.11n(HT20)
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			

CH06
Reference level



CH06
30MHz~1000MHz



CH06
1GHz~26GHz

