



LOVENSE

Max 2

USER MANUAL



- Button A: On/Off (hold for 3 seconds) & Cycle Through Vibrations (one tap)
- Indicator Light
- Button B: Cycle Through Contractions (one tap)



- Quick Air Release (press when the toy is too tight)
- Adjustable Air Vent (adjust the suction)
- Charging Port
- Air Pump Vent (must be open when using the toy and closed when washing the toy)

English

What's Included

- (1) Bluetooth Male Masturbator
- (1) USB Charging Cable
- (1) User Manual
- (1) Quick Setup Guide

Specifications

Materials	ABS / Skin-like TPE
Weight	580g
Battery	Li-Ion Rechargeable
Charging	120 Minutes
Use Time	up to 125 Minutes
Standby	up to 100 Hours
Waterproof	Splashproof

Charging

Turn off Max 2. Plug the cable into any USB port or USB/AC power adapter to start charging. It will take approximately 2 hours to fully charge. Once it is fully charged, the solid red light will turn off.

Cleaning & Care

- Clean Max 2 before and after each use.
- Clean with warm water. Do NOT use soap on the inner sleeve, as it may degrade the material.
- Dry thoroughly before storing.
- Make sure that the Air Pump Vent is closed when cleaning the toy.

Usage Tips

- Before insertion, generously apply lube to the inside of the sleeve, the entry hole, and your penis.
- If you want to adjust the suction, use the Adjustable Air Vent.
- If the pressure level is too high, or you're feeling discomfort, you can use the Quick Air Release.
- Make sure the Air Pump Vent is open during use.

Warning

- Keep away from extreme heat or cold.
- Make sure your toy is recharged at least once every six months.
- DO NOT use the toy while charging.

Links

Check out the newest guide/download links here. Our software is regularly updated.

Online guide: www.lovense.com/guide

App download: www.lovense.com/download

If you have any feedback or need any additional assistance, use the contact form at www.lovense.com/contact. Someone from the Lovense team will normally reply within 12-24 hours.

Warranty Terms & Conditions

LoveSense warrants Max 2 (excluding TPE sleeve) for a period of ONE (1) YEAR and the Max's 2 sleeve - for NINETY (90) DAYS, after the date of original purchase, against defects due to faulty workmanship or materials. If you discover a defect and notify LOVESENSE during the warranty period, LOVESENSE will, at its discretion, replace the product free of charge.

Visit www.lovenses.com/warranty for detailed warranty and product return information.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
 - Increase the separation between the equipment and receiver.
 - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
 - Consult the dealer or an experienced radio/TV technician for help.
- The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction

FCC ID: 2ARUK-MAX2