



Appendix B

RF Test Data for 5.2GWIFI (Conducted Measurement)

Product Name: Teton Router 750 V2

Test Model: TR-750-2

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Taylor Hu
Supervised by:	Li Huan





B.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant0	19.846	>=0.5	Pass
NVNT	a	5200	Ant0	19.659	>=0.5	Pass
NVNT	a	5240	Ant0	19.651	>=0.5	Pass
NVNT	n20	5180	Ant0	20.117	>=0.5	Pass
NVNT	n20	5200	Ant0	19.863	>=0.5	Pass
NVNT	n20	5240	Ant0	19.902	>=0.5	Pass
NVNT	n40	5190	Ant0	40.078	>=0.5	Pass
NVNT	n40	5230	Ant0	40.042	>=0.5	Pass
NVNT	ac20	5180	Ant0	20.151	>=0.5	Pass
NVNT	ac20	5200	Ant0	20.179	>=0.5	Pass
NVNT	ac20	5240	Ant0	19.921	>=0.5	Pass
NVNT	ac40	5190	Ant0	40.136	>=0.5	Pass
NVNT	ac40	5230	Ant0	40.458	>=0.5	Pass
NVNT	ac80	5210	Ant0	80.21	>=0.5	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant0




-26dB Bandwidth NVNT a 5200MHz Ant0






-26dB Bandwidth NVNT a 5240MHz Ant0



-26dB Bandwidth NVNT n20 5180MHz Ant0





-26dB Bandwidth NVNT n20 5200MHz Ant0




-26dB Bandwidth NVNT n20 5240MHz Ant0






-26dB Bandwidth NVNT n40 5190MHz Ant0




-26dB Bandwidth NVNT n40 5230MHz Ant0






-26dB Bandwidth NVNT ac20 5180MHz Ant0




-26dB Bandwidth NVNT ac20 5200MHz Ant0






-26dB Bandwidth NVNT ac20 5240MHz Ant0




-26dB Bandwidth NVNT ac40 5190MHz Ant0






-26dB Bandwidth NVNT ac40 5230MHz Ant0



-26dB Bandwidth NVNT ac80 5210MHz Ant0





Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	19.522	>=0.5	Pass
NVNT	a	5200	Ant1	19.671	>=0.5	Pass
NVNT	a	5240	Ant1	19.293	>=0.5	Pass
NVNT	n20	5180	Ant1	20.037	>=0.5	Pass
NVNT	n20	5200	Ant1	20.168	>=0.5	Pass
NVNT	n20	5240	Ant1	20.465	>=0.5	Pass
NVNT	n40	5190	Ant1	40.129	>=0.5	Pass
NVNT	n40	5230	Ant1	40.498	>=0.5	Pass
NVNT	ac20	5180	Ant1	19.893	>=0.5	Pass
NVNT	ac20	5200	Ant1	19.889	>=0.5	Pass
NVNT	ac20	5240	Ant1	20.22	>=0.5	Pass
NVNT	ac40	5190	Ant1	40.202	>=0.5	Pass
NVNT	ac40	5230	Ant1	40.467	>=0.5	Pass
NVNT	ac80	5210	Ant1	80.444	>=0.5	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1






-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1





-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1






-26dB Bandwidth NVNT n40 5190MHz Ant1



-26dB Bandwidth NVNT n40 5230MHz Ant1






-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1






-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1






-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1





B.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant0	10.91	0.13	11.04	30.00	Pass
NVNT	a	5200	Ant0	11.48	0.13	11.61	30.00	Pass
NVNT	a	5240	Ant0	9.46	0.13	9.59	30.00	Pass
NVNT	n20	5180	Ant0	11.27	0.14	11.41	30.00	Pass
NVNT	n20	5200	Ant0	11.23	0.14	11.37	30.00	Pass
NVNT	n20	5240	Ant0	10.3	0.15	10.45	30.00	Pass
NVNT	n40	5190	Ant0	11.02	0.28	11.3	30.00	Pass
NVNT	n40	5230	Ant0	10.26	0.28	10.54	30.00	Pass
NVNT	ac20	5180	Ant0	11.15	0.14	11.29	30.00	Pass
NVNT	ac20	5200	Ant0	11.21	0.14	11.35	30.00	Pass
NVNT	ac20	5240	Ant0	10.63	0.14	10.77	30.00	Pass
NVNT	ac40	5190	Ant0	11.04	0.28	11.32	30.00	Pass
NVNT	ac40	5230	Ant0	10.28	0.28	10.56	30.00	Pass
NVNT	ac80	5210	Ant0	11.14	0.55	11.69	30.00	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	10.98	0.13	11.24	30.00	Pass
NVNT	a	5200	Ant1	10.18	0.13	10.44	30.00	Pass
NVNT	a	5240	Ant1	9.14	0.13	9.4	30.00	Pass
NVNT	n20	5180	Ant1	10.47	0.15	10.77	30.00	Pass
NVNT	n20	5200	Ant1	11.39	0.15	11.69	30.00	Pass
NVNT	n20	5240	Ant1	10.04	0.15	10.34	30.00	Pass
NVNT	n40	5190	Ant1	10.3	0.28	10.86	30.00	Pass
NVNT	n40	5230	Ant1	8.98	0.28	9.54	30.00	Pass
NVNT	ac20	5180	Ant1	10.66	0.15	10.96	30.00	Pass
NVNT	ac20	5200	Ant1	10.51	0.14	10.79	30.00	Pass
NVNT	ac20	5240	Ant1	9.21	0.14	9.49	30.00	Pass
NVNT	ac40	5190	Ant1	11.77	0.28	12.33	30.00	Pass
NVNT	ac40	5230	Ant1	10.67	0.28	11.23	30.00	Pass
NVNT	ac80	5210	Ant1	10.9	0.55	12.00	30.00	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	5180	11.41	10.77	14.11	29.72	Pass
NVNT	n20	5200	11.37	11.69	14.54	29.72	Pass
NVNT	n20	5240	10.45	10.34	13.41	29.72	Pass
NVNT	n40	5190	11.3	10.86	14.10	29.72	Pass
NVNT	n40	5230	10.54	9.54	13.08	29.72	Pass
NVNT	ac20	5180	11.29	10.96	14.14	29.72	Pass
NVNT	ac20	5200	11.35	10.79	14.09	29.72	Pass
NVNT	ac20	5240	10.77	9.49	13.19	29.72	Pass
NVNT	ac40	5190	11.32	12.33	14.86	29.72	Pass
NVNT	ac40	5230	10.56	11.23	13.92	29.72	Pass
NVNT	ac80	5210	11.69	12.00	14.86	29.72	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



B.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant0	-0.97	0.13	-0.84	17.00	Pass
NVNT	a	5200	Ant0	-1.09	0.13	-0.96	17.00	Pass
NVNT	a	5240	Ant0	-2.43	0.13	-2.3	17.00	Pass
NVNT	n20	5180	Ant0	-1.62	0.14	-1.48	17.00	Pass
NVNT	n20	5200	Ant0	-0.66	0.14	-0.52	17.00	Pass
NVNT	n20	5240	Ant0	-2.4	0.15	-2.25	17.00	Pass
NVNT	n40	5190	Ant0	-5.35	0.28	-5.07	17.00	Pass
NVNT	n40	5230	Ant0	-6.66	0.28	-6.38	17.00	Pass
NVNT	ac20	5180	Ant0	-1.16	0.14	-1.02	17.00	Pass
NVNT	ac20	5200	Ant0	-0.21	0.14	-0.07	17.00	Pass
NVNT	ac20	5240	Ant0	-2.33	0.14	-2.19	17.00	Pass
NVNT	ac40	5190	Ant0	-4.62	0.28	-4.34	17.00	Pass
NVNT	ac40	5230	Ant0	-5.96	0.28	-5.68	17.00	Pass
NVNT	ac80	5210	Ant0	-8.59	0.55	-8.04	17.00	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-1.72	0.13	-1.59	17.00	Pass
NVNT	a	5200	Ant1	-1.19	0.13	-1.06	17.00	Pass
NVNT	a	5240	Ant1	-3.02	0.13	-2.89	17.00	Pass
NVNT	n20	5180	Ant1	-1.5	0.15	-1.35	17.00	Pass
NVNT	n20	5200	Ant1	-1.01	0.15	-0.86	17.00	Pass
NVNT	n20	5240	Ant1	-2.61	0.15	-2.46	17.00	Pass
NVNT	n40	5190	Ant1	-5.71	0.28	-5.43	17.00	Pass
NVNT	n40	5230	Ant1	-7.25	0.28	-6.97	17.00	Pass
NVNT	ac20	5180	Ant1	-1.22	0.15	-1.07	17.00	Pass
NVNT	ac20	5200	Ant1	-0.99	0.14	-0.85	17.00	Pass
NVNT	ac20	5240	Ant1	-2.9	0.14	-2.76	17.00	Pass
NVNT	ac40	5190	Ant1	-3.85	0.28	-3.57	17.00	Pass
NVNT	ac40	5230	Ant1	-5.31	0.28	-5.03	17.00	Pass
NVNT	ac80	5210	Ant1	-9.78	0.55	-9.23	17.00	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Total PSD (dBm)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	5180	-1.48	-1.35	1.60	16.72	Pass
NVNT	n20	5200	-0.52	-0.86	2.32	16.72	Pass
NVNT	n20	5240	-2.25	-2.46	0.66	16.72	Pass
NVNT	n40	5190	-5.07	-5.43	-2.24	16.72	Pass
NVNT	n40	5230	-6.38	-6.97	-3.65	16.72	Pass
NVNT	ac20	5180	-1.02	-1.07	1.97	16.72	Pass
NVNT	ac20	5200	-0.07	-0.85	2.57	16.72	Pass
NVNT	ac20	5240	-2.19	-2.76	0.54	16.72	Pass
NVNT	ac40	5190	-4.34	-3.57	-0.93	16.72	Pass
NVNT	ac40	5230	-5.68	-5.03	-2.33	16.72	Pass
NVNT	ac80	5210	-8.04	-9.23	-5.58	16.72	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

PSD NVNT a 5180MHz Ant0




PSD NVNT a 5200MHz Ant0






PSD NVNT a 5240MHz Ant0




PSD NVNT n20 5180MHz Ant0






PSD NVNT n20 5200MHz Ant0




PSD NVNT n20 5240MHz Ant0






PSD NVNT n40 5190MHz Ant0




PSD NVNT n40 5230MHz Ant0






PSD NVNT ac20 5180MHz Ant0




PSD NVNT ac20 5200MHz Ant0






PSD NVNT ac20 5240MHz Ant0




PSD NVNT ac40 5190MHz Ant0






PSD NVNT ac40 5230MHz Ant0




PSD NVNT ac80 5210MHz Ant0






Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1






PSD NVNT a 5240MHz Ant1




PSD NVNT n20 5180MHz Ant1






PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1






PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1








PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1








PSD NVNT ac40 5230MHz Ant1



PSD NVNT ac80 5210MHz Ant1





B.4 Restrict Band

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	4500	-44.43	3.27	54.07	Peak	68.2	Pass
NVNT	a	5180	4500	-53.31	3.27	45.19	Average	54	Pass
NVNT	a	5180	5111.8	-39.47	3.27	59.03	Peak	68.2	Pass
NVNT	a	5180	5116	-51.52	3.27	46.98	Average	54	Pass
NVNT	a	5180	5150	-43.07	3.27	55.43	Peak	68.2	Pass
NVNT	a	5180	5150	-51.72	3.27	46.78	Average	54	Pass
NVNT	a	5240	5350	-42.15	3.27	56.35	Peak	68.2	Pass
NVNT	a	5240	5350	-51.88	3.27	46.62	Average	54	Pass
NVNT	a	5240	5367.84	-40.2	3.27	58.30	Peak	68.2	Pass
NVNT	a	5240	5350.32	-51.75	3.27	46.75	Average	54	Pass
NVNT	a	5240	5460	-42.55	3.27	55.95	Peak	68.2	Pass
NVNT	a	5240	5460	-53	3.27	45.50	Average	54	Pass
NVNT	n20mimo	5180	4500	-44.02	6.28	57.49	Peak	68.2	Pass
NVNT	n20mimo	5180	4500	-53.37	6.28	48.14	Average	54	Pass
NVNT	n20mimo	5180	5073.3	-38.69	6.28	62.82	Peak	68.2	Pass
NVNT	n20mimo	5180	5116.7	-51.46	6.28	50.05	Average	54	Pass
NVNT	n20mimo	5180	5150	-41.9	6.28	59.61	Peak	68.2	Pass
NVNT	n20mimo	5180	5150	-51.8	6.28	49.71	Average	54	Pass
NVNT	n20mimo	5240	5350	-43.67	6.28	57.84	Peak	68.2	Pass
NVNT	n20mimo	5240	5350	-52.03	6.28	49.48	Average	54	Pass
NVNT	n20mimo	5240	5387.52	-40.27	6.28	61.24	Peak	68.2	Pass
NVNT	n20mimo	5240	5353.44	-51.77	6.28	49.74	Average	54	Pass
NVNT	n20mimo	5240	5460	-44.29	6.28	57.22	Peak	68.2	Pass
NVNT	n20mimo	5240	5460	-52.94	6.28	48.57	Average	54	Pass
NVNT	n40mimo	5190	4500	-44.85	6.28	56.66	Peak	68.2	Pass
NVNT	n40mimo	5190	4500	-53.08	6.28	48.43	Average	54	Pass
NVNT	n40mimo	5190	5005.89	-39.2	6.28	62.31	Peak	68.2	Pass
NVNT	n40mimo	5190	5148.97	-50.18	6.28	51.33	Average	54	Pass
NVNT	n40mimo	5190	5150	-42.1	6.28	59.41	Peak	68.2	Pass
NVNT	n40mimo	5190	5150	-50.32	6.28	51.19	Average	54	Pass
NVNT	n40mimo	5230	5350	-41.95	6.28	59.56	Peak	68.2	Pass
NVNT	n40mimo	5230	5350	-51.45	6.28	50.06	Average	54	Pass
NVNT	n40mimo	5230	5361.45	-39.71	6.28	61.8	Peak	68.2	Pass
NVNT	n40mimo	5230	5354.16	-50.8	6.28	50.71	Average	54	Pass
NVNT	n40mimo	5230	5460	-43.92	6.28	57.59	Peak	68.2	Pass
NVNT	n40mimo	5230	5460	-52.49	6.28	49.02	Average	54	Pass
NVNT	ac20mimo	5180	4500	-44.52	6.28	56.99	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



NVNT	ac20mimo	5180	4500	-53.38	6.28	48.13	Average	54	Pass
NVNT	ac20mimo	5180	5138.4	-39.72	6.28	61.79	Peak	68.2	Pass
NVNT	ac20mimo	5180	5146.1	-51.45	6.28	50.06	Average	54	Pass
NVNT	ac20mimo	5180	5150	-41.85	6.28	59.66	Peak	68.2	Pass
NVNT	ac20mimo	5180	5150	-51.84	6.28	49.67	Average	54	Pass
NVNT	ac20mimo	5240	5350	-42.06	6.28	59.45	Peak	68.2	Pass
NVNT	ac20mimo	5240	5350	-52.1	6.28	49.41	Average	54	Pass
NVNT	ac20mimo	5240	5352.48	-40.09	6.28	61.42	Peak	68.2	Pass
NVNT	ac20mimo	5240	5352	-51.72	6.28	49.79	Average	54	Pass
NVNT	ac20mimo	5240	5460	-43.93	6.28	57.58	Peak	68.2	Pass
NVNT	ac20mimo	5240	5460	-52.99	6.28	48.52	Average	54	Pass
NVNT	ac40mimo	5190	4500	-42.96	6.28	58.55	Peak	68.2	Pass
NVNT	ac40mimo	5190	4500	-53.1	6.28	48.41	Average	54	Pass
NVNT	ac40mimo	5190	5103.71	-40.13	6.28	61.38	Peak	68.2	Pass
NVNT	ac40mimo	5190	5138.75	-51.11	6.28	50.4	Average	54	Pass
NVNT	ac40mimo	5190	5150	-41.41	6.28	60.1	Peak	68.2	Pass
NVNT	ac40mimo	5190	5150	-51.45	6.28	50.06	Average	54	Pass
NVNT	ac40mimo	5230	5350	-42.05	6.28	59.46	Peak	68.2	Pass
NVNT	ac40mimo	5230	5350	-51.22	6.28	50.29	Average	54	Pass
NVNT	ac40mimo	5230	5350.92	-39.8	6.28	61.71	Peak	68.2	Pass
NVNT	ac40mimo	5230	5353.89	-51.13	6.28	50.38	Average	54	Pass
NVNT	ac40mimo	5230	5460	-44.01	6.28	57.5	Peak	68.2	Pass
NVNT	ac40mimo	5230	5460	-52.37	6.28	49.14	Average	54	Pass
NVNT	ac80mimo	5210	5350	-42.47	6.28	59.04	Peak	68.2	Pass
NVNT	ac80mimo	5210	5350	-50.18	6.28	51.33	Average	54	Pass
NVNT	ac80mimo	5210	5354.73	-37.21	6.28	64.3	Peak	68.2	Pass
NVNT	ac80mimo	5210	5351.43	-49.4	6.28	52.11	Average	54	Pass
NVNT	ac80mimo	5210	5460	-42.83	6.28	58.68	Peak	68.2	Pass
NVNT	ac80mimo	5210	5460	-51.91	6.28	49.6	Average	54	Pass
NVNT	ac80mimo	5210	4500	-44.59	6.28	56.92	Peak	68.2	Pass
NVNT	ac80mimo	5210	4500	-52.82	6.28	48.69	Average	54	Pass
NVNT	ac80mimo	5210	4778.87	-39.79	6.28	61.72	Peak	68.2	Pass
NVNT	ac80mimo	5210	5149.38	-50.65	6.28	50.86	Average	54	Pass
NVNT	ac80mimo	5210	5150	-42.47	6.28	59.04	Peak	68.2	Pass
NVNT	ac80mimo	5210	5150	-50.68	6.28	50.83	Average	54	Pass

Note: 802.11a mode, only show the worst set of antenna data.




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5180MHz Peak




Restrict Band NVNT a 5180MHz Average






Restrict Band NVNT a 5240MHz Peak




Restrict Band NVNT a 5240MHz Average






Restrict Band NVNT n20 5180MHz Peak




Restrict Band NVNT n20 5180MHz Average






Restrict Band NVNT n20 5240MHz Peak




Restrict Band NVNT n20 5240MHz Average






Restrict Band NVNT n40 5190MHz Peak




Restrict Band NVNT n40 5190MHz Average






Restrict Band NVNT n40 5230MHz Peak




Restrict Band NVNT n40 5230MHz Average






Restrict Band NVNT ac20 5180MHz Peak




Restrict Band NVNT ac20 5180MHz Average






Restrict Band NVNT ac20 5240MHz Peak




Restrict Band NVNT ac20 5240MHz Average






Restrict Band NVNT ac40 5190MHz Peak




Restrict Band NVNT ac40 5190MHz Average






Restrict Band NVNT ac40 5230MHz Peak




Restrict Band NVNT ac40 5230MHz Average






Restrict Band NVNT ac80 5210MHz Peak




Restrict Band NVNT ac80 5210MHz Average






Restrict Band NVNT ac80 5210MHz Peak



Restrict Band NVNT ac80 5210MHz Average





B.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	n40	5190	Ant0	5189.96	-40000	-7.71	25	Pass
NVNT	n40	5230	Ant0	5229.96	-40000	-7.65	25	Pass
NVNT	ac20	5180	Ant0	5180	0	0	25	Pass
NVNT	ac20	5200	Ant0	5200	0	0	25	Pass
NVNT	ac20	5240	Ant0	5239.98	-20000	-3.82	25	Pass
NVNT	ac40	5190	Ant0	5189.96	-40000	-7.71	25	Pass
NVNT	ac40	5230	Ant0	5229.96	-40000	-7.65	25	Pass
NVNT	ac80	5210	Ant0	5209.92	-80000	-15.36	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Freq: Stability NVNT n40 5190MHz Ant0




Freq: Stability NVNT n40 5230MHz Ant0






Freq. Stability NVNT ac20 5180MHz Ant0




Freq. Stability NVNT ac20 5200MHz Ant0






Freq. Stability NVNT ac20 5240MHz Ant0




Freq. Stability NVNT ac40 5190MHz Ant0






Freq. Stability NVNT ac40 5230MHz Ant0





Freq. Stability NVNT ac80 5210MHz Ant0





Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
NVNT	n40	5230	Ant1	5230	0	0	25	Pass
NVNT	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
NVNT	ac20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
NVNT	ac20	5240	Ant1	5240	0	0	25	Pass
NVNT	ac40	5190	Ant1	5190	0	0	25	Pass
NVNT	ac40	5230	Ant1	5230	0	0	25	Pass
NVNT	ac80	5210	Ant1	5210	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Freq: Stability NVNT n40 5190MHz Ant1




Freq: Stability NVNT n40 5230MHz Ant1






Freq. Stability NVNT ac20 5180MHz Ant1




Freq. Stability NVNT ac20 5200MHz Ant1






Freq. Stability NVNT ac20 5240MHz Ant1




Freq. Stability NVNT ac40 5190MHz Ant1






Freq. Stability NVNT ac40 5230MHz Ant1



Freq. Stability NVNT ac80 5210MHz Ant1





B.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant0	96.94	0.13	0.72
NVNT	a	5200	Ant0	96.94	0.13	0.72
NVNT	a	5240	Ant0	96.94	0.13	0.72
NVNT	n20	5180	Ant0	96.73	0.14	0.77
NVNT	n20	5200	Ant0	96.73	0.14	0.77
NVNT	n20	5240	Ant0	96.65	0.15	0.77
NVNT	n40	5190	Ant0	93.79	0.28	1.54
NVNT	n40	5230	Ant0	93.65	0.28	1.54
NVNT	ac20	5180	Ant0	96.78	0.14	0.76
NVNT	ac20	5200	Ant0	96.76	0.14	0.76
NVNT	ac20	5240	Ant0	96.76	0.14	0.76
NVNT	ac40	5190	Ant0	93.68	0.28	1.53
NVNT	ac40	5230	Ant0	93.68	0.28	1.53
NVNT	ac80	5210	Ant0	88.04	0.55	3.09




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Duty Cycle NVNT a 5180MHz Ant0




Duty Cycle NVNT a 5200MHz Ant0






Duty Cycle NVNT a 5240MHz Ant0




Duty Cycle NVNT n20 5180MHz Ant0






Duty Cycle NVNT n20 5200MHz Ant0




Duty Cycle NVNT n20 5240MHz Ant0






Duty Cycle NVNT n40 5190MHz Ant0




Duty Cycle NVNT n40 5230MHz Ant0






Duty Cycle NVNT ac20 5180MHz Ant0




Duty Cycle NVNT ac20 5200MHz Ant0






Duty Cycle NVNT ac20 5240MHz Ant0




Duty Cycle NVNT ac40 5190MHz Ant0






Duty Cycle NVNT ac40 5230MHz Ant0



Duty Cycle NVNT ac80 5210MHz Ant0





Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	96.94	0.13	0.72
NVNT	a	5200	Ant1	96.94	0.13	0.72
NVNT	a	5240	Ant1	96.94	0.13	0.72
NVNT	n20	5180	Ant1	96.7	0.15	0.78
NVNT	n20	5200	Ant1	96.7	0.15	0.78
NVNT	n20	5240	Ant1	96.7	0.15	0.78
NVNT	n40	5190	Ant1	93.68	0.28	1.57
NVNT	n40	5230	Ant1	93.68	0.28	1.57
NVNT	ac20	5180	Ant1	96.7	0.15	0.76
NVNT	ac20	5200	Ant1	96.76	0.14	0.76
NVNT	ac20	5240	Ant1	96.76	0.14	0.76
NVNT	ac40	5190	Ant1	93.82	0.28	1.53
NVNT	ac40	5230	Ant1	93.82	0.28	1.53
NVNT	ac80	5210	Ant1	88.04	0.55	3.09




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1






Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1






Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1






Duty Cycle NVNT n40 5190MHz Ant1




Duty Cycle NVNT n40 5230MHz Ant1






Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1






Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1





Duty Cycle NVNT ac40 5230MHz Ant1



Duty Cycle NVNT ac80 5210MHz Ant1

