

User Manual

Bluetooth 5.0 Hi-Fi Audio Adapter

Product Introduction

This product is a Bluetooth 5.0 Hi-Fi Audio Adapter with an integrated design of power supply and audio output. The shell is made of zinc alloy. It can provide Bluetooth reception for speakers and cars without Bluetooth function. It can transmit audio from mobile devices such as mobile phones or tablets to devices such as speakers or cars via Bluetooth.

Product specification

Name	Bluetooth 5.0 Hi-Fi Audio Adapter	BT version	5.0
SNR	100dB	Frequency	20Hz~20KHz
Power Supply	500mA	Range	10m
Temperature	-10°C~60°C	Humidity	≤90%








Features

- Bluetooth 5.0 Version
- High Sensitivity Microphone
- Creative smart device
- Supports Handsfree
- Supports Prev/Next song

Installation Guide

1. Connect the USB power supply port of the product to the charger and it would be power on automatically.
2. Connect the 3.5mm audio jack with your speaker interface or your car AUX port.


Connection Guide

1. After the wireless audio receiver is turned on, the blue light flashes quickly, indicating that it has automatically entered the pairing mode.
2. Turn on the Bluetooth function of your phone or tablet device and click Search.
3. When "Palovue Liveflow" appears, click to select and you can connect, and the indicator will flash slowly and rhythmically after successful connection.
4. After a successful connection, when a call comes in, press the  button to answer the call, press the  button again to hand up the call, press and hold the  button for 2 seconds to reject the call; when playing music, press the  button to pause , and press the  button again to resume playing music
5. Double-click the  button to turn off the indicator, double-click the  button to turn on the indicator
6. If you don't want to use the product and you have not actively forgotten the product from your phone or tablet, it will automatically reconnect to the device after the next power on.
7. Please disconnect and ignore the original car Bluetooth before connecting to our

product if you have matched the original car Bluetooth before, so as to ensure smoother use of our product

Note: The pairing mode only lasts for 10 minutes. After 10 minutes, the LED light will enter a slow flashing standby mode. If you need to re-enter the pairing mode, please power off the product and restart it.

Product Diagram



FAQ

Q : How much power is needed?

A : Please use 5V/500mA power supply. If the current is too high, the equipment may be damaged.

Q : Will there be an electric current sound?

A : This will happen to a few users. Current noise is usually caused by power supply, and different vehicle noise will be different. If it occurs, it can be avoided by following settings.

1. Turn the car down and the mobile phone up.
2. Try to use the car with its own USB power supply or mobile power supply, do not use the cigarette lighter car charging, because the cigarette lighter is the engine power supply, the current is unstable.

Package Content

- Hi-Fi Bluetooth 5.0 Audio Adapter
- User Manual

FCC Warning

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user authority to operate the equipment.

Notes: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If

this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Note: If shielded cables or special accessories are required for compliance, a statement must be included which instructs the user to employ them, for example, Shielded cables must be used with this unit to ensure compliance with the Class B FCC limits.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference.
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Support

If you encounter any issues during operation , please simply scan below QR Code to ask for support. We will make things right for you within 48 hours.



Email : support@palovue.net

Website : www.palovue.com