



4. Pull the removable cover off the sphere.
5. Wash the removable cover at 40 degrees with a ph neutral washing agent.
6. Do not tumble dry the removable cover.
6. Use a clean, microfibre cloth, lukewarm/hot water and a ph neutral washing agent to clean the sphere.




7. Pull the removable cover over the sphere.





8. Tighten the elastic band of the removable cover.



9. Twist and pull the elastic band over the rim of the sphere.





10. Place the sphere in the bayonet catch.
11. Turn the sphere clockwise until it is fastened.





TROUBLESHOOTING

1. Unable to find the lamp in the Casambi app.

Before connecting with the lamp in the Casambi app, charge the lamp with the adapter (cf. Installation).

2. Unable to dim the lamp.

Double tap on the lamp in the Casambi app. Set a minimum and maximum dimvalue.

DISCLAIMER

Designs and specifications are subject to change without notice. All logos, brands and product names are trademarks or registered trademarks of their respective owners and are hereby recognized as such.

DISPOSAL

Our products are packaged in environmentally friendly materials that can be recycled, disposed of or destroyed without endangering the environment.

This symbol indicates that this product should not be thrown away with other household waste throughout the EU. To prevent possible harm to the environment or human health by uncontrolled waste disposal, you are responsible for recycling in order to promote the sustainable reuse of raw materials.







Produced by:

TRIBÙ
Oude Heidestraat 72
3740 Bilzen
Belgium

www.tribu.com



FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body: Use only the supplied antenna.

IC Caution:

This device complies with Industry Canada's licence-exempt RSSs. Operation is subject to the following two conditions:

- (1) This device may not cause interference; and
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

To maintain compliance with RF exposure guidelines, this equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Pour maintenir la conformité aux directives d'exposition aux radiofréquences, cet équipement doit être installé et utilisé avec une distance minimale de 20 cm entre le radiateur et votre corps.