

Technaxx Deutschland GmbH & Co. KG

Date: 05/13/2020

To: Federal Communications Commission
7435 Oakland Mills Road
Columbia, MD
FCC ID: 2ARZ3-TX-148
To Whom It May Concern:

This letter is to ascertain that Technaxx Deutschland GmbH & Co. KG Product UV Anti-Virus Disinfection Box TX-148, TX-150, has been the units used for conducting FCC compliance testing, and it meets KDB 680106 Clause 5(2) all 6 conditions as stated below hence PBA is not required.

1	Power transfer frequency is less than 1 MHz.
	Yes, Operation Frequency is 110KHz-205KHz.
2	Output power from each primary coil is less than or equal to 15 watts.
	max output power less than 10W.
3	The transfer system includes only single primary and secondary coils. This includes charging systems that may have multiple primary coils and clients that are able to detect and allow coupling only between individual pairs of coils.
	Yes.
4	Client device is placed directly in contact with the transmitter
	Yes.
5	Mobile exposure conditions only (portable exposure conditions are not covered by this exclusion)..
	Yes.
6	The aggregate H-field strengths at 15 cm surrounding the device and 20 cm above the top surface from all simultaneous transmitting coils are demonstrated to be less than 50% of the MPE limit.
	Yes.

If you have any question or concerns, pls. contact us.

Sincerely,
Name: Pascal Pekcan

Date: 2020-05-13

Title: CEO

Signature of applicant

