

© 07.2018 Bugatti Automobiles S.A.S.

RDW

This owner's manual is valid for the current model of the BUGATTI Chiron.

All the information provided in this owner's manual corresponds with the information available at the time of the editorial deadline. Due to the continuous development of the vehicle, it is possible there may be deviations between the vehicle and the information in this owner's manual. No legal commitment can be derived from the different information, illustrations or descriptions in this manual. No part of the manual may be reprinted, reproduced or translated without the written permission of BUGATTI.

All rights under the copyright laws are expressly reserved by BUGATTI.

Subject to alteration and amendment.

Open Source License texts can be found on the supplied BUGATTI USB flash drive in the "Open Source License" folder. The Open Source code can be obtained from your customer service contact.

Bluetooth® is a registered trademark of Bluetooth SIG, Inc.

iPod® is a registered trademark of Apple, Inc.

Printed in Germany.

 Environmental protection

This paper was made of cellulose bleached without chlorine.

Radio Equipment Directive

Information concerning EU Directive 2014/53/EU

Simplified EU Declaration of Conformity

Your BUGATTI is equipped with different radio systems. The manufacturers of these radio systems declare that these radio systems meet the requirements stipulated in Directive 2014/53/EU, insofar as legally required.

The complete text of the EU declaration of conformity is available at the following internet address:
www.bugatti.com/chiron-customer-info

Mapping Table

The Mapping Table is provided to help you establish the relationship between the device designation in a Declaration of Conformity and the vehicle equipment and the terminology in the Owner's Manual.

| Vehicle equipment | Device designation in accordance with the Declaration of Conformity |
|---|---|
| Vehicle key (Main key) | BG44 |
| Vehicle key (Second key) | FS09 |
| Keyless Access | PQ35 Kessy |
| Central control module | 5WK50254 |
| Antenna for tyre pressure monitoring system | TSSDA4Pb |
| Trigger for tyre pressure monitoring system | TSSTSc |
| Sensors for tyre pressure monitoring system | F1-129-1521-028-B |
| Infotainment system | B ADR |
| Instrument panel | BG744 CI |
| Telemetry | TDBOX2 |
| Telephone interface | UMTS/GSM-MMC |

Manufacturer addresses

In accordance with 2014/53/EU all relevant components must be provided with the address of the respective manufacturer.

For components, which due to their size or nature cannot be provided with a sticker, and if legally required, the respective manufacturer addresses are provided below:

| Radio systems installed in the vehicle | Manufacturer addresses |
|--|--|
| Vehicle key | Hella KGaA Hueck & Co. Rixbecker Strasse 75 59552 Lippstadt Germany |
| Trigger for tyre pressure monitoring system , Antenna for tyre pressure monitoring system | Huf Electronics Bretten GmbH Gewerbestr. 40 75015 Bretten Germany |

| Radio systems installed in the vehicle | Manufacturer addresses |
|---|---|
| Sensors for tyre pressure monitoring system | bf1 systems Technical Centre Owen Road Diss Norfolk IP22 4ER United Kingdom |

Frequency bands, transmission power

| Radio system ¹ | Frequency band | max. transmission power |
|--|-----------------------------|-------------------------|
| Vehicle key | 434.42 MHz | < 10 mW |
| Keyless Access | 125 kHz | <= 66 dBμA/m @10m* |
| Instrument panel | 125 kHz | 42 dBμA/m @10m* |
| Trigger for tyre pressure monitoring system | 125 kHz | 65.8 dBμA/m @10m* |
| Sensors for tyre pressure monitoring system | 433.920 MHz | 10 mW |
| Infotainment system (WLAN) | 2412 to 2472 MHz | 50.11 mW |
| | 2400 to 2483.5 MHz | 10 dBm |
| Infotainment system (Bluetooth®) | 2402 to 2480 MHz | 2.5 mW |
| | 2400 to 2483.5 MHz | 10 dBm |
| Telemetry (mobile communications) ² | GSM 850: 824 – 849 MHz | 33 dBm / 2 W |
| | GSM 900: 880 – 915 MHz | 33 dBm / 2 W |
| | GSM 1800: 1710 – 1785 MHz | 30 dBm / 1 W |
| | GSM 1900: 1850 – 1910 MHz | 30 dBm / 1 W |
| | UMTS 800/850: 824 – 849 MHz | 25 dBm / 0.32 W |
| | UMTS 900: 880 – 915 MHz | 25 dBm / 0.32 W |
| | UMTS 1900: 1850 – 1910 MHz | 25 dBm / 0.32 W |
| | UMTS 2100: 1920 – 1980 MHz | 25 dBm / 0.32 W |

¹ The operation or permission to use the radio technology may be restricted in some European countries, or may not be possible at all, or only possible with additional requirements.

² TDBOX2 (telemetry reader) is not available separately.

* Information concerning field strength (dBμA/m)

Radio Equipment Directive

| Radio system ¹ | Frequency band | max. transmission power |
|---|---|----------------------------|
| Telemetry (mobile communications) | CDMA2000 BC0: 815 – 849 MHz | 25 dBm / 0.32 W |
| | CDMA2000 BC1: 1850 – 1910 MHz | 25 dBm / 0.32 W |
| | CDMA2000 BC10 (subclass 2+3): 816 – 824 MHz | 25 dBm / 0.32 W |
| Telemetry (WLAN) ² (client mode only) | 2401 – 2483 MHz | 19 dBm / 0.08 W |
| | 5170 – 5835 MHz ³ 5330 MHz ³ | 16 dBm / 0.04 W |
| Telephone interface | GSM UMTS, band 8 TX uplink 880 ...915 MHz | 33 dBm / 2 W |
| | GSM UMTS, band 3 TX uplink 1710 ... 1785 MHz | 30 dBm / 1 W |
| | UMTS, band 1 TX uplink 1920 ... 1980 MHz | 21 dBm / 0.125 W |

¹ The operation or permission to use the radio technology may be restricted in some European countries, or may not be possible at all, or only possible with additional requirements.

² TDBOX2 (telemetry reader) is not available separately.

³ Restrictions in BE, BG, CZ, DK, DE, EE, IE, EL, ES, FR, HR, IT, CY, LV, LT, LU, HU, MT, NL, AT, PL, PT, RO, SI, SK, FI, SE, UK: Using WLAN channels 36-64 is only permitted inside buildings.

* Information concerning field strength (dB μ A/m)