



FCC RF EXPOSURE REPORT

For

Smart sensor

MODEL NUMBER: WOS3-PC

FCC ID: 2AS3F-WOS3PC

REPORT NUMBER: 4790205296.1-3

ISSUE DATE: December 10, 2021

Prepared for

Current Lighting Solutions, LLC 1975 Noble Road, East Cleveland, Ohio 44112 United States

Prepared by

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch Building 10, Innovation Technology Park, No. 1, Li Bin Road, Song Shan Lake Hi-Tech Development Zone, Dongguan, People's Republic of China

> Tel: +86 769-22038881 Fax: +86 769 33244054 Website: www.ul.com



TABLE OF CONTENTS

| 5 | REQUIREMENT | 6 |
|----|------------------------------|-----|
| 4 | 4.1. DESCRIPTION OF EUT | . 5 |
| 4. | EQUIPMENT UNDER TEST | . 5 |
| 3. | FACILITIES AND ACCREDITATION | . 4 |
| 2. | TEST METHODOLOGY | . 4 |
| 1. | ATTESTATION OF TEST RESULTS | . 3 |



Page 3 of 6

1. ATTESTATION OF TEST RESULTS

Applicant Information

Company Name: Current Lighting Solutions, LLC

Address: 1975 Noble Road, East Cleveland, Ohio 44112 United States

Manufacturer Information

Company Name: Current Lighting Solutions, LLC

Address: 1975 Noble Road, East Cleveland, Ohio 44112 United States

EUT Information

EUT Name: Smart sensor Model: WOS3-PC

Sample Received Date: December 2, 2021

Sample Status: Normal Sample ID: 4439891

Date of Tested: December 2, 2021~ December 9, 2021

APPLICABLE STANDARDS

STANDARD TEST RESULTS

FCC 47CFR§2.1091 PASS

KDB-447498 D01 V06

Prepared By:

Kebo Zhang

Project Engineer

Checked By:

Shawn Wen Laboratory Leader

Stephen Guo

Approved By:

Laboratory Manager



Page 4 of 6

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with KDB 447498 D01 General RF Exposure Guidance v06.

3. FACILITIES AND ACCREDITATION

| 5. I ACILITIES AND ACCREDITATION | | | | |
|----------------------------------|--|--|--|--|
| | A2LA (Certificate No.: 4102.01) | | | |
| | UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch. | | | |
| | has been assessed and proved to be in compliance with A2LA. | | | |
| | FCC (FCC Designation No.: CN1187) | | | |
| | UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch. | | | |
| | Has been recognized to perform compliance testing on equipment subject | | | |
| | to the Commission's Delcaration of Conformity (DoC) and Certification | | | |
| | rules | | | |
| Accreditation | ISED(Company No.: 21320) | | | |
| Certificate | UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch. | | | |
| Continiodio | has been registered and fully described in a report filed with | | | |
| | Industry Canada. The Company Number is 21320. | | | |
| | VCCI (Registration No.: G-20019, R-20004, C-20012 and T-20011) | | | |
| | UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch. | | | |
| | has been assessed and proved to be in compliance with VCCI, the | | | |
| | Membership No. is 3793. | | | |
| | Facility Name: | | | |
| | Chamber D, the VCCI registration No. is G-20019 and R-20004 | | | |
| | Shielding Room B, the VCCI registration No. is C-20012 and T-20011 | | | |

Note 1: All tests measurement facilities use to collect the measurement data are located at Building 10, Innovation Technology Park, Song Shan Lake Hi tech Development Zone, Dongguan, 523808, China

Note 2: The test anechoic chamber in UL Verification Services (Guangzhou) Co., Ltd. Song Shan Lake Branch had been calibrated and compared to the open field sites and the test anechoic chamber is shown to be equivalent to or worst case from the open field site.

Note 3: For below 30MHz, lab had performed measurements at test anechoic chamber and comparing to measurements obtained on an open field site. And these measurements below 30MHz had been correlated to measurements performed on an OFS.





Page 5 of 6

4. EQUIPMENT UNDER TEST

4.1. DESCRIPTION OF EUT

| EUT Name | Smart sensor | | | |
|---------------------|---------------------|---------------------|-----------|--|
| Model | WOS3-PC | | | |
| | Operation Frequency | 2405 MHz ~ 2480 MHz | | |
| Product Description | Modulation Type | | Data Rate | |
| | O-QPSK | | 250kbps | |
| Rated Input | DC 3 V | | | |

Page 6 of 6

5. REQUIREMENT

LIMIT

Limits for General Population/Uncontrolled Exposure

| Limits for General Population/Uncontrolled Exposure | | | | | | |
|---|---|---|----------------------------------|---|--|--|
| Frequency Range (MHz) | Electric Field Strength (E) (V/m) | Magnetic Field Strength (H) (A/m) | Power Density (S) (mW/cm²) | Averaging Time E ² , H ² or S (minutes) | | |
| 0.3-1.34 | 614 | 1.63 | (100)* | 30 | | |
| 1.34-30 | 824/f | 2.19/f | (180/f2)* | 30 | | |
| 30-300 | 27.5 | 0.073 | 0.2 | 30 | | |
| 300-1500 | | | f/150 | 30 | | |
| 1500-100,000 | | | 1.0 | 30 | | |

Note 1: f = frequency in MHz, * means Plane-wave equivalent power density

Note 2: General population/uncontrolled exposures apply in situations in which the general public may be exposed, or in which persons that are exposed as a consequence of their employment may not be fully aware of the potential for exposure or cannot exercise control over their exposure.

Note 3: The limit value 1.0mW/cm² is available for this EUT.

MPE CALCULATION METHOD

 $S = PG/(4\pi R^2)$

where: S = power density (in appropriate units, e.g. mW/ cm2)

P = power input to the antenna (in appropriate units, e.g., mW)

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna (appropriate units, e.g., cm)



Page 7 of 6

CALCULATED RESULTS

Radio Frequency Radiation Exposure Evaluation

| Zigbee (Worst case) | | | | | | |
|---------------------------------|-------|----------|---------------|------------------------|--------|--|
| Operating Max. Power Max. Anter | | nna Gain | Power density | Limit | | |
| Mode | (dBm) | (dBi) | (num) | (mW/ cm ²) | Liiiii | |
| Zigbee | 7 | 2.86 | 1.932 | 0.00193 | 1 | |

Note:

1. The calculated distance is 20cm.

END OF REPORT