



Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Vertical
EUT: EMK401	Power: By battery
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz)	



Date: 16.NOV.2023 09:57:30

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Horizontal
EUT: EMK401	Power: By battery
Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz)	



Date: 16.NOV.2023 10:07:59

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Vertical
EUT: EMK401	Power: By battery
Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz)	



Date: 16.NOV.2023 10:08:41

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Horizontal
EUT: EMK401	Power: By battery
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	



Date: 13.NOV.2023 12:33:53

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Vertical
EUT: EMK401	Power: By battery
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz)	



Date: 13.NOV.2023 12:31:02

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Horizontal
EUT: EMK401	Power: By battery
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	



Date: 13.NOV.2023 12:35:49

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Vertical
EUT: EMK401	Power: By battery
Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz)	



Date: 13.NOV.2023 12:36:58

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Horizontal
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	



Date: 16.NOV.2023 10:17:31

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Vertical
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz)	



Date: 16.NOV.2023 10:18:42

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Horizontal
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	



Date: 16.NOV.2023 10:27:33

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Vertical
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz)	



Date: 16.NOV.2023 10:26:28

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Horizontal
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	



Date: 16.NOV.2023 10:38:07

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Vertical
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz)	



Date: 16.NOV.2023 10:38:46

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Horizontal
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	



Date: 16.NOV.2023 12:15:34

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Vertical
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz)	



Date: 16.NOV.2023 12:16:31

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Horizontal
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz)	



Date: 16.NOV.2023 12:19:03

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Vertical
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz)	



Date: 16.NOV.2023 12:18:20

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Horizontal
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz)	



Date: 16.NOV.2023 12:26:02

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Vertical
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz)	



Date: 16.NOV.2023 12:26:48

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Horizontal
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	



Date: 13.NOV.2023 12:40:17

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Vertical
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz)	



Date: 13.NOV.2023 12:39:05

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Horizontal
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	



Date: 13.NOV.2023 12:42:26

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Vertical
EUT: EMK401	Power: By battery
Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz)	



Date: 13.NOV.2023 12:43:56

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)


Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Horizontal
EUT: EMK401	Power: By battery
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	



Date: 16.NOV.2023 09:32:07

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)

Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Antenna HF907(1-18GHz)	Polarity: Vertical
EUT: EMK401	Power: By battery
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz)	



Date: 16.NOV.2023 09:32:42

Remarks: Y-Value = received value + Correction Factor (Antenna factor + Cable loss - Preamp gain)