


Occupied Bandwidth





Occupied Bandwidth

Channel



5MHz Bandwidth QPSK

5MHz Bandwidth 16QAM



Lowest




Middle




Highest



Occupied Bandwidth



Occupied Bandwidth





Occupied Bandwidth

Channel



20MHz Bandwidth QPSK

20MHz Bandwidth 16QAM



Lowest




Middle



Highest



Spurious Emissions at Antenna Terminal





Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest




Middle




Highest




Spurious Emissions at Antenna Terminal



Spurious Emissions at Antenna Terminal



Spurious Emissions at Antenna Terminal



Out of band emission, Band Edge

| Mode | Lowest | Highest |
|------------------------|--------|---------|
| <p>QPSK 1.4MHz</p> | | |
| <p>QPSK 3MHz</p> | | |
| <p>QPSK 5MHz</p> | | |

Out of band emission, Band Edge

| Mode | Lowest | Highest |
|---------------|--------|---------|
| QPSK 10MHz | | |
| QPSK 15MHz | | |
| QPSK 20MHz | | |

Out of band emission, Band Edge

| Mode | Lowest | Highest |
|-----------------|--------|---------|
| 16QAM 1.4MHz | | |
| 16QAM 3MHz | | |
| 16QAM 5MHz | | |

Out of band emission, Band Edge

| Mode | Lowest | Highest |
|----------------|--------|---------|
| 16QAM 10MHz | | |
| 16QAM 15MHz | | |
| 16QAM 20MHz | | |

4.6 Antenna Port Test Data and Results for LTE Band 5:

| | | | |
|----------------|------------------|--------------|-----------------------|
| Serial Number: | CR22050039-RF-S1 | Test Date: | 2022-06-08~2022-06-09 |
| Test Site: | RF | Test Mode: | Transmitting |
| Tester: | Ada Yan | Test Result: | Pass |

Environmental Conditions:

| | | | | | |
|----------------------|------|------------------------------|----|---------------------------|-----|
| Temperature: (°C) | 25.9 | Relative Humidity: (%) | 60 | ATM Pressure: (kPa) | 100 |
|----------------------|------|------------------------------|----|---------------------------|-----|

Test Equipment List and Details:

| Manufacturer | Description | Model | Serial Number | Calibration Date | Calibration Due Date |
|---------------|-------------------------------------|-----------|---------------|------------------|----------------------|
| R&S | Spectrum Analyzer | FSV40 | 101474 | 2021-07-22 | 2022-07-21 |
| zhuoxiang | Coaxial Cable | SMA-178 | 211002 | Each time | N/A |
| Mini-Circuits | DC Block | BLK-18-S+ | 1554404 | Each time | N/A |
| R&S | Wideband Radio Communication Tester | CMW500 | 149218 | 2021-07-22 | 2022-07-21 |
| UNI-T | Multimeter | UT39A+ | C210582554 | 2021-09-30 | 2022-09-29 |
| Weinschel | Coaxial Attenuator | 53-20-34 | LN751 | Each time | N/A |
| BACL | TEMP&HUMI Test Chamber | BTH-150 | 30026 | 2021-07-22 | 2022-07-21 |
| E-Microwave | Two-way Splitter | ODP-1-6 | OE0120176 | Each Time | N/A |

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

EUT Information@ LTE Band 5▲:

| | | | | | |
|--------------------------------------|------|---------------------------|-------|---------------------|-----|
| Antenna Gain (dBi): | 1.08 | Antenna Gain (dBd): | -1.07 | Cable Loss (dB): | 0 |
| Operation Voltage(V _{DC}): | | | | | |
| Lowest: | 3.4 | Normal: | 3.7 | Highest: | 4.2 |

Test Frequency For Each Mode:

| Operation Bandwidth | Lowest Frequency (MHz) | Middle Frequency (MHz) | Highest Frequency (MHz) |
|---------------------|------------------------|------------------------|-------------------------|
| 1.4MHz | 824.7 | 836.5 | 848.3 |
| 3MHz | 825.5 | 836.5 | 847.5 |
| 5MHz | 826.5 | 836.5 | 846.5 |
| 10MHz | 829 | 836.5 | 844 |

Test Data:**FCC §2.1046; § 22.913 (a)****RF Output Power:**

| Test Bandwidth & Modulation | Resource Block & RB offset | Conducted Average Output Power(dBm) | | | Maximum ERP (dBm) | ERP Limit (dBm) |
|-----------------------------|----------------------------|-------------------------------------|----------------|-----------------|-------------------|-----------------|
| | | Lowest Channel | Middle Channel | Highest Channel | | |
| 1.4MHz QPSK | RB1#0 | 22.55 | 22.27 | 22.53 | 21.53 | 38.45 |
| | RB1#3 | 22.56 | 22.41 | 22.60 | | |
| | RB1#5 | 22.47 | 22.35 | 22.56 | | |
| | RB3#0 | 22.40 | 22.36 | 22.36 | | |
| | RB3#3 | 22.31 | 22.33 | 22.43 | | |
| | RB6#0 | 21.38 | 21.40 | 21.42 | | |
| 1.4MHz 16QAM | RB1#0 | 21.47 | 21.29 | 21.47 | 20.54 | 38.45 |
| | RB1#3 | 21.61 | 21.51 | 21.46 | | |
| | RB1#5 | 21.35 | 21.33 | 21.52 | | |
| | RB3#0 | 21.41 | 21.31 | 21.37 | | |
| | RB3#3 | 21.38 | 21.40 | 21.47 | | |
| | RB6#0 | 20.39 | 20.40 | 20.37 | | |
| 3MHz QPSK | RB1#0 | 22.47 | 22.45 | 22.47 | 21.45 | 38.45 |
| | RB1#8 | 22.29 | 22.38 | 22.49 | | |
| | RB1#14 | 22.32 | 22.34 | 22.52 | | |
| | RB6#0 | 21.39 | 21.55 | 21.43 | | |
| | RB6#9 | 21.29 | 21.38 | 21.41 | | |
| | RB15#0 | 21.30 | 21.49 | 21.47 | | |
| 3MHz 16QAM | RB1#0 | 21.49 | 21.32 | 21.56 | 20.49 | 38.45 |
| | RB1#8 | 21.07 | 21.22 | 21.35 | | |
| | RB1#14 | 21.17 | 21.18 | 21.49 | | |
| | RB6#0 | 20.31 | 20.42 | 20.38 | | |
| | RB6#9 | 20.22 | 20.33 | 20.39 | | |
| | RB15#0 | 20.27 | 20.46 | 20.39 | | |
| 5MHz QPSK | RB1#0 | 22.40 | 22.18 | 22.22 | 21.34 | 38.45 |
| | RB1#13 | 22.32 | 22.29 | 22.41 | | |
| | RB1#24 | 22.30 | 22.29 | 22.41 | | |
| | RB15#0 | 21.35 | 21.51 | 21.48 | | |
| | RB15#10 | 21.39 | 21.36 | 21.50 | | |
| | RB25#0 | 21.39 | 21.52 | 21.47 | | |
| 5MHz 16QAM | RB1#0 | 21.51 | 21.45 | 21.36 | 20.44 | 38.45 |
| | RB1#13 | 21.40 | 21.43 | 21.46 | | |
| | RB1#24 | 21.46 | 21.28 | 21.42 | | |
| | RB15#0 | 20.33 | 20.51 | 20.40 | | |

| | | | | | | |
|-------------|---------|-------|-------|-------|-------|-------|
| | RB15#10 | 20.37 | 20.33 | 20.41 | | |
| | RB25#0 | 20.40 | 20.45 | 20.38 | | |
| 10MHz QPSK | RB1#0 | 22.39 | 22.36 | 22.53 | 21.52 | 38.45 |
| | RB1#25 | 22.59 | 22.53 | 22.46 | | |
| | RB1#49 | 22.48 | 22.32 | 22.57 | | |
| | RB25#0 | 21.40 | 21.54 | 21.50 | | |
| | RB25#25 | 21.52 | 21.54 | 21.45 | | |
| | RB50#0 | 21.42 | 21.54 | 21.44 | | |
| 10MHz 16QAM | RB1#0 | 21.27 | 21.38 | 21.53 | 20.46 | 38.45 |
| | RB1#25 | 21.47 | 21.53 | 21.49 | | |
| | RB1#49 | 21.16 | 21.10 | 21.44 | | |
| | RB25#0 | 20.36 | 20.50 | 20.44 | | |
| | RB25#25 | 20.42 | 20.45 | 20.44 | | |
| | RB50#0 | 20.46 | 20.46 | 20.44 | | |

Note: ERP=Conducted Power(dBm) - Cable loss(dB) + Antenna Gain(dBd)

Result: **Pass**

| Peak-to-average Ratio(PAR) | | | | | |
|-----------------------------|----------------------------|---------------------------|----------------|-----------------|-------------|
| Test Bandwidth & Modulation | Resource Block & RB offset | Peak-to-average Ratio(dB) | | | Limit (dB) |
| | | Lowest Channel | Middle Channel | Highest Channel | |
| 10MHz QPSK | RB1#0 | 4.58 | 4.75 | 4.26 | 13 |
| | RB50#0 | 4.90 | 4.96 | 4.70 | 13 |
| 10MHz 16QAM | RB1#0 | 5.71 | 5.71 | 5.33 | 13 |
| | RB50#0 | 5.91 | 6.06 | 5.48 | 13 |
| Result: | | | | | Pass |

| FCC §2.1049, §2.905: Occupied Bandwidth | | | | | | |
|---|------------------------------|----------------|--------------|--------------------------------|----------------|--------------|
| Operation Mode | 99% Occupied Bandwidth (MHz) | | | 26 dB Occupied Bandwidth (MHz) | | |
| | Low Channel | Middle channel | High Channel | Low Channel | Middle Channel | High Channel |
| 1.4MHz QPSK | 1.102 | 1.102 | 1.102 | 1.308 | 1.320 | 1.314 |
| 1.4MHz 16QAM | 1.102 | 1.102 | 1.102 | 1.302 | 1.326 | 1.308 |
| 3MHz QPSK | 2.683 | 2.683 | 2.707 | 2.952 | 2.976 | 2.964 |
| 3MHz 16QAM | 2.683 | 2.695 | 2.695 | 2.964 | 2.964 | 2.976 |
| 5MHz QPSK | 4.531 | 4.511 | 4.511 | 5.020 | 5.040 | 5.080 |
| 5MHz 16QAM | 4.511 | 4.511 | 4.531 | 5.040 | 5.020 | 5.040 |
| 10MHz QPSK | 8.942 | 8.942 | 8.982 | 9.720 | 9.720 | 9.760 |
| 10MHz 16QAM | 8.942 | 8.981 | 8.982 | 9.760 | 9.680 | 9.800 |

Note: The test plots please refer to the Plots of Occupied Bandwidth

FCC §2.1051, §22.917(a):Spurious Emissions at Antenna Terminal**Result:** Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.**FCC §2.1051, §22.917(a):Out of band emission, Band Edge****Result:** Pass, Please refer to the test plots of Out of band emission, Band Edge.**FCC §2.1055, §22.355: Frequency Stability**

| Test Mode: | 10 MHz QPSK | | Test Channel: | 836.5 | MHz |
|-------------------------------------|------------------|----------------------------|-----------------|-------------|-------|
| Test Item | Temperature (°C) | Voltage (V _{DC}) | Frequency Error | | Limit |
| | | | (Hz) | (ppm) | (ppm) |
| Frequency Stability vs. Temperature | -30 | 3.7 | 3 | 0.004 | 2.5 |
| | -20 | 3.7 | -5 | -0.006 | 2.5 |
| | -10 | 3.7 | -3 | -0.004 | 2.5 |
| | 0 | 3.7 | 1 | 0.001 | 2.5 |
| | 10 | 3.7 | -7 | -0.008 | 2.5 |
| | 20 | 3.7 | -1 | -0.001 | 2.5 |
| | 30 | 3.7 | 2 | 0.002 | 2.5 |
| | 40 | 3.7 | -4 | -0.005 | 2.5 |
| Frequency Stability vs. Voltage | 20 | 3.4 | -2 | -0.002 | 2.5 |
| | 20 | 4.2 | 3 | 0.004 | 2.5 |
| Result: | | | | Pass | |

| Test Mode: | 10 MHz 16QAM | | Test Channel: | 836.5 | MHz |
|-------------------------------------|------------------|----------------------------|-----------------|-------------|-------|
| Test Item | Temperature (°C) | Voltage (V _{DC}) | Frequency Error | | Limit |
| | | | (Hz) | (ppm) | (ppm) |
| Frequency Stability vs. Temperature | -30 | 3.7 | 3 | 0.004 | 2.5 |
| | -20 | 3.7 | -5 | -0.006 | 2.5 |
| | -10 | 3.7 | -2 | -0.002 | 2.5 |
| | 0 | 3.7 | 5 | 0.006 | 2.5 |
| | 10 | 3.7 | -6 | -0.007 | 2.5 |
| | 20 | 3.7 | 0 | 0.000 | 2.5 |
| | 30 | 3.7 | 1 | 0.001 | 2.5 |
| | 40 | 3.7 | -2 | -0.002 | 2.5 |
| Frequency Stability vs. Voltage | 20 | 3.4 | -4 | -0.005 | 2.5 |
| | 20 | 4.2 | 3 | 0.004 | 2.5 |
| Result: | | | | Pass | |

Test Plots:

Occupied Bandwidth

