M2 User Manual

1. USB product instructions

Mobile phone charging seat 60W quick charge

Please read this instruction carefully before using the product and keep it well

2. Thanks for using this product. This product adopts chip imported from the United States and

supports charging of 8 devices.

(2usb-a + type-c + wireless charging 5W+ wireless 10W)

Product features

Multiple security protection, including lightning protection, short circuit protection, over current protection, over voltage protection, over temperature protection, under voltage protection, at the same time, each port is built with an independent precision current limiting chip, real-time to ensure that each port work within the normal current range, the shell using VO level fire

protection high temperature material, safe and reliable.

Compatible: the built-in intelligent identification chip can be compatible with mainstream smart

phones, tablets and other digital devices powered by usb-a and type-c.

Quick charge: the three ports 2 wireless transmitting independent design, compatible QC3.0 quick charge, PD quick charge, five ports can output 5 v / 2.1 A at the same time, 9 v / 2.1 A, 12 v $/ 1.5 \,\mathrm{A}$, wireless charging 5 v $/ 1 \,\mathrm{A}$, 9 v $/ 1 \,\mathrm{A}$, total power of 150 w.

The appearance adopts the funny design, adopts the vertical design, convenient to carry, suitable

for the altitude of 5000M

The basic parameters

Product name: 60W mobile phone charging stand

Product model: m-1

Interface TYPE: usb-a/type-c, ac plug

Input parameters: 100-240v ~ 50/60Hz

Output parameters:

Wireless charging A 5v-1a (Max)/ wireless charging B 9v-1.2a (Max)

USB - A * 2, 5.0 V - 2.1 - A 9 V 2 A 12.0 V - 1.5 - A

TYPE C * 1-5 V - 2.1 - A 9.0 V - 12.0 V - 1.5 - A 2 A

Working temperature of 0 $^{\circ}$ C $^{\sim}$ 45 $^{\circ}$ C

Product size:

Execution standard:

warning

- (1) disassemble the main power supply and the separator of the cloth
- (2) the cloth to make this product is exposed to heat, fire or 45 $^{\circ}$ C temperature higher than the environment, avoid outside in direct sunlight
- (3) do not short-circuit the product
- (4) the product shall not be subjected to mechanical shock
- (5) children must be supervised by adults when using this product

IC Warning

- English: "

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

- French:"

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement."

Under Industry Canada regulations, this radio transmitter may only operate using an antenna of a type and maximum (or lesser) gain approved for the transmitter by Industry Canada. To reduce potential radio interference to other users, the antenna type and its gain should be so chosen that the equivalent isotopically radiated power (e.i.r.p.) is not more than that necessary for successful communication.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
 - -Consult the dealer or an experienced radio/TV technician for help.

To assure continued compliance, any changes or modifications not expressly approved by the party.

Responsible for compliance could void the user's authority to operate this equipment. (Example- use only shielded interface cables when connecting to computer or peripheral devices).

This equipment complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

RF warning statement:

The aggregate H-field strengths at 15 cm surrounding the device and 20 cm above the top surface from all simultaneous transmitting coils are demonstrated to be less than 50% of the MPE limit.