

Vama Product Innovation Inc.

Date: 04/27/2019

To: Federal Communications Commission
7435 Oakland Mills Road
Columbia, MD

FCC ID: 2AS7M-M2

To Whom It May Concern:

This letter is to ascertain that Vama Product Innovation Inc. Product Dock Me Mini M2, has been the units used for conducting FCC compliance testing, and it meets KDB 680106 D01 RF Exposure Wireless Charging App v03 Clause 5(b) all 6 conditions as stated below hence PBA is not required.

1	Power transfer frequency is less than 1 MHz. Yes, Operation Frequency is 120KHz-300KHz
2	Output power from each primary coil is less than or equal to 15 watts. Have two coil, max output power is 10W.
3	The transfer system includes only single primary and secondary coils. This includes charging systems that may have multiple primary coils and clients that are able to detect and allow coupling only between individual pairs of coils. Yes.
4	Client device is placed directly in contact with the transmitter Yes.
5	Mobile exposure conditions only (portable exposure conditions are not covered by this exclusion).. Yes.
6	The aggregate H-field strengths at 15 cm surrounding the device and 20 cm above the top surface from all simultaneous transmitting coils are demonstrated to be less than 50% of the MPE limit. Yes.

If you have any question or concerns, pls. contact us.
Sincerely,

Name: **Michael Fernandes**

Date: **2019-04-27**

Title: **V.P. Product development**

Signature of applicant:

