


### TEST PLOT OF LOW CHANNEL






### TEST PLOT OF MIDDLE CHANNEL







### TEST PLOT OF HIGH CHANNEL





### **13. FREQUENCY SEPARATION**

### **13.1. MEASUREMENT PROCEDURE**

The EUT shall have its hopping function enabled. Use the following spectrum analyzer settings:

1. Span: Wide enough to capture the peaks of two adjacent channels.

2. RBW: Start with the RBW set to approximately 30% of the channel spacing; adjust as necessary to best identify the center of each individual channel.

3. Video (or average) bandwidth (VBW)  $\geq$  RBW.

4. Sweep: Auto. e) Detector function: Peak. f) Trace: Max hold. g) Allow the trace to stabilize.

Use the marker-delta function to determine the separation between the peaks of the adjacent channels.

### **13.2. TEST SETUP (BLOCK DIAGRAM OF CONFIGURATION)**

Same as described in section 6.2

### 13.3. MEASUREMENT EQUIPMENT USED

The same as described in section 6.3

### **13.4. LIMITS AND MEASUREMENT RESULT**

CHANNEL	CHANNEL SEPARATION (KHz)	LIMIT (KHz)	RESULT
CH01-CH02	999.87	>=25 KHz or 2/3 20 dB BW	PASS



## TEST PLOT FOR FREQUENCY SEPARATION

Note: The  $\pi$  /4-DQPSK modulation is the worst case and recorded in the report.



## 14. FCC LINE CONDUCTED EMISSION TEST


### 14.1. LIMITS OF LINE CONDUCTED EMISSION TEST

<b>F</b>	Maximum RF Line Voltage		
Frequency	Q.P.( dBuV)	Average( dBuV)	
150kHz~500kHz	66-56	56-46	
500kHz~5MHz	56	46	
5MHz~30MHz	60	50	

Note: 1. The lower limit shall apply at the transition frequency.

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

### 14.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST







### 14.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST

- The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
- 2. Support equipment, if needed, was placed as per ANSI C63.10.
- 3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
- 4. All support equipment received AC120V/60Hz power from a LISN, if any.
- 5. The EUT received DC 15V power from adapter which received AC120V/60Hz power from a LISN.
- 6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
- 7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
- 8. During the above scans, the emissions were maximized by cable manipulation.
- 9. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

### 14.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST

- 1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
- A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less –2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
- 3. The test data of the worst case condition(s) was reported on the Summary Data page.

### 14.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST


N/A Note: The EUT can not use the BT function with charging.





Report No.: AGC00806190602FE03 Page 52 of 63

## **APPENDIX A: PHOTOGRAPHS OF TEST SETUP** RADIATED EMISSION TEST SETUP BELOW 1GHZ



RADIATED EMISSION TEST SETUP ABOVE 1GHZ








Report No.: AGC00806190602FE03 Page 53 of 63

### CONDUCTED TEST SETUP







Report No.: AGC00806190602FE03 Page 54 of 63



## APPENDIX B: PHOTOGRAPHS OF EUT TOTAL VIEW OF EUT

TOP VIEW OF EUT





 $\label{eq:attestation} Attestation of Global Compliance (Shenzhen) Co., Ltd.$ 



Report No.: AGC00806190602FE03 Page 55 of 63

### BOTTOM VIEW OF EUT



FRONT VIEW OF EUT








Report No.: AGC00806190602FE03 Page 56 of 63

## BACK VIEW OF EUT



#### LEFT VIEW OF EUT





Attestation of Global Compliance(Shenzhen)Co.,Ltd.

Service Hotline:400 089 2118




Report No.: AGC00806190602FE03 Page 57 of 63

## **RIGHT VIEW OF EUT**



## VIEW OF EUT(PORT)






 $\label{eq:Attestation} Attestation of Global Compliance (Shenzhen) Co., Ltd.$ 




Report No.: AGC00806190602FE03 Page 58 of 63

Left OPEN VIEW OF EUT



**VIEW OF BATTERY** 





 $\label{eq:attestation} Attestation of Global Compliance (Shenzhen) Co., Ltd.$ 

Service Hotline:400 089 2118




Report No.: AGC00806190602FE03 Page 59 of 63

# 

### **INTERNAL VIEW OF EUT-1**

**INTERNAL VIEW OF EUT-2** 









Report No.: AGC00806190602FE03 Page 60 of 63

## INTERNAL VIEW OF EUT-3



Right OPEN VIEW OF EUT









Report No.: AGC00806190602FE03 Page 61 of 63

VIEW OF BATTERY



### **INTERNAL VIEW OF EUT-1**






 $\label{eq:attestation} Attestation \ of \ Global \ Compliance (Shenzhen) Co., Ltd.$ 




Report No.: AGC00806190602FE03 Page 62 of 63

#### **INTERNAL VIEW OF EUT-2**



#### **INTERNAL VIEW OF EUT-3**





 $\label{eq:Attestation} Attestation of Global Compliance (Shenzhen) Co., Ltd.$ 



Report No.: AGC00806190602FE03 Page 63 of 63

### Charging Dock VIEW OF EUT (PORT)-1



VIEW OF EUT (PORT)-2



## ----END OF REPORT----



 $\label{eq:attestation} Attestation of Global Compliance (Shenzhen) Co., Ltd.$