

1. Conducted Output Power Data

1.1 B17_5MHz_Power

1.1.1 Test Result

Band: 17 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Limit	Verdict
		Size	Offset			
QPSK	706.5	1	0	23.08	<=34.77	Pass
			13	23.12	<=34.77	Pass
			24	22.98	<=34.77	Pass
		12	0	22.02	<=34.77	Pass
			6	22.10	<=34.77	Pass
			13	22.11	<=34.77	Pass
		25	0	22.06	<=34.77	Pass
	710	1	0	22.94	<=34.77	Pass
			13	23.03	<=34.77	Pass
			24	22.96	<=34.77	Pass
		12	0	21.66	<=34.77	Pass
			6	21.77	<=34.77	Pass
			13	21.46	<=34.77	Pass
		25	0	21.47	<=34.77	Pass
	713.5	1	0	22.48	<=34.77	Pass
			13	22.66	<=34.77	Pass
			24	22.56	<=34.77	Pass
		12	0	21.55	<=34.77	Pass
			6	21.57	<=34.77	Pass
			13	21.50	<=34.77	Pass
		25	0	21.54	<=34.77	Pass
16QAM	706.5	1	0	22.15	<=34.77	Pass
			13	22.19	<=34.77	Pass
			24	22.07	<=34.77	Pass
		12	0	20.97	<=34.77	Pass
			6	21.05	<=34.77	Pass
			13	21.02	<=34.77	Pass
		25	0	21.00	<=34.77	Pass
	710	1	0	21.71	<=34.77	Pass
			13	21.73	<=34.77	Pass
			24	21.67	<=34.77	Pass
		12	0	20.49	<=34.77	Pass
			6	20.51	<=34.77	Pass
			13	20.42	<=34.77	Pass
		25	0	20.40	<=34.77	Pass
	713.5	1	0	21.25	<=34.77	Pass
			13	21.43	<=34.77	Pass
			24	21.34	<=34.77	Pass
		12	0	20.48	<=34.77	Pass
			6	20.53	<=34.77	Pass
			13	20.46	<=34.77	Pass
		25	0	20.52	<=34.77	Pass

1.2 B17_10MHz_Power

1.2.1 Test Result

Band: 17 / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Limit	Verdict
		Size	Offset			
QPSK	709	1	0	23.10	≤ 34.77	Pass
			25	23.26	≤ 34.77	Pass
			49	22.74	≤ 34.77	Pass
		25	0	21.49	≤ 34.77	Pass
			13	21.57	≤ 34.77	Pass
			25	21.46	≤ 34.77	Pass
		50	0	21.49	≤ 34.77	Pass
	710	1	0	22.59	≤ 34.77	Pass
			25	22.66	≤ 34.77	Pass
			49	22.58	≤ 34.77	Pass
		25	0	21.51	≤ 34.77	Pass
			13	21.53	≤ 34.77	Pass
			25	21.46	≤ 34.77	Pass
		50	0	21.49	≤ 34.77	Pass
	711	1	0	22.55	≤ 34.77	Pass
			25	22.64	≤ 34.77	Pass
			49	22.59	≤ 34.77	Pass
		25	0	21.51	≤ 34.77	Pass
			13	21.55	≤ 34.77	Pass
			25	21.47	≤ 34.77	Pass
		50	0	21.49	≤ 34.77	Pass
16QAM	709	1	0	21.57	≤ 34.77	Pass
			25	21.67	≤ 34.77	Pass
			49	21.53	≤ 34.77	Pass
		25	0	20.54	≤ 34.77	Pass
			13	20.58	≤ 34.77	Pass
			25	20.50	≤ 34.77	Pass
		50	0	20.46	≤ 34.77	Pass
	710	1	0	21.72	≤ 34.77	Pass
			25	21.84	≤ 34.77	Pass
			49	21.69	≤ 34.77	Pass
		25	0	20.46	≤ 34.77	Pass
			13	20.46	≤ 34.77	Pass
			25	20.39	≤ 34.77	Pass
		50	0	20.43	≤ 34.77	Pass
	711	1	0	22.03	≤ 34.77	Pass
			25	22.10	≤ 34.77	Pass
			49	22.04	≤ 34.77	Pass
		25	0	20.49	≤ 34.77	Pass
			13	20.53	≤ 34.77	Pass
			25	20.48	≤ 34.77	Pass
		50	0	20.44	≤ 34.77	Pass

2. Frequency Stability

2.1 B17_5MHz

2.1.1 Test Result

Band: 17 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	706.5	25	0	20	3.27	-16.522	-0.0234	-2.5 to 2.5	Pass
					3.85	-4.592	-0.0065	-2.5 to 2.5	Pass
					4.43	-2.761	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	-4.234	-0.0060	-2.5 to 2.5	Pass
				-20	3.85	-7.796	-0.0110	-2.5 to 2.5	Pass
				-10	3.85	-7.367	-0.0104	-2.5 to 2.5	Pass
				0	3.85	-8.340	-0.0118	-2.5 to 2.5	Pass
				10	3.85	-6.108	-0.0086	-2.5 to 2.5	Pass
				30	3.85	-7.825	-0.0111	-2.5 to 2.5	Pass
				40	3.85	-5.236	-0.0074	-2.5 to 2.5	Pass
				50	3.85	-5.751	-0.0081	-2.5 to 2.5	Pass
	710	25	0	20	3.27	-27.838	-0.0392	-2.5 to 2.5	Pass
					3.85	-4.992	-0.0070	-2.5 to 2.5	Pass
					4.43	-5.879	-0.0083	-2.5 to 2.5	Pass
				-30	3.85	-2.561	-0.0036	-2.5 to 2.5	Pass
				-20	3.85	-7.782	-0.0110	-2.5 to 2.5	Pass
				-10	3.85	-7.625	-0.0107	-2.5 to 2.5	Pass
				0	3.85	-7.281	-0.0103	-2.5 to 2.5	Pass
				10	3.85	1.588	0.0022	-2.5 to 2.5	Pass
				30	3.85	-3.290	-0.0046	-2.5 to 2.5	Pass
				40	3.85	-6.294	-0.0089	-2.5 to 2.5	Pass
				50	3.85	-3.276	-0.0046	-2.5 to 2.5	Pass
	713.5	25	0	20	3.27	-24.791	-0.0347	-2.5 to 2.5	Pass
					3.85	-6.709	-0.0094	-2.5 to 2.5	Pass
					4.43	-8.483	-0.0119	-2.5 to 2.5	Pass
				-30	3.85	-6.022	-0.0084	-2.5 to 2.5	Pass
				-20	3.85	-7.539	-0.0106	-2.5 to 2.5	Pass
				-10	3.85	-4.678	-0.0066	-2.5 to 2.5	Pass
				0	3.85	-7.796	-0.0109	-2.5 to 2.5	Pass
				10	3.85	-8.440	-0.0118	-2.5 to 2.5	Pass
				30	3.85	-6.580	-0.0092	-2.5 to 2.5	Pass
				40	3.85	-9.127	-0.0128	-2.5 to 2.5	Pass
16QAM	706.5	25	0	20	3.27	-1.860	-0.0026	-2.5 to 2.5	Pass
					3.85	-4.549	-0.0064	-2.5 to 2.5	Pass
					4.43	-8.082	-0.0114	-2.5 to 2.5	Pass
				-30	3.85	-9.198	-0.0130	-2.5 to 2.5	Pass
				-20	3.85	-5.579	-0.0079	-2.5 to 2.5	Pass
				-10	3.85	-10.400	-0.0147	-2.5 to 2.5	Pass
				0	3.85	-9.499	-0.0134	-2.5 to 2.5	Pass
				10	3.85	-6.909	-0.0098	-2.5 to 2.5	Pass
				30	3.85	-10.357	-0.0147	-2.5 to 2.5	Pass
				40	3.85	6.423	0.0091	-2.5 to 2.5	Pass
				50	3.85	-3.748	-0.0053	-2.5 to 2.5	Pass
	710	25	0	20	3.27	-4.606	-0.0065	-2.5 to 2.5	Pass
					3.85	-5.822	-0.0082	-2.5 to 2.5	Pass
					4.43	-8.111	-0.0114	-2.5 to 2.5	Pass
				-30	3.85	-7.968	-0.0112	-2.5 to 2.5	Pass
				-20	3.85	-9.742	-0.0137	-2.5 to 2.5	Pass

				-10	3.85	-10.586	-0.0149	-2.5 to 2.5	Pass
				0	3.85	-1.130	-0.0016	-2.5 to 2.5	Pass
				10	3.85	-9.584	-0.0135	-2.5 to 2.5	Pass
				30	3.85	-10.271	-0.0145	-2.5 to 2.5	Pass
				40	3.85	-4.106	-0.0058	-2.5 to 2.5	Pass
				50	3.85	-7.696	-0.0108	-2.5 to 2.5	Pass
	713.5	25	0	20	3.27	0.358	0.0005	-2.5 to 2.5	Pass
					3.85	-11.129	-0.0156	-2.5 to 2.5	Pass
					4.43	-11.315	-0.0159	-2.5 to 2.5	Pass
				-30	3.85	-8.426	-0.0118	-2.5 to 2.5	Pass
				-20	3.85	-8.712	-0.0122	-2.5 to 2.5	Pass
				-10	3.85	-6.752	-0.0095	-2.5 to 2.5	Pass
				0	3.85	-6.137	-0.0086	-2.5 to 2.5	Pass
				10	3.85	-9.842	-0.0138	-2.5 to 2.5	Pass
				30	3.85	-9.098	-0.0128	-2.5 to 2.5	Pass
				40	3.85	-12.589	-0.0176	-2.5 to 2.5	Pass
				50	3.85	-6.351	-0.0089	-2.5 to 2.5	Pass

2.2 B17_10MHz

2.2.1 Test Result

Band: 17 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	709	50	0	20	3.27	-13.676	-0.0193	-2.5 to 2.5	Pass
					3.85	-3.490	-0.0049	-2.5 to 2.5	Pass
					4.43	-5.121	-0.0072	-2.5 to 2.5	Pass
				-30	3.85	-3.748	-0.0053	-2.5 to 2.5	Pass
				-20	3.85	-5.693	-0.0080	-2.5 to 2.5	Pass
				-10	3.85	-5.364	-0.0076	-2.5 to 2.5	Pass
				0	3.85	-5.007	-0.0071	-2.5 to 2.5	Pass
				10	3.85	-3.920	-0.0055	-2.5 to 2.5	Pass
				30	3.85	-3.562	-0.0050	-2.5 to 2.5	Pass
				40	3.85	-4.120	-0.0058	-2.5 to 2.5	Pass
				50	3.85	-4.821	-0.0068	-2.5 to 2.5	Pass
	710	50	0	20	3.27	-24.190	-0.0341	-2.5 to 2.5	Pass
					3.85	-2.832	-0.0040	-2.5 to 2.5	Pass
					4.43	-2.775	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	-4.320	-0.0061	-2.5 to 2.5	Pass
				-20	3.85	-7.496	-0.0106	-2.5 to 2.5	Pass
				-10	3.85	-1.488	-0.0021	-2.5 to 2.5	Pass
				0	3.85	-3.576	-0.0050	-2.5 to 2.5	Pass
				10	3.85	-6.609	-0.0093	-2.5 to 2.5	Pass
				30	3.85	-5.836	-0.0082	-2.5 to 2.5	Pass
				40	3.85	-4.549	-0.0064	-2.5 to 2.5	Pass
				50	3.85	-6.537	-0.0092	-2.5 to 2.5	Pass
	711	50	0	20	3.27	-22.702	-0.0319	-2.5 to 2.5	Pass
					3.85	-5.937	-0.0084	-2.5 to 2.5	Pass
					4.43	-5.407	-0.0076	-2.5 to 2.5	Pass
				-30	3.85	-5.507	-0.0077	-2.5 to 2.5	Pass
				-20	3.85	-3.605	-0.0051	-2.5 to 2.5	Pass
				-10	3.85	-4.606	-0.0065	-2.5 to 2.5	Pass
				0	3.85	-6.409	-0.0090	-2.5 to 2.5	Pass
				10	3.85	-6.566	-0.0092	-2.5 to 2.5	Pass
				30	3.85	-3.090	-0.0043	-2.5 to 2.5	Pass
				40	3.85	-4.148	-0.0058	-2.5 to 2.5	Pass
				50	3.85	-4.678	-0.0066	-2.5 to 2.5	Pass
16QAM	709	50	0	20	3.27	-2.174	-0.0031	-2.5 to 2.5	Pass
					3.85	-9.799	-0.0138	-2.5 to 2.5	Pass
					4.43	-7.224	-0.0102	-2.5 to 2.5	Pass
				-30	3.85	-3.548	-0.0050	-2.5 to 2.5	Pass
				-20	3.85	-6.166	-0.0087	-2.5 to 2.5	Pass
				-10	3.85	-7.882	-0.0111	-2.5 to 2.5	Pass
				0	3.85	-6.223	-0.0088	-2.5 to 2.5	Pass
				10	3.85	-9.270	-0.0131	-2.5 to 2.5	Pass
				30	3.85	-6.795	-0.0096	-2.5 to 2.5	Pass
				40	3.85	-6.409	-0.0090	-2.5 to 2.5	Pass
				50	3.85	-9.742	-0.0137	-2.5 to 2.5	Pass
	710	50	0	20	3.27	-2.332	-0.0033	-2.5 to 2.5	Pass
					3.85	-8.354	-0.0118	-2.5 to 2.5	Pass
					4.43	-7.067	-0.0100	-2.5 to 2.5	Pass
				-30	3.85	-8.597	-0.0121	-2.5 to 2.5	Pass
				-20	3.85	-4.234	-0.0060	-2.5 to 2.5	Pass
				-10	3.85	-3.548	-0.0050	-2.5 to 2.5	Pass
				0	3.85	-9.699	-0.0137	-2.5 to 2.5	Pass
				10	3.85	-3.977	-0.0056	-2.5 to 2.5	Pass

				30	3.85	-3.662	-0.0052	-2.5 to 2.5	Pass
				40	3.85	-8.025	-0.0113	-2.5 to 2.5	Pass
				50	3.85	-6.380	-0.0090	-2.5 to 2.5	Pass
	711	50	0	20	3.27	-2.403	-0.0034	-2.5 to 2.5	Pass
					3.85	-7.339	-0.0103	-2.5 to 2.5	Pass
					4.43	-7.639	-0.0107	-2.5 to 2.5	Pass
				-30	3.85	-8.540	-0.0120	-2.5 to 2.5	Pass
				-20	3.85	-5.336	-0.0075	-2.5 to 2.5	Pass
				-10	3.85	-6.022	-0.0085	-2.5 to 2.5	Pass
				0	3.85	-5.178	-0.0073	-2.5 to 2.5	Pass
				10	3.85	-8.183	-0.0115	-2.5 to 2.5	Pass
				30	3.85	-8.869	-0.0125	-2.5 to 2.5	Pass
				40	3.85	-4.177	-0.0059	-2.5 to 2.5	Pass
				50	3.85	-7.925	-0.0111	-2.5 to 2.5	Pass


3. Modulation Characteristics

3.1 B17_5MHz

3.1.1 Test Result

Band: 17 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	710	25	0	Refer To Test Graph		Pass
16QAM	710	25	0	Refer To Test Graph		Pass

3.1.2 Test Graph




3.2 B17_10MHz

3.2.1 Test Result

Band: 17 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	710	50	0	Refer To Test Graph		Pass
16QAM	710	50	0	Refer To Test Graph		Pass

3.2.2 Test Graph




4. 99% & 26dB Bandwidth



4.1 Band17_OBW



4.1.1 Test Result



Band: 17 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
5	QPSK	706.5	25	0	4.569	Pass
		710	25	0	4.558	Pass
		713.5	25	0	4.571	Pass
	16QAM	706.5	25	0	4.573	Pass
		710	25	0	4.581	Pass
		713.5	25	0	4.571	Pass
10	QPSK	709	50	0	9.074	Pass
		710	50	0	9.052	Pass
		711	50	0	9.113	Pass
	16QAM	709	50	0	9.069	Pass
		710	50	0	9.054	Pass
		711	50	0	9.079	Pass



4.1.2 Test Graph


















4.2 Band17_XDB



4.2.1 Test Result



Band: 17 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
5	QPSK	706.5	25	0	5.247	Pass
		710	25	0	5.200	Pass
		713.5	25	0	5.242	Pass
	16QAM	706.5	25	0	5.302	Pass
		710	25	0	5.261	Pass
		713.5	25	0	5.292	Pass
10	QPSK	709	50	0	10.271	Pass
		710	50	0	10.299	Pass
		711	50	0	10.879	Pass
	16QAM	709	50	0	10.256	Pass
		710	50	0	10.178	Pass
		711	50	0	10.153	Pass


4.2.2 Test Graph
















5. Peak-Average Ratio

5.1 B17_5MHz


5.1.1 Test Result

Band: 17 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	706.5	25	0	5.39	<=13	Pass
	710	25	0	5.28	<=13	Pass
	713.5	25	0	5.25	<=13	Pass
16QAM	706.5	25	0	6.07	<=13	Pass
	710	25	0	5.96	<=13	Pass
	713.5	25	0	5.91	<=13	Pass


5.1.2 Test Graph




Band17 5MHz QPSK HCH 713.5MHz RB 25 0 NTNV




Band17 5MHz 16QAM LCH 706.5MHz RB 25 0 NTNV



Band17 5MHz 16QAM MCH 710MHz RB 25 0 NTN



Band17 5MHz 16QAM HCH 713.5MHz RB 25 0 NTN




5.2 B17_10MHz


5.2.1 Test Result

Band: 17 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	709	50	0	5.23	<=13	Pass
	710	50	0	5.22	<=13	Pass
	711	50	0	5.24	<=13	Pass
16QAM	709	50	0	5.99	<=13	Pass
	710	50	0	5.99	<=13	Pass
	711	50	0	5.94	<=13	Pass


5.2.2 Test Graph




Band17 10MHz QPSK HCH 711MHz RB 50 0 NTN




Band17 10MHz 16QAM LCH 709MHz RB 50 0 NTN



Band17 10MHz 16QAM MCH 710MHz RB 50 0 NTNV



Band17 10MHz 16QAM HCH 711MHz RB 50 0 NTNV




6. Spurious Emission

6.1 B17_5MHz


6.1.1 Test Result

Band: 17 / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	706.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	710	1	0	Refer To Test Graph	Pass
	713.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
16QAM	706.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	710	1	0	Refer To Test Graph	Pass
	713.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.2 Test Graph






Band17 5MHz QPSK LCH 706.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
699	703.9	0.1	/	1	703.890	-34.18	-13	Pass
703.9	704	0.03	/	2	703.970	-30.13	-13	Pass
704	709	0.03	/	/	/	/	/	/

Band17 5MHz QPSK MCH 710MHz RB 1 0 NTNV






Band17_5MHz_QPSK_HCH_713.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.000	-31.53	-13	Pass
716.1	721	0.1	/	2	716.140	-32.85	-13	Pass

Band17_5MHz_16QAM_LCH_706.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
699	703.9	0.1	/	1	703.870	-23.39	-13	Pass
703.9	704	0.03	/	2	704.000	-18.21	-13	Pass
704	709	0.03	/	/	/	/	/	/



Band17_5MHz_16QAM_LCH_706.5MHz_RB_1_0_NTNV




Band17_5MHz_16QAM_LCH_706.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
699	703.9	0.1	/	1	703.890	-34.45	-13	Pass
703.9	704	0.03	/	2	704.000	-31.05	-13	Pass
704	709	0.03	/	/	/	/	/	/



Band17 5MHz 16QAM HCH 713.5MHz RB 1 24 NTNV



Band17 5MHz 16QAM HCH 713.5MHz RB 25 0 NTNV





6.2 B17_10MHz

6.2.1 Test Result


Band: 17 / Bandwidth: 10MHz / NTV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	709	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	710	1	0	Refer To Test Graph	Pass
	711	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
16QAM	709	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	710	1	0	Refer To Test Graph	Pass
	711	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

6.2.2 Test Graph







Band17 10MHz QPSK HCH 711MHz RB 1 0 NTNV




Band17 10MHz QPSK HCH 711MHz RB 1 49 NTNV




Band17_10MHz_QPSK_HCH_711MHz_RB_50_0_NTNV




Band17_10MHz_16QAM_LCH_709MHz_RB_1_0_NTNV





Band17_10MHz_16QAM_LCH_709MHz_RB_1_0_NTNV




Band17_10MHz_16QAM_LCH_709MHz_RB_50_0_NTNV



Frequency (MHz)								
Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	703.9	0.1	/	1	703.872	-41.52	-13	Pass
703.9	704	0.03	/	2	703.962	-39.59	-13	Pass
704	714	0.03	/	/	/	/	/	/



Band17 10MHz 16QAM HCH 711MHz RB 1 49 NTNV



Band17 10MHz 16QAM HCH 711MHz RB 50 0 NTNV

