


Annex A.2 Peak to Average Ratio

1. Cat-M_Band2


1.1. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:18700, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.9	0.1	9.02	13	Pass




1.2. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:18700, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.9	0.1	9.16	13	Pass




1.3. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:18900, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1871.9	0.1	9.1	13	Pass




1.4. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:18900, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1871.9	0.1	9.37	13	Pass




1.5. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:19100, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1891.9	0.1	9.15	13	Pass



1.6. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:19100, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1891.9	0.1	9.45	13	Pass



2. Cat-M_Band4


2.1. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20050, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1711.9	0.1	8.65	13	Pass




2.2. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20050, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1711.9	0.1	8.75	13	Pass




2.3. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20175, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1724.4	0.1	8.67	13	Pass




2.4. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20175, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1724.4	0.1	8.72	13	Pass




2.5. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20300, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1736.9	0.1	8.53	13	Pass



2.6. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20300, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1736.9	0.1	8.64	13	Pass



3. Cat-M_Band5


3.1. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20450, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.22	0.1	9.89	13	Pass




3.2. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20450, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.22	0.1	10.27	13	Pass




3.3. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
832.72	0.1	9.87	13	Pass




3.4. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
832.72	0.1	10.34	13	Pass




3.5. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20600, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
840.22	0.1	9.88	13	Pass



3.6. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20600, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
840.22	0.1	10.09	13	Pass



4. Cat-M_Band12


4.1. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23060, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
700.22	0.1	9.29	13	Pass




4.2. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23060, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
700.22	0.1	9.48	13	Pass




4.3. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
703.72	0.1	9.18	13	Pass




4.4. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
703.72	0.1	9.45	13	Pass




4.5. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23130, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.22	0.1	9.37	13	Pass



4.6. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23130, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.22	0.1	9.51	13	Pass



5. Cat-M_Band13


5.1. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23230, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
778.22	0.1	9.94	13	Pass



5.2. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23230, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
778.22	0.1	10.26	13	Pass



6. Cat-M_Band14


6.1. Cat-M Peak to Average Ratio_Part90(NTNV)(Channel:23330, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
789.22	0.1	9.88	13	Pass



6.2. Cat-M Peak to Average Ratio_Part90(NTNV)(Channel:23330, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
789.22	0.1	10.3	13	Pass



7. Cat-M_Band17


7.1. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23780, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
705.22	0.1	9.21	13	Pass




7.2. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23780, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
705.22	0.1	9.42	13	Pass




7.3. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23790, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.22	0.1	9.26	13	Pass




7.4. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23790, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.22	0.1	9.47	13	Pass




7.5. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23800, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.22	0.1	9.36	13	Pass



7.6. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23800, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.22	0.1	9.51	13	Pass



8. Cat-M_Band25


8.1. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:26140, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.9	0.1	8.95	13	Pass




8.2. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:26140, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.9	0.1	9.21	13	Pass




8.3. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:26365, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1874.4	0.1	9.16	13	Pass




8.4. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:26365, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1874.4	0.1	9.26	13	Pass




8.5. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:26590, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1896.9	0.1	9.22	13	Pass



8.6. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:26590, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1896.9	0.1	9.38	13	Pass



9. Cat-M_Band26(part22)


9.1. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:26865, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.47	0.1	9.62	13	Pass




9.2. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:26865, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.47	0.1	9.83	13	Pass




9.3. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:26915, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
830.47	0.1	9.54	13	Pass




9.4. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:26915, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
830.47	0.1	9.85	13	Pass




9.5. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:26965, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
835.47	0.1	9.54	13	Pass




9.6. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:26965, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
835.47	0.1	9.68	13	Pass




10. Cat-M_Band26(part90)

10.1. Cat-M Peak to Average Ratio_Part90(NTNV)(Channel:26740, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)



10.2. Cat-M Peak to Average Ratio_Part90(NTNV)(Channel:26740, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
815.22	0.1	11.07	13	Pass



11. Cat-M_Band66


11.1. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:132072, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1711.9	0.1	8.67	13	Pass




11.2. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:132072, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1711.9	0.1	8.73	13	Pass




11.3. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:132322, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1736.9	0.1	8.52	13	Pass




11.4. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:132322, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1736.9	0.1	8.71	13	Pass




11.5. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:132572, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1761.9	0.1	8.62	13	Pass



11.6. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:132572, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1761.9	0.1	8.7	13	Pass



12. Cat-M_Band71


12.1. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:133222, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
664.9	0.1	9.02	13	Pass




12.2. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:133222, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
664.9	0.1	8.95	13	Pass




12.3. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:133297, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
672.4	0.1	8.95	13	Pass




12.4. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:133297, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
672.4	0.1	8.94	13	Pass




12.5. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:133372, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
679.9	0.1	8.87	13	Pass



12.6. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:133372, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
679.9	0.1	8.9	13	Pass



13. Cat-M_Band85


13.1. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:134056, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
699.62	0.1	9.72	13	Pass




13.2. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:134056, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
699.62	0.1	10.09	13	Pass




13.3. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:134091, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
703.12	0.1	9.73	13	Pass




13.4. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:134091, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
703.12	0.1	10.3	13	Pass




13.5. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:134131, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.12	0.1	9.92	13	Pass




13.6. Cat-M Peak to Average Ratio_Part22-24-27(NTNV)(Channel:134131, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.12	0.1	10.24	13	Pass



14. NB-IoT_Band2_QPSK_3.75kHz_1@0_Low


14.1. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)



14. NB-IoT_Band2_BPSK_3.75kHz_1@0_Low

14.2. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1850.2	0.1	2.03	13	Pass



14. NB-IoT_Band2_QPSK_3.75kHz_1@0_Mid

14.3. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1880	0.1	2.78	13	Pass



14. NB-IoT_Band2_BPSK_3.75kHz_1@0_Mid

14.4. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1880	0.1	2.1	13	Pass



14. NB-IoT_Band2_QPSK_3.75kHz_1@0_High

14.5. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1909.8	0.1	2.74	13	Pass



14. NB-IoT_Band2_BPSK_3.75kHz_1@0_High

14.6. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1909.8	0.1	2.11	13	Pass



14. NB-IoT_Band2_QPSK_15kHz_1@0_Low

14.7. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1850.2	0.1	5.93	13	Pass



14. NB-IoT_Band2_BPSK_15kHz_1@0_Low

14.8. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1850.2	0.1	4.04	13	Pass



14. NB-IoT_Band2_QPSK_15kHz_1@0_Mid

14.9. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1880	0.1	5.93	13	Pass



14. NB-IoT_Band2_BPSK_15kHz_1@0_Mid

14.10. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1880	0.1	3.9	13	Pass



14. NB-IoT_Band2_QPSK_15kHz_1@0_High

14.11. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1909.8	0.1	5.92	13	Pass



14. NB-IoT_Band2_BPSK_15kHz_1@0_High

14.12. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1909.8	0.1	4	13	Pass



15. NB-IoT_Band4_QPSK_3.75kHz_1@0_Low

15.1. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1710.2	0.1	2.49	13	Pass



15. NB-IoT_Band4_BPSK_3.75kHz_1@0_Low

15.2. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1710.2	0.1	1.88	13	Pass



15. NB-IoT_Band4_QPSK_3.75kHz_1@0_Mid

15.3. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1732.5	0.1	2.5	13	Pass



15. NB-IoT_Band4_BPSK_3.75kHz_1@0_Mid

15.4. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1732.5	0.1	1.95	13	Pass



15. NB-IoT_Band4_QPSK_3.75kHz_1@0_High

15.5. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1754.8	0.1	2.73	13	Pass



15. NB-IoT_Band4_BPSK_3.75kHz_1@0_High

15.6. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1754.8	0.1	1.93	13	Pass



15. NB-IoT_Band4_QPSK_15kHz_1@0_Low

15.7. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1710.2	0.1	5.77	13	Pass



15. NB-IoT_Band4_BPSK_15kHz_1@0_Low

15.8. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1710.2	0.1	3.7	13	Pass



15. NB-IoT_Band4_QPSK_15kHz_1@0_Mid

15.9. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1732.5	0.1	5.69	13	Pass



15. NB-IoT_Band4_BPSK_15kHz_1@0_Mid

15.10. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1732.5	0.1	3.76	13	Pass



15. NB-IoT_Band4_QPSK_15kHz_1@0_High

15.11. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1754.8	0.1	5.67	13	Pass



15. NB-IoT_Band4_BPSK_15kHz_1@0_High

15.12. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
1754.8	0.1	3.74	13	Pass



16. NB-IoT_Band5_QPSK_3.75kHz_1@0_Low

16.1. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
824.2	0.1	2.81	13	Pass



16. NB-IoT_Band5_BPSK_3.75kHz_1@0_Low

16.2. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
824.2	0.1	2.06	13	Pass



16. NB-IoT_Band5_QPSK_3.75kHz_1@0_Mid

16.3. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	2.86	13	Pass



16. NB-IoT_Band5_BPSK_3.75kHz_1@0_Mid

16.4. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
836.5	0.1	2.05	13	Pass



16. NB-IoT_Band5_QPSK_3.75kHz_1@0_High

16.5. NB-IoT Peak to Average Ratio_Part22-24-27(NTNV)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Limit (dB)	Verdict
848.8	0.1	2.79	13	Pass

