

## **Annex A.3 Occupied Bandwidth**

## 1. Cat-M\_Band2


### 1.1. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:18900, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1878.29	99	26	0.051	Peak	1.13	1.4	1.4	Pass




**1.2. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:18900, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1878.29	99	26	0.051	Peak	0.96	1.35	1.4	Pass




**1.3. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:18900, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1876.22	99	26	0.051	Peak	1.14	1.42	1.4	Pass




**1.4. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:18900, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1876.22	99	26	0.051	Peak	1.01	1.34	1.4	Pass




**1.5. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:18900, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1873.97	99	26	0.051	Peak	1.12	1.36	1.4	Pass




**1.6. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:18900, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1873.97	99	26	0.051	Peak	0.99	1.45	1.4	Pass



**1.7. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:18900, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1871.9	99	26	0.051	Peak	1.14	1.4	1.4	Pass





**1.8. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:18900, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1871.9	99	26	0.051	Peak	0.98	1.48	1.4	Pass



## 2. Cat-M\_Band4

### 2.1. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:20175, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1730.79	99	26	0.051	Peak	1.15	1.42	1.4	Pass



**2.2. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:20175, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1730.79	99	26	0.051	Peak	0.97	1.3	1.4	Pass



**2.3. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:20175, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1728.72	99	26	0.051	Peak	1.13	1.39	1.4	Pass




**2.4. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:20175, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1728.72	99	26	0.051	Peak	0.96	1.33	1.4	Pass



**2.5. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:20175, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1726.47	99	26	0.051	Peak	1.12	1.34	1.4	Pass




**2.6. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:20175, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1726.47	99	26	0.051	Peak	0.99	1.36	1.4	Pass



**2.7. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:20175, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1724.4	99	26	0.051	Peak	1.12	1.43	1.4	Pass





**2.8. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:20175, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1724.4	99	26	0.051	Peak	0.97	1.41	1.4	Pass



### 3. Cat-M\_Band5


#### 3.1. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:20525, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834.79	99	26	0.051	Peak	1.14	1.3	1.4	Pass




**3.2. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:20525, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834.79	99	26	0.051	Peak	0.99	1.35	1.4	Pass




**3.3. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:20525, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
832.72	99	26	0.051	Peak	1.13	1.31	1.4	Pass



**3.4. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:20525, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
832.72	99	26	0.051	Peak	1.05	1.4	1.4	Pass



## 4. Cat-M\_Band12

### 4.1. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:23095, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
705.79	99	26	0.051	Peak	1.12	1.41	1.4	Pass




**4.2. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:23095, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
705.79	99	26	0.051	Peak	0.99	1.44	1.4	Pass



**4.3. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:23095, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
703.72	99	26	0.051	Peak	1.12	1.42	1.4	Pass





**4.4. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:23095, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
703.72	99	26	0.051	Peak	0.98	1.42	1.4	Pass



## 5. Cat-M\_Band13


### 5.1. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:23230, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
780.29	99	26	0.051	Peak	1.12	1.33	1.4	Pass




**5.2. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:23230, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
780.29	99	26	0.051	Peak	0.96	1.38	1.4	Pass




**5.3. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:23230, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
778.22	99	26	0.051	Peak	1.1	1.39	1.4	Pass



**5.4. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:23230, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
778.22	99	26	0.051	Peak	0.98	1.36	1.4	Pass



## 6. Cat-M\_Band14


### 6.1. Cat-M Occupied Bandwidth\_Part90(NTNV)(Channel:23330, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
791.29	99	26	0.051	Peak	1.13	1.46	1.4	Pass




**6.2. Cat-M Occupied Bandwidth\_Part90(NTNV)(Channel:23330, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
791.29	99	26	0.051	Peak	0.98	1.3	1.4	Pass



**6.3. Cat-M Occupied Bandwidth\_Part90(NTNV)(Channel:23330, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
789.22	99	26	0.051	Peak	1.14	1.44	1.4	Pass





**6.4. Cat-M Occupied Bandwidth\_Part90(NTNV)(Channel:23330, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
789.22	99	26	0.051	Peak	1	1.41	1.4	Pass



## 7. Cat-M\_Band17

### 7.1. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:23790, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
708.29	99	26	0.051	Peak	1.14	1.39	1.4	Pass




**7.2. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:23790, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
708.29	99	26	0.051	Peak	1.01	1.41	1.4	Pass




**7.3. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:23790, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.22	99	26	0.051	Peak	1.13	1.46	1.4	Pass



**7.4. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:23790, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.22	99	26	0.051	Peak	1.01	1.41	1.4	Pass



## 8. Cat-M\_Band25

### 8.1. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:26365, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880.79	99	26	0.051	Peak	1.15	1.35	1.4	Pass




**8.2. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:26365, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880.79	99	26	0.051	Peak	0.97	1.27	1.4	Pass



**8.3. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:26365, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1878.72	99	26	0.051	Peak	1.11	1.39	1.4	Pass






**8.4. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:26365, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1878.72	99	26	0.051	Peak	1	1.47	1.4	Pass




**8.5. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:26365, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1876.47	99	26	0.051	Peak	1.13	1.42	1.4	Pass



**8.6. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:26365, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1876.47	99	26	0.051	Peak	0.97	1.34	1.4	Pass




**8.7. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:26365, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1874.4	99	26	0.051	Peak	1.13	1.47	1.4	Pass



**8.8. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:26365, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1874.4	99	26	0.051	Peak	0.98	1.31	1.4	Pass



## 9. Cat-M\_Band26(part22)


### 9.1. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:26915, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834.79	99	26	0.051	Peak	1.12	1.42	1.4	Pass




**9.2. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:26915, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834.79	99	26	0.051	Peak	0.97	1.35	1.4	Pass



**9.3. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:26915, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
832.72	99	26	0.051	Peak	1.12	1.38	1.4	Pass






**9.4. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:26915, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
832.72	99	26	0.051	Peak	0.95	1.37	1.4	Pass




**9.5. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:26915, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
830.47	99	26	0.051	Peak	1.11	1.38	1.4	Pass



**9.6. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:26915, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
830.47	99	26	0.051	Peak	1.01	1.49	1.4	Pass






**10.2. Cat-M Occupied Bandwidth\_Part90(NTNV)(Channel:26740, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
817.29	99	26	0.051	Peak	0.97	1.38	1.4	Pass




**10.3. Cat-M Occupied Bandwidth\_Part90(NTNV)(Channel:26740, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
815.22	99	26	0.051	Peak	1.13	1.4	1.4	Pass



**10.4. Cat-M Occupied Bandwidth\_Part90(NTNV)(Channel:26740, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
815.22	99	26	0.051	Peak	1	1.33	1.4	Pass



## 11. Cat-M\_Band66

### 11.1. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:132322, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1743.29	99	26	0.051	Peak	1.14	1.41	1.4	Pass






**11.2. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:132322, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1743.29	99	26	0.051	Peak	0.97	1.41	1.4	Pass




**11.3. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:132322, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1741.22	99	26	0.051	Peak	1.14	1.7	1.4	Pass




**11.4. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:132322, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1741.22	99	26	0.051	Peak	1	1.39	1.4	Pass




**11.5. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:132322, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detect or	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1738.97	99	26	0.051	Peak	1.15	1.84	1.4	Pass




**11.6. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:132322, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1738.97	99	26	0.051	Peak	0.99	1.59	1.4	Pass




**11.7. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:132322, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1736.9	99	26	0.051	Peak	1.14	1.96	1.4	Pass



**11.8. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:132322, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1736.9	99	26	0.051	Peak	1.01	1.7	1.4	Pass



## 12. Cat-M\_Band71

### 12.1. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:133297, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
678.79	99	26	0.051	Peak	1.11	1.45	1.4	Pass






**12.2. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:133297, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
678.79	99	26	0.051	Peak	0.96	1.29	1.4	Pass



**12.3. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:133297, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
676.72	99	26	0.051	Peak	1.12	1.38	1.4	Pass




**12.4. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:133297, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
676.72	99	26	0.051	Peak	0.98	1.41	1.4	Pass




**12.5. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:133297, Bandwidth:15, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
674.47	99	26	0.051	Peak	1.15	1.55	1.4	Pass




**12.6. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:133297, Bandwidth:15, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
674.47	99	26	0.051	Peak	0.99	1.54	1.4	Pass




**12.7. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:133297, Bandwidth:20, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
672.4	99	26	0.051	Peak	1.16	1.72	1.4	Pass



**12.8. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:133297, Bandwidth:20, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
672.4	99	26	0.051	Peak	1.02	1.84	1.4	Pass



### 13. Cat-M\_Band85

#### 13.1. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:134091, Bandwidth:5, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detect or	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
705.19	99	26	0.051	Peak	1.1	1.41	1.4	Pass






**13.2. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:134091, Bandwidth:5, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
705.19	99	26	0.051	Peak	0.95	1.34	1.4	Pass



**13.3. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:134091, Bandwidth:10, Modulation:QPSK, NB Index:0, RB Number:6, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
703.12	99	26	0.051	Peak	1.12	1.42	1.4	Pass



**13.4. Cat-M Occupied Bandwidth\_Part22-24-27(NTNV)(Channel:134091, Bandwidth:10, Modulation:16QAM, NB Index:0, RB Number:5, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
703.12	99	26	0.051	Peak	0.96	1.32	1.4	Pass



## 14. NB-IoT\_Band2\_QPSK\_3.75kHz\_1@0\_Low

### 14.1. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1850.2	99.00	26	0.002	Peak	0.2	0.064614	0.063993	Pass



## 14. NB-IoT\_Band2\_BPSK\_3.75kHz\_1@0\_Low

### 14.2. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1850.2	99.00	26	0.002	Peak	0.2	0.061431	0.061574	Pass



## 14. NB-IoT\_Band2\_QPSK\_3.75kHz\_1@0\_Mid

### 14.3. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1880	99.00	26	0.002	Peak	0.2	0.064972	0.061285	Pass



## 14. NB-IoT\_Band2\_BPSK\_3.75kHz\_1@0\_Mid

### 14.4. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1880	99.00	26	0.002	Peak	0.2	0.062087	0.061594	Pass



## 14. NB-IoT\_Band2\_BPSK\_3.75kHz\_1@0\_High

### 14.5. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1909.8	99.00	26	0.002	Peak	0.2	0.06294	0.061533	Pass






## 14. NB-IoT\_Band2\_QPSK\_3.75kHz\_1@0\_High

### 14.6. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1909.8	99.00	26	0.002	Peak	0.2	0.066515	0.063931	Pass



## 14. NB-IoT\_Band2\_QPSK\_15kHz\_1@0\_Low

### 14.7. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1850.2	99.00	26	0.002	Peak	0.2	0.128048	0.142956	Pass



## 14. NB-IoT\_Band2\_QPSK\_15kHz\_12@0\_Low

### 14.8. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1850.2	99.00	26	0.002	Peak	0.2	0.196868	0.278732	Pass



## 14. NB-IoT\_Band2\_BPSK\_15kHz\_1@0\_Low

### 14.9. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1850.2	99.00	26	0.002	Peak	0.2	0.124657	0.119862	Pass



## 14. NB-IoT\_Band2\_QPSK\_15kHz\_1@0\_Mid

### 14.10. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1880	99.00	26	0.002	Peak	0.2	0.128888	0.14119	Pass



## 14. NB-IoT\_Band2\_QPSK\_15kHz\_12@0\_Mid

### 14.11. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1880	99.00	26	0.002	Peak	0.2	0.198582	0.299786	Pass



## 14. NB-IoT\_Band2\_BPSK\_15kHz\_1@0\_Mid

### 14.12. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1880	99.00	26	0.002	Peak	0.2	0.131189	0.113046	Pass



## 14. NB-IoT\_Band2\_QPSK\_15kHz\_1@0\_High

### 14.13. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1909.8	99.00	26	0.002	Peak	0.2	0.126205	0.116907	Pass






## 14. NB-IoT\_Band2\_QPSK\_15kHz\_12@0\_High

### 14.14. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1909.8	99.00	26	0.002	Peak	0.2	0.192097	0.277969	Pass



## 14. NB-IoT\_Band2\_BPSK\_15kHz\_1@0\_High

### 14.15. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1909.8	99.00	26	0.002	Peak	0.2	0.125307	0.113491	Pass



## 15. NB-IoT\_Band4\_QPSK\_3.75kHz\_1@0\_Low

### 15.1. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1710.2	99.00	26	0.002	Peak	0.2	0.101646	0.038895	Pass



## 15. NB-IoT\_Band4\_BPSK\_3.75kHz\_1@0\_Low

### 15.2. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1710.2	99.00	26	0.002	Peak	0.2	0.09942	0.10552	Pass



## 15. NB-IoT\_Band4\_QPSK\_3.75kHz\_1@0\_Mid

### 15.3. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1732.5	99.00	26	0.002	Peak	0.2	0.107943	0.107868	Pass



### 15. NB-IoT\_Band4\_BPSK\_3.75kHz\_1@0\_Mid

#### 15.4. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1732.5	99.00	26	0.002	Peak	0.2	0.105214	0.105601	Pass



## 15. NB-IoT\_Band4\_QPSK\_3.75kHz\_1@0\_High

### 15.5. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1754.8	99.00	26	0.002	Peak	0.2	0.093581	0.061603	Pass



### 15. NB-IoT\_Band4\_BPSK\_3.75kHz\_1@0\_High

#### 15.6. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1754.8	99.00	26	0.002	Peak	0.2	0.088563	0.104816	Pass





## 15. NB-IoT\_Band4\_QPSK\_15kHz\_1@0\_Low

### 15.7. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1710.2	99.00	26	0.002	Peak	0.2	0.127327	0.142002	Pass



## 15. NB-IoT\_Band4\_QPSK\_15kHz\_12@0\_Low

### 15.8. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1710.1	99.00	26	0.002	Peak	0.2	0.198407	0.291699	Pass



## 15. NB-IoT\_Band4\_BPSK\_15kHz\_1@0\_Low

### 15.9. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1710.2	99.00	26	0.002	Peak	0.2	0.129187	0.130736	Pass



## 15. NB-IoT\_Band4\_QPSK\_15kHz\_1@0\_Mid

### 15.10. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1732.5	99.00	26	0.002	Peak	0.2	0.134173	0.169082	Pass



## 15. NB-IoT\_Band4\_QPSK\_15kHz\_12@0\_Mid

### 15.11. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1732.5	99.00	26	0.002	Peak	0.2	0.19242	0.290699	Pass



## 15. NB-IoT\_Band4\_BPSK\_15kHz\_1@0\_Mid

### 15.12. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1732.5	99.00	26	0.002	Peak	0.2	0.126572	0.120449	Pass



## 15. NB-IoT\_Band4\_QPSK\_15kHz\_1@0\_High

### 15.13. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1754.8	99.00	26	0.002	Peak	0.2	0.128012	0.131265	Pass



## 15. NB-IoT\_Band4\_QPSK\_15kHz\_12@0\_High

### 15.14. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1754.9	99.00	26	0.002	Peak	0.2	0.199675	0.288246	Pass






## 15. NB-IoT\_Band4\_BPSK\_15kHz\_1@0\_High

### 15.15. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
1754.8	99.00	26	0.002	Peak	0.2	0.131469	0.127572	Pass



## 16. NB-IoT\_Band5\_QPSK\_3.75kHz\_1@0\_Low

### 16.1. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
824.2	99.00	26	0.002	Peak	0.2	0.06386	0.061789	Pass



## 16. NB-IoT\_Band5\_BPSK\_3.75kHz\_1@0\_Low

### 16.2. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
824.2	99.00	26	0.002	Peak	0.2	0.059983	0.060548	Pass



## 16. NB-IoT\_Band5\_QPSK\_3.75kHz\_1@0\_Mid

### 16.3. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
836.5	99.00	26	0.002	Peak	0.2	0.063475	0.041881	Pass



## 16. NB-IoT\_Band5\_BPSK\_3.75kHz\_1@0\_Mid

### 16.4. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
836.5	99.00	26	0.002	Peak	0.2	0.060243	0.061031	Pass



## 16. NB-IoT\_Band5\_QPSK\_3.75kHz\_1@0\_High

### 16.5. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
848.8	99.00	26	0.002	Peak	0.2	0.063614	0.039054	Pass



## 16. NB-IoT\_Band5\_BPSK\_3.75kHz\_1@0\_High

### 16.6. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
848.8	99.00	26	0.002	Peak	0.2	0.060243	0.038046	Pass



## 16. NB-IoT\_Band5\_QPSK\_15kHz\_1@0\_Low

### 16.7. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
824.2	99.00	26	0.002	Peak	0.2	0.128027	0.143977	Pass





## 16. NB-IoT\_Band5\_QPSK\_15kHz\_12@0\_Low

### 16.8. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
824.2	99.00	26	0.002	Peak	0.2	0.191045	0.284306	Pass



## 16. NB-IoT\_Band5\_BPSK\_15kHz\_1@0\_Low

### 16.9. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
824.2	99.00	26	0.002	Peak	0.2	0.123797	0.110594	Pass



## 16. NB-IoT\_Band5\_QPSK\_15kHz\_1@0\_Mid

### 16.10. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
836.5	99.00	26	0.002	Peak	0.2	0.127506	0.143208	Pass



## 16. NB-IoT\_Band5\_QPSK\_15kHz\_12@0\_Mid

### 16.11. NB-IoT Occupied Bandwidth\_Part22-24-27(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB Bandwidth (MHz)	Verdict
836.5	99.00	26	0.002	Peak	0.2	0.19833	0.271977	Pass

