





<p style="text-align: center;">Solder Board-Component View 5</p>	 <p>A photograph of a black PCB component with a central circular hole and a semi-circular bottom edge. The component is mounted on a blue perforated surface. A black ruler with white markings is placed to the left and bottom of the component for scale. The ruler shows measurements in millimeters, with the component's width being approximately 100 mm and its height approximately 60 mm. The component features several small white rectangular components and blue circular components around its perimeter.</p>
<p style="text-align: center;">Solder Board-Component View 6</p>	 <p>A photograph of the same black PCB component from a different perspective. This view shows the underside of the component, revealing various electronic components such as integrated circuits, resistors, and a white connector. The component is placed on the same blue perforated surface with the black ruler for scale. The ruler indicates the component's dimensions are consistent with View 5, approximately 100 mm wide and 60 mm high. Text on the component includes 'RS-CL-186A', '2021-01-08', '5477680', '540571A', 'KMY-2', and 'Box: 2: 10: 1'.</p>

<p style="text-align: center;">Solder Board-Component View 7</p>	 <p>A photograph showing a small, dark, rectangular component with a central circular lens and two small blue circular features on either side. The component is placed on a blue perforated surface. A black ruler with white markings is positioned below the component, showing measurements in millimeters. The ruler is oriented vertically, with the 0 mark at the top and the 100 mark at the bottom. The component is located between the 10 mm and 20 mm marks on the ruler.</p>
<p style="text-align: center;">Solder Board-Component View 8</p>	 <p>A photograph showing a small, dark, rectangular component with various electronic components and a yellow connector. The component is placed on a blue perforated surface. A black ruler with white markings is positioned below the component, showing measurements in millimeters. The ruler is oriented vertically, with the 0 mark at the top and the 100 mark at the bottom. The component is located between the 10 mm and 20 mm marks on the ruler.</p>

Antenna View

