

ShenZhen Eastong Electronic technology Co., LTD

# APPROVAL SHEET FOR RUNZHUOWULIAN TD702

(WIFI band internal antenna)

Issued by	Checked by	
Confirmed by	Date	2024-06-05
Customer		
Confirm		

Project: UNZHUOWUI		Author: Li Kai	File Name:	RUNZHUOWULIAN TD702 <b>-APP-</b>
Date: 2024-06 Rev:	Language:	Check:	RA	
A	ENG			
	•		DENTIAL	
	She	nZhen Eastong Ele	ctronic techn	ology Co., LTD

## **Revision History**

Date	Revision	Description of Changes	
2024-06-05	R:A	Antenna performance approved by customer	

- 1 SUMMARY
- **2 GENERAL DESCRIPTION**
- 2.1 Definitions
- 3 MECHANICAL DESCRIPTION
- 4 ELECTRICAL PERFORMANCE
- 4.1 Set-up
  - 4.1.1 VSWR and return loss
  - 4.1.2 Efficiency, Gain and TRP/TIS
  - 4.1.3 Matching Circuit Description
- 4.2 Measurement Data
  - 4.2.1 VSWR
  - 4.2.2 Active result
- 5 MECHANICAL DRAWING
- 6 CONCLUSION

Project:		Author: Li Kai	File Name:	
UNZHUOV	WULIAN TD702			RUNZHUOWULIAN TD702 <b>-APP-</b>
Date: 202	4-06-05		DΛ	Refuzite of the Entit (15 / 02 2 to 1
Rev:	Language:	Check:	RA	
A	ENG			
			DENTIAL	
ShenZhen Eastong Electronic technology Co., LTD				

## 1 Summary

This report summarizes the electrical results of the proposed antenna to support the TD702 program. We test the antenna with the latest version handset .

## 2 General Description

#### 2.1 Definitions

VSWR: Voltage Standing Wave Rate

## 3 Mechanical Description

#### 4 Electrical Performance

## 4.1 Set-up

#### 4.1.1 VSWR and return loss

VSWR measurements ( $S_{11}$ ) were performed using an Agilent E5070B Network Analyzer and the previously described test fixture. Coaxial chokes were used to mitigate surface currents on the outside of the cabling. The testing was performed in free space.

#### 4.1.2 Efficiency, Gain and TRP/TIS

The gain of the antenna was measured in Dong Xin's 3D anechoic chamber in Shenzhen. The chamber is capable of doing tests from 380MHz to 6GHz. Coaxial chokes on the feed cable were used to mitigate surface currents. The measurement results are calibrated using dipole standards. For TRP and TIS the chamber uses a Agilent 8960 to establish the connection with the mobile device. During TRP tests the 8960 reads the power received through the chamber probes whilst during TIS tests the 8960 transmits through the probe. All data is afterwards corrected by a calibration table.

#### 4.1.3 Matching Circuit Description

No matching.


#### 4.2 Measurement Data

#### **Effective Radiated Power Summation**

## 5 Mechanical drawing


Project: UNZHUOWUI Date: 2024-06		Author: Li Kai	File Name:	RUNZHUOWULIAN TD702 <b>-APP-</b>
Rev:	Language: ENG	Check:	RA	
CONFIDENTIAL ShenZhen Eastong Electronic technology Co., LTD				





Address: 409-411, Shanhai E-commerce Port, No.9 Huancheng Road, Yangmei Community, Bantian Street, Longgang District, Shenzhen


Project:		Author: Li Kai	File Name:	
UNZHUOV	VULIAN TD702			RUNZHUOWULIAN TD702 <b>-APP-</b>
Date: 2024	4-06-05		DΛ	Refuzite of Ween in Vibyoz Z in I
Rev:	Language:	Check:	RA	
A	ENG			
		CONFIL	DENTIAL	
ShenZhen Eastong Electronic technology Co., LTD				



## Antenna type: PIFA Antenna gain:

O		
Freq (MHz)	Effi(%)	Gain(dBi)
2400	36. 45	1. 64
2410	36. 98	1. 57
2420	37. 59	1.89
2430	37. 69	1. 76
2440	38. 76	1.82
2450	38. 98	1. 73
2460	37. 53	1. 76
2470	37. 68	1. 68
2480	37. 21	1.63
2490	36. 43	1. 57
2500	35. 23	1. 54
5150	28. 86	1. 22
5350	29. 37	1. 28
5550	31. 56	1. 33
5750	32. 42	1. 25
5850	30.65	1. 13

Project:		Author: Li Kai	File Name:	
UNZHUOW	VULIAN TD702			RUNZHUOWULIAN TD702 <b>-APP-</b>
Date: 2024	1-06-05		DΛ	1101,2110 0 11 02111 1 12 102 2 11 1
Rev:	Language:	Check:	RA	
A	ENG			
	·	CONFIL	DENTIAL	
ShenZhen Eastong Electronic technology Co., LTD				



Project:		Author: Li Kai	File Name:	
UNZHUOWUL	JAN TD702			RUNZHUOWULIAN TD702 <b>-APP-</b>
Date: 2024-06	-05		DΛ	1101,2110 0 1, 02111 1 12 7 02 2 11 1
Rev:	Language:	Check:	RA	
A	ENG			
		CONFIL	DENTIAL	
ShenZhen Eastong Electronic technology Co., LTD				