

# Appendix Test Data

Report No:	18220WC40009903	Test Sample NO:	1-2-2
Start Test Date:	2024.2.4	Finish Test Date:	2024.2.5
Test Engineer:	Foker Mang	Auditor:	Justin Feng
Temperature:	25.3℃	Relative Humidity:	48%
Pressure:	101kPa	nbotek Anbut	Anbotek Ani

# **Appendix A1: Emission Bandwidth**

# **Test Result**

TestMode	Antenna	Frequency [MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
upo ek	Anbotek	5180	21.720	5169.120	5190.840	A V	otek_
Anbotek	And	5200	21.480	5189.400	5210.880	24c Vu.	-16/4
abole.	Anborek	5240	21.640	5229.000	5250.640	nbotel	7Up.
Anbotek	Aupor	5260	21.640	5248.960	5270.600	aboke <sup>k</sup>	pinpor
	K Ani	5300	21.120	5289.480	5310.600	- totek	<u>a</u> nb
stek Anbot	- No. 14	5320	21.640	5309.000	5330.640	And re	e
nootek 11A	Ant1	5500	21.560	5489.240	5510.800	-40,00	P
Anbotek	unbotek	5580	21.280	5569.320	5590.600	rek Anb	0,61.
	Anbotek	5700	21.480	5689.160	5710.640	neY	nbotele
Anbotek	Anbor	5745	21.800	5734.000	5755.800	100	- <del>100</del> 484
Anbotek	Arriv	5785	21.400	5774.360	5795.760	Pupo.	bo-
tek Anbote	An'	5825	21.280	5814.240	5835.520	Allooter	- Arrios
botek Anb	DISK.	5180	21.760	5169.240	5191.000	botel	Þ
	worek.	5200	21.680	5189.240	5210.920	N	rek
	un sek	5240	21.920	5229.000	5250.920	VUD	_4 <del>01</del>
	Aupolek	5260	21.760	5249.040	5270.800	potek b	400 M
	Anbote	5300	21.920	5289.040	5310.960	hotek	Mpole
	dan	5320	21.840	5308.960	5330.800	bus	-000
11N20SISO	Ant1	5500	21.800	5488.920	5510.720	Anto	
polek Pupi	N P	5580	21.960	5568.960	5590.920	Puporo	by
	bote	5700	21.880	5689.240	5711.120	K Vupo	
	Aupotek	5745	21.960	5734.080	5756.040	Jek	botek
	pi, potel	5785	21.400	5774.360	5795.760	, <del>V</del>	Motel
	AUG	5825	22.040	5813.840	5835.880	7Upo46.	bun-

### Shenzhen Anbotek Compliance Laboratory Limited







VII.	- Mayor	PUIDO.	by.	- Note	AU	- V	43,000
Anborek	MUD	5190	40.320	5170.000	5210.320	pole b	
abotek	Anbotek Anbote	5230	40.160	5209.760	5249.920	* apotek	Vupo,
	dna	5270	40.880	5249.440	5290.320	molek.	<u> </u>
k Vupoje	vek .	5310	40.400	5290.000	5330.400	Pun-	
11N40SISO	Ant1	5510	40.400	5489.840	5530.240	Aupa	~K
hotek A	ipose.	5550	40.800	5529.600	5570.400	sk Aupo	
Anbotek Anbotek	Anbotek	5670	40.720	5649.680	5690.400	orek or	poter
Anbe	abotel	5755	40.960	5734.680	5775.640	- AF	A GOLD
Anbotek	bire	5795	40.560	5774.840	5815.400	Anbore	
k Aupoten	Pup	5180	21.720	5169.120	5190.840	A.r/2010	Pile
otek Anbo	lek bi	5200	21.920	5189.000	5210.920	- dootek	
	notek	5240	21.760	5229.000	5250.760	r no,	e/
nbotek Ar	tek	5260	21.680	5249.120	5270.800	bu	No.
Anbotek	Aupo.	5300	21.680	5289.240	5310.920	oles bu	
10000	Anbore	5320	21.640	5309.280	5330.920	abotek.	VUPOL.
11AC20SISO	Ant1	5500	21.800	5489.160	5510.960	rosek.	27/20
Anbotek	alk .	5580	21.680	5569.160	5590.840	Mup-	
tek Aupot	, by	5700	21.680	5689.160	5710.840	Pupor	v
ibotek An	ooter	5745	22.000	5733.960	5755.960	Npot	
ip.	"potek	5785	21.960	5774.120	5796.080	rek vit	1018K
Anbotek	wo tek	5825	22.400	5813.840	5836.240	- Ne-	hare)
Anbois.	Blan	5190	40.480	5169.760	5210.240	Upote	
Anborek	Anboi	5230	40.160	5209.760	5249.920	Anborek	VUp
ek Anbote	K MU	5270	40.480	5249.760	5290.240	-totek	4
An	otek	5310	40.480	5289.840	5330.320	1016	ė
11AC40SISO	Ant1	5510	40.560	5489.840	5530.400	- Pup	*e\
abotek	iupo, K	5550	40.320	5529.840	5570.160	iek Aup	
projek.	Anboten	5670	40.320	5650.080	5690.400	rotek b	nbote.
Aur	Anbore	5755	40.880	5734.760	5775.640	-tel	205
Vupo.	6 N	5795	40.240	5774.760	5815.000	Pupp.	
Anbote Anbote	- PU,	5180	22.360	5168.480	5190.840	VUPO46	
otek Anb	ASTO	5200	21.920	5189.000	5210.920	-mbotel	
ye.	abotek	5240	21.920	5229.240	5251.160	200 1/8	ret
Auport	Lotek	5260	22.400	5248.760	5271.160	7 by	1940N
Anboter	Pup.	5300	21.960	5289.080	5311.040	00,00. b.	
anbotek	Anbore	5320	21.920	5309.000	5330.920	anbotek.	Mipo
11AX20SISO	Ant1	5500	22.000	5489.000	5511.000	Pr.	کید
Amo	vek .	5580	21.880	5569.040	5590.920	An-	
otek Pupe	-ol-	5700	21.840	5689.040	5710.880	Pupo.	4 <sub>0</sub> .
abotek A	bore	5745	21.920	5734.200	5756.120	Anbo	-17-
Notek.	anbotek	5785	21.640	5774.080	5795.720	otek or	poter
Anbra	abotel	5825	21.960	5813.920	5835.880	10 <sup>1</sup>	rabo <sup>l</sup>
11AX40SISO	Ant1	5190	40.880	5169.680	5210.560	TUPO12	D2.

Hotline 400-003-0500 www.anbotek.com.cn





Aupoise	BUD	5230	40.880	5209.520	5250.400	pole P	Up Kek
	Vupo.	5270	40.880	5249.360	5290.240	subotek	Aupo
	Ank	5310	40.320	5289.760	5330.080	- HOISK	Pupo
	ve/L	5510	41.280	5489.200	5530.480	An-	
	-ok	5550	40.720	5529.680	5570.400	VUDO	ok -
	obort	5670	40.640	5649.920	5690.560	sk Vupc	
	Anboten	5755	40.880	5734.360	5775.240	otek Ar	100181
	abote	5795	40.720	5774.600	5815.320	10th	- obelek





# **Test Graphs**




























































































































































































































# Appendix A2: Occupied channel bandwidth

# **Test Result**

rest nesa	V	motels Ambo		*eK	abol	Pres.	
TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
rupo.	Anbotek	5180	17.731	5171.1082	5188.8392	p	Horon.
	Ann	5200	17.672	5191.1908	5208.8628	Jose M	
	Anbo,	5240	17.627	5231.0512	5248.6782	rupotek.	VUPO.
	Anbo	5260	17.681	5251.1027	5268.7837	-Potek	brop c
	V	5300	17.599	5291.2060	5308.8050	Pur Stek	
stek Anbo		5320	17.630	5311.1267	5328.7567	FUD	×
11A	Ant1	5500	17.600	5491.2383	5508.8383	F Pupo	<del></del>
	Anbotek	5580	17.697	5571.1992	5588.8962	orek Ari	DOLO-
	abotek	5700	17.664	5691.1283	5708.7923	re <del>k-</del>	- Abolek
	br.	5745	17.709	5736.1025	5753.8115	lupo,K	
	Anbo	5785	17.657	5776.1892	5793.8462	Vupo <sub>te</sub> ,	Dur
	ex bu	5825	17.684	5816.0144	5833.6984	Notoch.	bx
ale par	notek	5180	18.489	5170.8040	5189.2930		
	ntek-	5200	18.508	5190.7400	5209.2480		-10K
	Aupo	5240	18.526	5230.6743	5249.2003	Non Tu	
	Anboro	5260	18.508	5250.7012	5269.2092	obotek	7Upo,
	Anbot	5300	18.474	5290.7977	5309.2717	12 0 10 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2	rodra
YUD.	V	5320	18.507	5310.6732	5329.1802	Ann tek	
11N20SISO	Ant1	5500	18.442	5490.7878	5509.2298	VUpo,	F box
	Joje.	5580	18.492	5570.7746	5589.2666	Inpote	
	nbotek	5700	18.423	5690.7383	5709.1613	ek vap	016H
	Anbotek	5745	18.493	5735.7153	5754.2083		-botek
	Villa.	5785	18.498	5775.7600	5794.2580	100,00	
	Arribo	5825	18.574	5815.6246	5834.1986	anboron-	DILIDA
k abote	E PUL	5190	36.840	5171.6314	5208.4714	A DION	_ <u>p.</u> n/
	4sic	5230	36.793	5211.5128	5248.3058	motel	
	*ek	5270	36.957	5251.5215	5288.4785	Buch	×e <sup>14</sup>
	upo,	5310	36.686	5291.6900	5328.3760	- Vup	-34-
11N40SISO	Ant1	5510	36.723	5491.5947	5528.3177	notek p	10010
	Anbore	5550	36.937	5531.5345	5568.4715	al <u>ek</u>	nhore
		5670	36.837	5651.6708	5688.5078	Pupo-	
	Anb	5755	36.923	5736.6106	5773.5336	Anbore	100
otek Anbi	yer p	5795	36.746	5776.6228	5813.3688	- topotek	3
404	botek	5180	18.546	5170.6980	5189.2440		18H-
	wotek.	5200	18.471	5190.7682	5209.2392	Dill.	wołek
11AC20SISO	Ant1	5240	18.498	5230.6805	5249.1785	loser by	
	Anbort	5260	18.503	5250.6853	5269.1883	*potek	Pupor

### Shenzhen Anbotek Compliance Laboratory Limited







V 10/2	DO.	100			- V-	r-0,
Anbore, And	5300	18.445	5290.7907	5309.2357	boles b	
Anbotek Anbot	5320	18.514	5310.6897	5329.2037	s abotek	Vupo.
ek abotek An	5500	18.478	5490.7776	5509.2556	MOISK.	0/2/d
Der	5580	18.475	5570.7763	5589.2513	Vun.	
potek Anbote	5700	18.515	5690.6879	5709.2029	VUDO	H
abotek Anbore	5745	18.531	5735.7069	5754.2379	sk bupo	
Anbotek Anbotek	5785	18.453	5775.7796	5794.2326	otek Asio	100ge
And ak	5825	18.521	5815.6992	5834.2202	10th	- obedel
Anbo, K	5190	36.761	5171.7172	5208.4782	Aupo	
k Anbotek Ant	5230	36.804	5211.4963	5248.3003	NUp Ole	Plan
otek Anborek	5270	37.015	5251.5317	5288.5467	- nootek	P
ok botek	5310	36.694	5291.6530	5328.3470	F 100	e/c
11AC40SISO Ant1	5510	36.844	5491.5171	5528.3611		-otek
Anbotek Anbote	5550	36.972	5531.5367	5568.5087	ote. T	NGK.
Anbotek Anbote	5670	36.934	5651.6398	5688.5738	abotek	Vupo.
s botek Anb	5755	36.878	5736.6381	5773.5161	1010K	D. HOO
And	5795	36.711	5776.6243	5813.3353	Pur Hely	
stek Anbo	5180	19.408	5170.3245	5189.7325	Pupo.	34-
hotek Anbore	5200	19.319	5190.3415	5209.6605	Aupor	
up otek vupotek	5240	19.342	5230.2622	5249.6042	tek val	0,00
Anbotek Anbote	5260	19.329	5250.3131	5269.6421	-ale	~porek
Anbotok Anboto	5300	19.394	5290.3010	5309.6950	Upor	
44.4.2000100	5320	19.315	5310.2623	5329.5773	anbole.	Villa
11AX20SISO Ant1	5500	19.329	5490.3116	5509.6406	s nuotek	724
No.	5580	19.291	5570.3762	5589.6672	hoje	ė <u></u>
botek Anto	5700	19.344	5690.2567	5709.6007	- Dun	Yor
Anbotek Anbote	5745	19.378	5735.3108	5754.6888	ISK AUD	Nac
abotek Anbote	5785	19.338	5775.3194	5794.6574	botek I	(u)00,
An Makek	5825	19.421	5815.1796	5834.6006	Varow.	DING STILL
Arra set	5190	38.098	5171.0009	5209.0989	Pur FOR	
ek Anbotes Ar	5230	37.960	5210.9807	5248.9407	VUDO.	
ootek Anboter	5270	38.196	5250.9296	5289.1256	- Aupore	
niek nbotek	5310	38.039	5291.0128	5329.0518	ek Nob	yer
11AX40SISO Ant1	5510	38.058	5490.9975	5529.0555		-Yayad
Anbore Ans	5550	38.153	5530.9638	5569.1168	DO, b	- <u>-</u>
Anborek Anbo	5670	38.068	5651.0684	5689.1364	Anbotek	Mup
ak abotel An	5755	38.119	5735.9749	5774.0939	obotek.	P2/0
bu.	5795	38.053	5775.9605	5814.0135	stek	6






#### **Test Graphs**













































































Hotline o

400-003-0500





