



### 2.2.2 6dB BW


802.11a\_LCH\_5745MHz\_Ant1\_NTNV




802.11a\_MCH\_5785MHz\_Ant1\_NTNV




802.11a\_HCH\_5825MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5745MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5785MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5825MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5755MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5775MHz\_Ant1\_NTNV




802.11ax(HE20)\_LCH\_5745MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_MCH\_5785MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_HCH\_5825MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE40)\_LCH\_5755MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HE40)\_HCH\_5795MHz\_RU484\_Left\_Ant1\_NTNV





### 802.11ax(HE80)\_MCH\_5775MHz\_RU996\_Left\_Ant1\_NTNV







### 2.2.3 26dB BW




802.11a\_HCH\_5240MHz\_Ant1\_NTNV




802.11a\_LCH\_5260MHz\_Ant1\_NTNV




802.11a\_MCH\_5300MHz\_Ant1\_NTNV




802.11a\_HCH\_5320MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5260MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5300MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5320MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV



802.11ac(VHT40)\_LCH\_5270MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5310MHz\_Ant1\_NTNV







802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5290MHz\_Ant1\_NTNV




### 802.11ax(HE20)\_LCH\_5180MHz\_RU242\_Left\_Ant1\_NTNV




### 802.11ax(HE20)\_MCH\_5200MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_HCH\_5240MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_LCH\_5260MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_MCH\_5300MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_HCH\_5320MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE40)\_LCH\_5190MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_HCH\_5230MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_LCH\_5270MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_HCH\_5310MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HE80)\_MCH\_5210MHz\_RU996\_Left\_Ant1\_NTNV



802.11ax(HE80)\_MCH\_5290MHz\_RU996\_Left\_Ant1\_NTNV



### 3. Maximum Conducted Output Power

#### 3.1 Test Result

##### 3.1.1 Power

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	11.87	<=23.98	Pass
		5200	/	/	12.11	<=23.98	Pass
		5240	/	/	12.31	<=23.98	Pass
		5260	/	/	11.60	<=23.98	Pass
		5300	/	/	12.14	<=23.98	Pass
		5320	/	/	12.07	<=23.98	Pass
		5745	/	/	12.08	<=30	Pass
		5785	/	/	12.56	<=30	Pass
802.11ac (VHT20)	SISO	5180	/	/	11.48	<=23.98	Pass
		5200	/	/	13.01	<=23.98	Pass
		5240	/	/	12.97	<=23.98	Pass
		5260	/	/	12.60	<=23.98	Pass
		5300	/	/	11.54	<=23.98	Pass
		5320	/	/	10.85	<=23.98	Pass
		5745	/	/	11.15	<=30	Pass
		5785	/	/	13.28	<=30	Pass
802.11ac (VHT40)	SISO	5190	/	/	11.89	<=23.98	Pass
		5230	/	/	13.24	<=23.98	Pass
		5270	/	/	12.86	<=23.98	Pass
		5310	/	/	14.13	<=23.98	Pass
		5755	/	/	14.00	<=30	Pass
		5795	/	/	14.49	<=30	Pass
802.11ac (VHT80)	SISO	5210	/	/	13.75	<=23.98	Pass
		5290	/	/	11.32	<=23.98	Pass
		5775	/	/	14.10	<=30	Pass
802.11ax (HE20)	SISO	5180	RU242	Left	13.45	<=23.98	Pass
		5200	RU242	Left	12.61	<=23.98	Pass
		5240	RU242	Left	12.76	<=23.98	Pass
		5260	RU242	Left	11.59	<=23.98	Pass
		5300	RU242	Left	11.54	<=23.98	Pass
		5320	RU242	Left	11.80	<=23.98	Pass
		5745	RU242	Left	12.87	<=30	Pass





# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023



Report No.: KSCR240800162204

Page: 296 of 364


		5785	RU242	Left	11.33	<=30	Pass
		5825	RU242	Left	14.05	<=30	Pass
802.11ax (HE40)	SISO	5190	RU484	Left	12.66	<=23.98	Pass
		5230	RU484	Left	13.90	<=23.98	Pass
		5270	RU484	Left	13.57	<=23.98	Pass
		5310	RU484	Left	14.04	<=23.98	Pass
		5755	RU484	Left	13.92	<=30	Pass
		5795	RU484	Left	13.50	<=30	Pass
		802.11ax (HE80)	SISO	5210	RU996	Left	12.74
5290	RU996			Left	12.71	<=23.98	Pass
5775	RU996			Left	13.01	<=30	Pass
Note1: Antenna Gain: Ant1: 3.00dBi;							

### 3.2 Test Graph


#### 3.2.1 Power




802.11a\_HCH\_5240MHz\_Ant1\_NTNV




802.11a\_LCH\_5260MHz\_Ant1\_NTNV




802.11a\_MCH\_5300MHz\_Ant1\_NTNV




802.11a\_HCH\_5320MHz\_Ant1\_NTNV




802.11a\_LCH\_5745MHz\_Ant1\_NTNV




802.11a\_MCH\_5785MHz\_Ant1\_NTNV




802.11a\_HCH\_5825MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5240MHz\_Ant1\_NTNV



802.11ac(VHT20)\_LCH\_5260MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5300MHz\_Ant1\_NTNV







802.11ac(VHT20)\_HCH\_5320MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5745MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5785MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5825MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5270MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5310MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5755MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5290MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5775MHz\_Ant1\_NTNV




802.11ax(HE20)\_LCH\_5180MHz\_RU242\_Left\_Ant1\_NTNV



802.11ax(HE20)\_MCH\_5200MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_HCH\_5240MHz\_RU242\_Left\_Ant1\_NTNV







802.11ax(HE20)\_LCH\_5260MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_MCH\_5300MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_HCH\_5320MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_LCH\_5745MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_MCH\_5785MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_HCH\_5825MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE40)\_LCH\_5190MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_HCH\_5230MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_LCH\_5270MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_HCH\_5310MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_LCH\_5755MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_HCH\_5795MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE80)\_MCH\_5210MHz\_RU996\_Left\_Ant1\_NTNV



802.11ax(HE80)\_MCH\_5290MHz\_RU996\_Left\_Ant1\_NTNV



802.11ax(HE80)\_MCH\_5775MHz\_RU996\_Left\_Ant1\_NTNV





## 4. Maximum Power Spectral Density

### 4.1 Test Result

#### 4.1.1 PSD

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	0.72	<=11	Pass
		5200	/	/	0.93	<=11	Pass
		5240	/	/	1.13	<=11	Pass
		5260	/	/	0.89	<=11	Pass
		5300	/	/	1.00	<=11	Pass
		5320	/	/	0.89	<=11	Pass
802.11ac (VHT20)	SISO	5180	/	/	-0.20	<=11	Pass
		5200	/	/	1.58	<=11	Pass
		5240	/	/	1.47	<=11	Pass
		5260	/	/	0.89	<=11	Pass
		5300	/	/	0.18	<=11	Pass
		5320	/	/	-0.63	<=11	Pass
802.11ac (VHT40)	SISO	5190	/	/	-2.56	<=11	Pass
		5230	/	/	-1.14	<=11	Pass
		5270	/	/	-1.54	<=11	Pass
		5310	/	/	-0.21	<=11	Pass
802.11ac (VHT80)	SISO	5210	/	/	-3.82	<=11	Pass
		5290	/	/	-6.00	<=11	Pass
802.11ax (HE20)	SISO	5180	RU242	Left	1.79	<=11	Pass
		5200	RU242	Left	0.93	<=11	Pass
		5240	RU242	Left	1.12	<=11	Pass
		5260	RU242	Left	-0.10	<=11	Pass
		5300	RU242	Left	-0.10	<=11	Pass
		5320	RU242	Left	0.12	<=11	Pass
802.11ax (HE40)	SISO	5190	RU484	Left	-2.07	<=11	Pass
		5230	RU484	Left	-0.73	<=11	Pass
		5270	RU484	Left	-1.07	<=11	Pass
		5310	RU484	Left	-0.54	<=11	Pass
802.11ax (HE80)	SISO	5210	RU996	Left	-5.00	<=11	Pass
		5290	RU996	Left	-4.68	<=11	Pass

Note1: Antenna Gain: Ant1: 3.00dBi;

#### 4.1.2 PSD-Band3

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/500kHz)		Verdict
					ANT1	Limit	



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204



Page: 321 of 364

802.11a	SISO	5745	/	/	-2.29	<=30	Pass
		5785	/	/	-1.85	<=30	Pass
		5825	/	/	-2.30	<=30	Pass
802.11ac (VHT20)	SISO	5745	/	/	-3.57	<=30	Pass
		5785	/	/	-1.43	<=30	Pass
		5825	/	/	-0.55	<=30	Pass
802.11ac (VHT40)	SISO	5755	/	/	-3.84	<=30	Pass
		5795	/	/	-3.00	<=30	Pass
802.11ac (VHT80)	SISO	5775	/	/	-6.62	<=30	Pass
802.11ax (HE20)	SISO	5745	RU242	Left	-2.27	<=30	Pass
		5785	RU242	Left	-3.00	<=30	Pass
		5825	RU242	Left	-1.17	<=30	Pass
802.11ax (HE40)	SISO	5755	RU484	Left	-4.14	<=30	Pass
		5795	RU484	Left	-4.18	<=30	Pass
802.11ax (HE80)	SISO	5775	RU996	Left	-7.87	<=30	Pass


Note1: Antenna Gain: Ant1: 3.00dBi;

### 4.2 Test Graph


#### 4.2.1 PSD




802.11a\_HCH\_5240MHz\_Ant1\_NTNV




802.11a\_LCH\_5260MHz\_Ant1\_NTNV




802.11a\_MCH\_5300MHz\_Ant1\_NTNV




802.11a\_HCH\_5320MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5260MHz\_Ant1\_NTNV



802.11ac(VHT20)\_MCH\_5300MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5320MHz\_Ant1\_NTNV







802.11ac(VHT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5270MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5310MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5290MHz\_Ant1\_NTNV




802.11ax(HE20)\_LCH\_5180MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_MCH\_5200MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_HCH\_5240MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_LCH\_5260MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_MCH\_5300MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_HCH\_5320MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE40)\_LCH\_5190MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_HCH\_5230MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HE40)\_LCH\_5270MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_HCH\_5310MHz\_RU484\_Left\_Ant1\_NTNV








802.11ax(HE80)\_MCH\_5210MHz\_RU996\_Left\_Ant1\_NTNV




802.11ax(HE80)\_MCH\_5290MHz\_RU996\_Left\_Ant1\_NTNV




### 4.2.2 PSD-Band3




802.11a\_HCH\_5825MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5745MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5785MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5825MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5755MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5775MHz\_Ant1\_NTNV




802.11ax(HE20)\_LCH\_5745MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_MCH\_5785MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_HCH\_5825MHz\_RU242\_Left\_Ant1\_NTNV



### 802.11ax(HE40)\_LCH\_5755MHz\_RU484\_Left\_Ant1\_NTNV




### 802.11ax(HE40)\_HCH\_5795MHz\_RU484\_Left\_Ant1\_NTNV





802.11ax(HE80)\_MCH\_5775MHz\_RU996\_Left\_Ant1\_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	102	5179.940	5150 to 5250	Pass
						120	5179.960	5150 to 5250	Pass
						138	5179.960	5150 to 5250	Pass
					-30	120	5179.860	5150 to 5250	Pass
					-20	120	5179.920	5150 to 5250	Pass
					-10	120	5179.920	5150 to 5250	Pass
					0	120	5179.900	5150 to 5250	Pass
					10	120	5180.000	5150 to 5250	Pass
					30	120	5180.000	5150 to 5250	Pass
					40	120	5179.900	5150 to 5250	Pass
		50	120	5180.000	5150 to 5250	Pass			
		5200	/	/	20	102	5199.940	5150 to 5250	Pass
						120	5199.900	5150 to 5250	Pass
						138	5199.960	5150 to 5250	Pass
					-30	120	5199.960	5150 to 5250	Pass
					-20	120	5199.940	5150 to 5250	Pass
					-10	120	5199.980	5150 to 5250	Pass
					0	120	5199.960	5150 to 5250	Pass
					10	120	5199.980	5150 to 5250	Pass
					30	120	5199.940	5150 to 5250	Pass
					40	120	5199.940	5150 to 5250	Pass
		50	120	5200.000	5150 to 5250	Pass			
		5240	/	/	20	102	5239.940	5150 to 5250	Pass
						120	5239.980	5150 to 5250	Pass
						138	5239.960	5150 to 5250	Pass
					-30	120	5239.960	5150 to 5250	Pass
					-20	120	5239.980	5150 to 5250	Pass
					-10	120	5239.980	5150 to 5250	Pass
					0	120	5240.000	5150 to 5250	Pass
					10	120	5239.920	5150 to 5250	Pass
30	120				5240.000	5150 to 5250	Pass		
40	120				5240.000	5150 to 5250	Pass		
50	120	5239.940	5150 to 5250	Pass					
5260	/	/	20	102	5259.920	5250 to 5350	Pass		



**Compliance Certification Services (Kunshan) Inc.**

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204

Page: 346 of 364

					120	5260.040	5250 to 5350	Pass	
					138	5260.000	5250 to 5350	Pass	
				-30	120	5260.020	5250 to 5350	Pass	
				-20	120	5260.060	5250 to 5350	Pass	
				-10	120	5259.880	5250 to 5350	Pass	
				0	120	5259.960	5250 to 5350	Pass	
				10	120	5259.920	5250 to 5350	Pass	
				30	120	5260.020	5250 to 5350	Pass	
				40	120	5259.980	5250 to 5350	Pass	
				50	120	5259.880	5250 to 5350	Pass	
		5300	/	/	20	102	5299.960	5250 to 5350	Pass
						120	5300.000	5250 to 5350	Pass
						138	5299.940	5250 to 5350	Pass
				-30	120	5299.980	5250 to 5350	Pass	
				-20	120	5299.960	5250 to 5350	Pass	
				-10	120	5299.960	5250 to 5350	Pass	
				0	120	5299.980	5250 to 5350	Pass	
				10	120	5299.960	5250 to 5350	Pass	
				30	120	5300.000	5250 to 5350	Pass	
				40	120	5300.040	5250 to 5350	Pass	
				50	120	5300.000	5250 to 5350	Pass	
		5320	/	/	20	102	5320.060	5250 to 5350	Pass
						120	5320.060	5250 to 5350	Pass
						138	5319.920	5250 to 5350	Pass
				-30	120	5320.020	5250 to 5350	Pass	
				-20	120	5319.960	5250 to 5350	Pass	
				-10	120	5319.960	5250 to 5350	Pass	
				0	120	5319.980	5250 to 5350	Pass	
				10	120	5319.980	5250 to 5350	Pass	
				30	120	5320.000	5250 to 5350	Pass	
				40	120	5320.020	5250 to 5350	Pass	
				50	120	5319.900	5250 to 5350	Pass	
		5745	/	/	20	102	5744.980	5725 to 5850	Pass
						120	5745.020	5725 to 5850	Pass
						138	5745.020	5725 to 5850	Pass
				-30	120	5745.020	5725 to 5850	Pass	
				-20	120	5744.980	5725 to 5850	Pass	
				-10	120	5744.980	5725 to 5850	Pass	
				0	120	5744.980	5725 to 5850	Pass	
				10	120	5745.040	5725 to 5850	Pass	
				30	120	5744.960	5725 to 5850	Pass	
				40	120	5744.980	5725 to 5850	Pass	
				50	120	5744.960	5725 to 5850	Pass	
		5785	/	/	20	102	5785.040	5725 to 5850	Pass



**Compliance Certification Services (Kunshan) Inc.**

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204

Page: 347 of 364

					120	5784.960	5725 to 5850	Pass						
					138	5785.040	5725 to 5850	Pass						
					-30	120	5785.040	5725 to 5850	Pass					
					-20	120	5785.020	5725 to 5850	Pass					
					-10	120	5785.040	5725 to 5850	Pass					
					0	120	5785.020	5725 to 5850	Pass					
					10	120	5784.980	5725 to 5850	Pass					
					30	120	5785.020	5725 to 5850	Pass					
					40	120	5785.040	5725 to 5850	Pass					
					50	120	5785.040	5725 to 5850	Pass					
		5825	/	/	20	102	5825.000	5725 to 5850	Pass					
						120	5824.980	5725 to 5850	Pass					
						138	5825.020	5725 to 5850	Pass					
					-30	120	5825.000	5725 to 5850	Pass					
					-20	120	5824.980	5725 to 5850	Pass					
					-10	120	5825.040	5725 to 5850	Pass					
					0	120	5825.000	5725 to 5850	Pass					
					10	120	5824.980	5725 to 5850	Pass					
					30	120	5824.980	5725 to 5850	Pass					
					40	120	5825.020	5725 to 5850	Pass					
					50	120	5825.000	5725 to 5850	Pass					
					802.11ac (VHT20)	SISO	5180	/	/	20	102	5180.000	5150 to 5250	Pass
											120	5179.960	5150 to 5250	Pass
											138	5180.020	5150 to 5250	Pass
										-30	120	5180.020	5150 to 5250	Pass
										-20	120	5180.020	5150 to 5250	Pass
										-10	120	5180.000	5150 to 5250	Pass
										0	120	5180.020	5150 to 5250	Pass
10	120	5180.020	5150 to 5250	Pass										
30	120	5180.000	5150 to 5250	Pass										
5200	/	/	20	102			5200.040	5150 to 5250	Pass					
				120			5200.000	5150 to 5250	Pass					
				138			5200.000	5150 to 5250	Pass					
			-30	120			5200.000	5150 to 5250	Pass					
			-20	120			5200.060	5150 to 5250	Pass					
			-10	120			5200.060	5150 to 5250	Pass					
			0	120			5200.040	5150 to 5250	Pass					
			10	120			5200.060	5150 to 5250	Pass					
			30	120			5200.060	5150 to 5250	Pass					
5240	/	/	20	102	5240.000	5150 to 5250	Pass							



**Compliance Certification Services (Kunshan) Inc.**

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204

Page: 348 of 364

					120	5239.980	5150 to 5250	Pass
					138	5240.000	5150 to 5250	Pass
				-30	120	5240.000	5150 to 5250	Pass
				-20	120	5240.020	5150 to 5250	Pass
				-10	120	5240.080	5150 to 5250	Pass
				0	120	5240.020	5150 to 5250	Pass
				10	120	5239.980	5150 to 5250	Pass
				30	120	5240.020	5150 to 5250	Pass
				40	120	5240.000	5150 to 5250	Pass
				50	120	5239.980	5150 to 5250	Pass
		5260	/	/	20	102	5260.020	5250 to 5350
						120	5260.020	5250 to 5350
						138	5259.960	5250 to 5350
				-30	120	5259.980	5250 to 5350	Pass
				-20	120	5260.040	5250 to 5350	Pass
				-10	120	5260.040	5250 to 5350	Pass
				0	120	5260.080	5250 to 5350	Pass
				10	120	5260.020	5250 to 5350	Pass
				30	120	5260.000	5250 to 5350	Pass
				40	120	5260.040	5250 to 5350	Pass
				50	120	5259.980	5250 to 5350	Pass
		5300	/	/	20	102	5300.060	5250 to 5350
						120	5300.080	5250 to 5350
						138	5300.040	5250 to 5350
				-30	120	5300.060	5250 to 5350	Pass
				-20	120	5300.040	5250 to 5350	Pass
				-10	120	5300.080	5250 to 5350	Pass
				0	120	5300.020	5250 to 5350	Pass
				10	120	5300.020	5250 to 5350	Pass
				30	120	5300.020	5250 to 5350	Pass
				40	120	5300.000	5250 to 5350	Pass
				50	120	5300.000	5250 to 5350	Pass
		5320	/	/	20	102	5320.000	5250 to 5350
						120	5320.040	5250 to 5350
						138	5320.040	5250 to 5350
				-30	120	5320.040	5250 to 5350	Pass
				-20	120	5320.000	5250 to 5350	Pass
				-10	120	5320.040	5250 to 5350	Pass
				0	120	5320.060	5250 to 5350	Pass
				10	120	5319.960	5250 to 5350	Pass
				30	120	5320.020	5250 to 5350	Pass
				40	120	5320.020	5250 to 5350	Pass
				50	120	5320.020	5250 to 5350	Pass
		5745	/	/	20	102	5744.980	5725 to 5850



**Compliance Certification Services (Kunshan) Inc.**

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204

Page: 349 of 364

					120	5745.020	5725 to 5850	Pass			
					138	5745.020	5725 to 5850	Pass			
					-30	120	5745.020	5725 to 5850	Pass		
					-20	120	5744.980	5725 to 5850	Pass		
					-10	120	5745.100	5725 to 5850	Pass		
					0	120	5745.000	5725 to 5850	Pass		
					10	120	5744.980	5725 to 5850	Pass		
					30	120	5744.980	5725 to 5850	Pass		
					40	120	5745.060	5725 to 5850	Pass		
					50	120	5745.040	5725 to 5850	Pass		
		5785	/	/	20	102	5785.000	5725 to 5850	Pass		
						120	5785.060	5725 to 5850	Pass		
						138	5785.040	5725 to 5850	Pass		
					-30	120	5785.040	5725 to 5850	Pass		
					-20	120	5785.020	5725 to 5850	Pass		
					-10	120	5785.020	5725 to 5850	Pass		
					0	120	5785.020	5725 to 5850	Pass		
					10	120	5785.040	5725 to 5850	Pass		
					30	120	5785.000	5725 to 5850	Pass		
					40	120	5785.020	5725 to 5850	Pass		
		5825	/	/	20	102	5824.980	5725 to 5850	Pass		
						120	5824.980	5725 to 5850	Pass		
						138	5825.040	5725 to 5850	Pass		
					-30	120	5825.020	5725 to 5850	Pass		
					-20	120	5825.040	5725 to 5850	Pass		
					-10	120	5824.960	5725 to 5850	Pass		
					0	120	5825.040	5725 to 5850	Pass		
					10	120	5825.060	5725 to 5850	Pass		
					30	120	5825.040	5725 to 5850	Pass		
					40	120	5825.000	5725 to 5850	Pass		
		802.11ac (VHT40)	SISO	5190	/	/	20	102	5189.960	5150 to 5250	Pass
								120	5189.920	5150 to 5250	Pass
								138	5189.920	5150 to 5250	Pass
-30	120						5189.920	5150 to 5250	Pass		
-20	120						5190.000	5150 to 5250	Pass		
-10	120						5189.960	5150 to 5250	Pass		
0	120						5189.960	5150 to 5250	Pass		
10	120						5189.960	5150 to 5250	Pass		
30	120						5190.080	5150 to 5250	Pass		
40	120			5190.040	5150 to 5250	Pass					
50	120	5189.960	5150 to 5250	Pass							
5230	/	/	20	102	5229.960	5150 to 5250	Pass				



**Compliance Certification Services (Kunshan) Inc.**

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204

Page: 350 of 364

					120	5229.920	5150 to 5250	Pass	
					138	5229.960	5150 to 5250	Pass	
					-30	120	5229.880	5150 to 5250	Pass
					-20	120	5229.960	5150 to 5250	Pass
					-10	120	5229.920	5150 to 5250	Pass
					0	120	5230.000	5150 to 5250	Pass
					10	120	5229.920	5150 to 5250	Pass
					30	120	5230.080	5150 to 5250	Pass
					40	120	5230.000	5150 to 5250	Pass
					50	120	5229.960	5150 to 5250	Pass
					5270	/	/	20	102
		120	5270.080	5250 to 5350					Pass
		138	5270.120	5250 to 5350					Pass
		-30	120	5270.080				5250 to 5350	Pass
		-20	120	5270.080				5250 to 5350	Pass
		-10	120	5270.120				5250 to 5350	Pass
		0	120	5270.120				5250 to 5350	Pass
		10	120	5270.120				5250 to 5350	Pass
		30	120	5270.120				5250 to 5350	Pass
		40	120	5270.080				5250 to 5350	Pass
		50	120	5270.040				5250 to 5350	Pass
		5310	/	/	20	102	5310.120	5250 to 5350	Pass
						120	5310.120	5250 to 5350	Pass
						138	5310.200	5250 to 5350	Pass
					-30	120	5310.120	5250 to 5350	Pass
					-20	120	5310.120	5250 to 5350	Pass
					-10	120	5310.080	5250 to 5350	Pass
					0	120	5310.160	5250 to 5350	Pass
					10	120	5310.080	5250 to 5350	Pass
					30	120	5310.080	5250 to 5350	Pass
					40	120	5310.040	5250 to 5350	Pass
					50	120	5310.080	5250 to 5350	Pass
		5755	/	/	20	102	5755.080	5725 to 5850	Pass
						120	5755.080	5725 to 5850	Pass
						138	5755.080	5725 to 5850	Pass
					-30	120	5755.080	5725 to 5850	Pass
					-20	120	5755.080	5725 to 5850	Pass
					-10	120	5755.080	5725 to 5850	Pass
					0	120	5755.080	5725 to 5850	Pass
					10	120	5755.120	5725 to 5850	Pass
					30	120	5755.040	5725 to 5850	Pass
					40	120	5755.080	5725 to 5850	Pass
					50	120	5755.120	5725 to 5850	Pass
5795	/	/	20	102	5795.080	5725 to 5850	Pass		



**Compliance Certification Services (Kunshan) Inc.**

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204

Page: 351 of 364

						120	5795.080	5725 to 5850	Pass					
						138	5795.040	5725 to 5850	Pass					
					-30	120	5795.120	5725 to 5850	Pass					
					-20	120	5795.080	5725 to 5850	Pass					
					-10	120	5795.120	5725 to 5850	Pass					
					0	120	5795.080	5725 to 5850	Pass					
					10	120	5795.120	5725 to 5850	Pass					
					30	120	5795.120	5725 to 5850	Pass					
					40	120	5795.080	5725 to 5850	Pass					
					50	120	5795.080	5725 to 5850	Pass					
802.11ac (VHT80)	SISO	5210	/	/	20	102	5209.925	5150 to 5250	Pass					
						120	5209.925	5150 to 5250	Pass					
						138	5209.925	5150 to 5250	Pass					
										-30	120	5210.000	5150 to 5250	Pass
										-20	120	5210.000	5150 to 5250	Pass
										-10	120	5210.000	5150 to 5250	Pass
										0	120	5209.925	5150 to 5250	Pass
										10	120	5209.925	5150 to 5250	Pass
										30	120	5209.850	5150 to 5250	Pass
										40	120	5210.000	5150 to 5250	Pass
							50	120	5209.925	5150 to 5250	Pass			
				5290	/	/	20	102	5289.850	5250 to 5350	Pass			
											120	5289.850	5250 to 5350	Pass
											138	5289.850	5250 to 5350	Pass
										-30	120	5289.925	5250 to 5350	Pass
										-20	120	5289.925	5250 to 5350	Pass
										-10	120	5289.850	5250 to 5350	Pass
										0	120	5289.850	5250 to 5350	Pass
										10	120	5289.925	5250 to 5350	Pass
										30	120	5290.000	5250 to 5350	Pass
										40	120	5289.850	5250 to 5350	Pass
							50	120	5289.850	5250 to 5350	Pass			
				5775	/	/	20	102	5775.075	5725 to 5850	Pass			
											120	5775.075	5725 to 5850	Pass
											138	5775.075	5725 to 5850	Pass
										-30	120	5775.075	5725 to 5850	Pass
										-20	120	5775.075	5725 to 5850	Pass
								-10	120	5775.075	5725 to 5850	Pass		
								0	120	5775.150	5725 to 5850	Pass		
								10	120	5775.075	5725 to 5850	Pass		
								30	120	5775.075	5725 to 5850	Pass		
								40	120	5775.075	5725 to 5850	Pass		
					50	120	5775.075	5725 to 5850	Pass					
802.11ax	SISO	5180	RU242	Left	20	102	5179.980	5150 to 5250	Pass					





**Compliance Certification Services (Kunshan) Inc.**

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204

Page: 352 of 364

(HE20)					120	5180.000	5150 to 5250	Pass	
					138	5180.080	5150 to 5250	Pass	
					-30	120	5180.020	5150 to 5250	Pass
					-20	120	5179.980	5150 to 5250	Pass
					-10	120	5179.940	5150 to 5250	Pass
					0	120	5179.960	5150 to 5250	Pass
					10	120	5180.000	5150 to 5250	Pass
					30	120	5180.080	5150 to 5250	Pass
					40	120	5180.000	5150 to 5250	Pass
					50	120	5180.040	5150 to 5250	Pass
	5200	RU242	Left	20	102	5200.000	5150 to 5250	Pass	
					120	5199.940	5150 to 5250	Pass	
					138	5200.040	5150 to 5250	Pass	
				-30	120	5200.000	5150 to 5250	Pass	
				-20	120	5199.960	5150 to 5250	Pass	
				-10	120	5199.980	5150 to 5250	Pass	
				0	120	5199.960	5150 to 5250	Pass	
				10	120	5200.080	5150 to 5250	Pass	
				30	120	5199.980	5150 to 5250	Pass	
				40	120	5199.960	5150 to 5250	Pass	
	50	120	5200.120	5150 to 5250	Pass				
	5240	RU242	Left	20	102	5240.040	5150 to 5250	Pass	
					120	5240.040	5150 to 5250	Pass	
					138	5240.040	5150 to 5250	Pass	
				-30	120	5240.040	5150 to 5250	Pass	
				-20	120	5240.020	5150 to 5250	Pass	
				-10	120	5240.040	5150 to 5250	Pass	
				0	120	5240.080	5150 to 5250	Pass	
				10	120	5240.020	5150 to 5250	Pass	
				30	120	5239.980	5150 to 5250	Pass	
				40	120	5240.020	5150 to 5250	Pass	
	50	120	5240.020	5150 to 5250	Pass				
	5260	RU242	Left	20	102	5260.020	5250 to 5350	Pass	
					120	5260.020	5250 to 5350	Pass	
					138	5260.000	5250 to 5350	Pass	
				-30	120	5260.040	5250 to 5350	Pass	
				-20	120	5260.060	5250 to 5350	Pass	
				-10	120	5260.100	5250 to 5350	Pass	
				0	120	5260.040	5250 to 5350	Pass	
				10	120	5259.960	5250 to 5350	Pass	
				30	120	5260.020	5250 to 5350	Pass	
				40	120	5260.000	5250 to 5350	Pass	
	50	120	5260.060	5250 to 5350	Pass				
	5300	RU242	Left	20	102	5300.040	5250 to 5350	Pass	



**Compliance Certification Services (Kunshan) Inc.**

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204

Page: 353 of 364

					120	5300.000	5250 to 5350	Pass	
					138	5300.040	5250 to 5350	Pass	
					-30	120	5300.060	5250 to 5350	Pass
					-20	120	5300.020	5250 to 5350	Pass
					-10	120	5300.020	5250 to 5350	Pass
					0	120	5300.080	5250 to 5350	Pass
					10	120	5300.020	5250 to 5350	Pass
					30	120	5300.040	5250 to 5350	Pass
					40	120	5300.020	5250 to 5350	Pass
					50	120	5300.060	5250 to 5350	Pass
					5320	RU242	Left	20	102
		120	5320.020	5250 to 5350					Pass
		138	5320.000	5250 to 5350					Pass
		-30	120	5320.040				5250 to 5350	Pass
		-20	120	5320.020				5250 to 5350	Pass
		-10	120	5320.040				5250 to 5350	Pass
		0	120	5319.980				5250 to 5350	Pass
		10	120	5320.000				5250 to 5350	Pass
		30	120	5320.040				5250 to 5350	Pass
		40	120	5320.060				5250 to 5350	Pass
		50	120	5319.980				5250 to 5350	Pass
		5745	RU242	Left	20	102	5745.020	5725 to 5850	Pass
						120	5745.000	5725 to 5850	Pass
						138	5745.020	5725 to 5850	Pass
					-30	120	5745.000	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5745.040	5725 to 5850	Pass
					0	120	5745.080	5725 to 5850	Pass
					10	120	5745.020	5725 to 5850	Pass
					30	120	5745.000	5725 to 5850	Pass
					40	120	5744.980	5725 to 5850	Pass
					50	120	5745.080	5725 to 5850	Pass
		5785	RU242	Left	20	102	5785.000	5725 to 5850	Pass
						120	5785.060	5725 to 5850	Pass
						138	5785.020	5725 to 5850	Pass
					-30	120	5784.980	5725 to 5850	Pass
					-20	120	5785.060	5725 to 5850	Pass
					-10	120	5785.000	5725 to 5850	Pass
					0	120	5785.060	5725 to 5850	Pass
					10	120	5785.040	5725 to 5850	Pass
					30	120	5785.000	5725 to 5850	Pass
					40	120	5785.040	5725 to 5850	Pass
50	120				5785.100	5725 to 5850	Pass		
5825	RU242	Left	20	102	5825.080	5725 to 5850	Pass		



**Compliance Certification Services (Kunshan) Inc.**

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204

Page: 354 of 364

						120	5825.040	5725 to 5850	Pass
						138	5824.940	5725 to 5850	Pass
					-30	120	5825.040	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5825.020	5725 to 5850	Pass
					0	120	5825.000	5725 to 5850	Pass
					10	120	5825.060	5725 to 5850	Pass
					30	120	5825.080	5725 to 5850	Pass
					40	120	5825.040	5725 to 5850	Pass
					50	120	5825.060	5725 to 5850	Pass
802.11ax (HE40)	SISO	5190	RU484	Left	20	102	5189.960	5150 to 5250	Pass
						120	5190.120	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
					-30	120	5190.080	5150 to 5250	Pass
					-20	120	5190.040	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5190.080	5150 to 5250	Pass
					10	120	5190.080	5150 to 5250	Pass
					30	120	5190.120	5150 to 5250	Pass
					40	120	5190.040	5150 to 5250	Pass
		50	120	5190.120	5150 to 5250	Pass			
		5230	RU484	Left	20	102	5230.040	5150 to 5250	Pass
						120	5230.040	5150 to 5250	Pass
						138	5230.080	5150 to 5250	Pass
					-30	120	5229.960	5150 to 5250	Pass
					-20	120	5230.080	5150 to 5250	Pass
					-10	120	5230.040	5150 to 5250	Pass
					0	120	5230.080	5150 to 5250	Pass
					10	120	5230.080	5150 to 5250	Pass
					30	120	5230.000	5150 to 5250	Pass
					40	120	5230.080	5150 to 5250	Pass
		50	120	5230.040	5150 to 5250	Pass			
		5270	RU484	Left	20	102	5270.080	5250 to 5350	Pass
						120	5270.040	5250 to 5350	Pass
						138	5270.120	5250 to 5350	Pass
					-30	120	5270.080	5250 to 5350	Pass
					-20	120	5270.080	5250 to 5350	Pass
					-10	120	5270.040	5250 to 5350	Pass
					0	120	5270.000	5250 to 5350	Pass
					10	120	5270.080	5250 to 5350	Pass
30	120				5270.120	5250 to 5350	Pass		
40	120				5270.160	5250 to 5350	Pass		
50	120	5270.080	5250 to 5350	Pass					
5310	RU484	Left	20	102	5310.080	5250 to 5350	Pass		



**Compliance Certification Services (Kunshan) Inc.**

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204

Page: 355 of 364

						120	5310.040	5250 to 5350	Pass	
						138	5310.080	5250 to 5350	Pass	
					-30	120	5310.120	5250 to 5350	Pass	
					-20	120	5310.120	5250 to 5350	Pass	
					-10	120	5310.080	5250 to 5350	Pass	
					0	120	5310.040	5250 to 5350	Pass	
					10	120	5310.080	5250 to 5350	Pass	
					30	120	5310.080	5250 to 5350	Pass	
					40	120	5310.040	5250 to 5350	Pass	
					50	120	5310.160	5250 to 5350	Pass	
		5755	RU484	Left	20		102	5755.120	5725 to 5850	Pass
							120	5755.080	5725 to 5850	Pass
							138	5755.040	5725 to 5850	Pass
						-30	120	5755.080	5725 to 5850	Pass
						-20	120	5755.040	5725 to 5850	Pass
						-10	120	5755.000	5725 to 5850	Pass
						0	120	5755.040	5725 to 5850	Pass
						10	120	5755.040	5725 to 5850	Pass
						30	120	5755.080	5725 to 5850	Pass
						40	120	5755.000	5725 to 5850	Pass
			50	120	5755.080	5725 to 5850	Pass			
		5795	RU484	Left	20		102	5795.040	5725 to 5850	Pass
							120	5795.080	5725 to 5850	Pass
							138	5795.080	5725 to 5850	Pass
						-30	120	5795.120	5725 to 5850	Pass
						-20	120	5795.120	5725 to 5850	Pass
						-10	120	5795.120	5725 to 5850	Pass
						0	120	5795.080	5725 to 5850	Pass
						10	120	5795.120	5725 to 5850	Pass
						30	120	5795.080	5725 to 5850	Pass
	40				120	5795.040	5725 to 5850	Pass		
	50	120	5795.120	5725 to 5850	Pass					
802.11ax (HE80)	SISO	5210	RU996	Left	20		102	5210.150	5150 to 5250	Pass
							120	5210.075	5150 to 5250	Pass
							138	5210.075	5150 to 5250	Pass
						-30	120	5210.225	5150 to 5250	Pass
						-20	120	5210.000	5150 to 5250	Pass
						-10	120	5210.075	5150 to 5250	Pass
						0	120	5210.150	5150 to 5250	Pass
						10	120	5210.075	5150 to 5250	Pass
						30	120	5210.000	5150 to 5250	Pass
						40	120	5210.150	5150 to 5250	Pass
			50	120	5210.075	5150 to 5250	Pass			
			5290	RU996	Left	20	102	5290.075	5250 to 5350	Pass



**Compliance Certification Services (Kunshan) Inc.**

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204

Page: 356 of 364

					120	5290.150	5250 to 5350	Pass	
					138	5290.150	5250 to 5350	Pass	
					-30	120	5290.075	5250 to 5350	Pass
					-20	120	5290.150	5250 to 5350	Pass
					-10	120	5290.150	5250 to 5350	Pass
					0	120	5290.075	5250 to 5350	Pass
					10	120	5290.150	5250 to 5350	Pass
					30	120	5290.150	5250 to 5350	Pass
					40	120	5290.150	5250 to 5350	Pass
					50	120	5290.150	5250 to 5350	Pass
	5775	RU996	Left	20	102	5775.150	5725 to 5850	Pass	
					120	5775.075	5725 to 5850	Pass	
					138	5775.150	5725 to 5850	Pass	
				-30	120	5775.075	5725 to 5850	Pass	
				-20	120	5775.150	5725 to 5850	Pass	
				-10	120	5775.075	5725 to 5850	Pass	
				0	120	5775.150	5725 to 5850	Pass	
				10	120	5775.150	5725 to 5850	Pass	
				30	120	5775.075	5725 to 5850	Pass	
				40	120	5775.150	5725 to 5850	Pass	
50	120	5775.075	5725 to 5850	Pass					



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204

Page: 357 of 364

### 6. Signal Calibration


#### 6.1 Test Result

##### 6.1.1 SC


Band: 2A							
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration		Verdict
			Type	Trial Id	Result	Limit	
802.11ax (HE80)	80	5290	0	0	Refer To Test Graph		Pass
			1	0	Refer To Test Graph		Pass
			2	0	Refer To Test Graph		Pass
			3	0	Refer To Test Graph		Pass
			4	0	Refer To Test Graph		Pass
			5	0	Refer To Test Graph		Pass
			6	0	Refer To Test Graph		Pass

### 6.2 Test Graph


#### 6.2.1 SC



Signal Calibration 802.11ax(HE80) 2A 5290MHz RadarType2 Trial0




Signal Calibration 802.11ax(HE80) 2A 5290MHz RadarType3 Trial0






Signal Calibration 802.11ax(HE80) 2A 5290MHz RadarType4 Trial0



Signal Calibration 802.11ax(HE80) 2A 5290MHz RadarType5 Trial0






# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204

Page: 361 of 364

Signal Calibration 802.11ax(HE80) 2A 5290MHz RadarType6 Trial0





# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204

Page: 362 of 364

## 7. Channel Loading (Payload)


### 7.1 Test Result

#### 7.1.1 Payload

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ax (HE80)	80	5290	18.76	>=17	Pass

### 7.2 Test Graph

#### 7.2.1 Payload



## 8. Channel Move Time and Closing Transmission Time


### 8.1 Test Result

#### 8.1.1 CMT\_CTT

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time		Verdict
			Result	Limit	
802.11ax (HE80)	80	5290	Refer To Test Graph		Pass

### 8.2 Test Graph

#### 8.2.1 CMT\_CTT





# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162204

Page: 364 of 364

## 9. Non-Occupancy Period


### 9.1 Test Result

#### 9.1.1 Period

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ax (HE80)	80	5290	Refer To Test Graph		Pass

### 9.2 Test Graph

#### 9.2.1 Period



- End of the Report -